

Please contact Invacare EU Export Customer Services on :-  
**Tel : +33 247 626980 ; Email : serviceclient\_export@invacare.com**  
 Or visit our website : www.invacare.eu.com

Assembly by trained service providers or by Invacare



**Alber® e-fix®E35**

Electric Power Add-On



**Description:**

- Full engine with two-wheel drive
- Wheels equipped with a bandage insert
- Programmable control box
- 6 Ah Lithium battery and battery charger.
- Wheel diameter 22" or 24".
- Assembly carried out by Invacare or trained service providers
- Maximum user weight: 120kg
- 2-year warranty including batteries and excluding wearing parts.

Date :

Purchase Order :

Customer Code :

Distributor Stamp:

Select the options chosen by a cross in the boxes       Configuration standard       Option at no additional cost

CODE	DESCRIPTION	NC: Not Compatible NC: 9999: not compatible with reference 9999	Euros
<b>Installation of the e-fix®E35 kit</b>			
1566180	<input type="checkbox"/> <b>alber e-fix® E35, 24" or 22" wheels</b>		5 781,99
<b>MANDATORY OPTIONS</b>			
1467178	<input type="checkbox"/> Fixing kit for e-fix wheels		271,09
1584856-EF	<input type="checkbox"/> Installation of the e-fix wheel fixing kit by Invacare (return transport costs not included)		323,22
1593206	<input type="checkbox"/> Average assembly time: 5 working days upon receipt of the chair (In the case of an existing chair, plan to return it to our workshops within 10 days).		355,45
1593206	<input type="checkbox"/> Black anti-tippers with kickstand		355,45
<b>To determine compatibility:</b>			
Armchair from the Invacare® group (Action®, kuschall®), please indicate below the serial number of the wheelchair to be equipped.		Armchair of all other brands, please send us with this sheet the measurement of the wheelchair to be equipped.	
<b>Serial number:</b>			
<b>Warning: Pair of original or Alber anti-tip wheels required.</b>			
The brakes will be adjusted to work with the motorized wheels. For your brakes to be functional with manual wheels, we advise you to equip them with the same coating as the motorized wheels.			
<b>Wheelbase of the chair subject to change. Avoid all options close to the rear bearings which could interfere with assembly.</b>			
<b>Motorized wheel size</b>			
	<input type="checkbox"/> 22"	NC : 1566200, 1566202	<input type="checkbox"/>
	<input type="checkbox"/> 24"	NC : 1566201, 1566203	<input type="checkbox"/>
<b>ELECTRONIC CONTROLS</b>			
<b>Standard controls</b>			
	<input type="checkbox"/> Joystick right		<input checked="" type="checkbox"/>
	<input type="checkbox"/> Joystick left		<input type="checkbox"/>
1593361	<input type="checkbox"/> Inward and outward retractable joystick support, multi-adjustable		311,85
	<input type="checkbox"/> joystick on tablet (see tablet with central position)		<input type="checkbox"/>
<b>Third-party controls</b>			
1457755	<input type="checkbox"/> Third-party control, movement of the joystick to the left in the backrest		144,08
1457754	<input type="checkbox"/> Third-person control, movement of the joystick to the right in the backrest		144,08



Test the compatibility of the manual wheelchair using the DJP

Intuitive dual control			
1566165	<input type="checkbox"/>	Intuitive double control, 1 handle	677,02
	<input type="checkbox"/>	Additional manual handle for dual control	○
<b>Batteries</b>			
	<input type="checkbox"/>	6 Ah battery (up to 16 km)	◆
1566182	<input type="checkbox"/>	7.5 Ah battery, replaces the standard 6 Ah (up to 22 km)	NC : 1566172 170,62
1565639	<input type="checkbox"/>	Additional 6 Ah battery	NC : 1566174 552,61
1566153	<input type="checkbox"/>	Additional 7.5 Ah battery (only with 7.5 Ah battery)	696,68
<b>OPTIONS</b>			
	<input type="checkbox"/>	Mobility App - the free app on your smartphone! Allows you to connect to your e-fix via Bluetooth to get as much information as possible about your engine (range, instantaneous speed, etc.) Available on App Store and Play Store	
1591926	<input type="checkbox"/>	Pack Mobility Plus - Speed up to 8 km/h (not programmable), visual feedback of incoming calls and text messages*, remote control of the wheelchair Available on Android and iOS (8km/h nc optibox)  <i>*Incoming calls and SMS are only available with Android smartphones.</i>	347,87
1566184	<input type="checkbox"/>	Optibox for e-fix E35	293,84
P30094	<input type="checkbox"/>	Red round and flat contactor	110,90
1467698	<input type="checkbox"/>	Sensor for standing chair	262,56
1457743	<input type="checkbox"/>	Support for anti-tipper (only when 1489214 ordered without e-fix®)	146,92
1566200	<input type="checkbox"/>	24" alber decor spoke guards, individually. Desired quantity:	NC : 1566666, 1566201, 1566203 73,93
1566666	<input type="checkbox"/>	24" clear spoke guards per unit. Desired quantity:	NC : 1566201, 1566203 73,93
1566201	<input type="checkbox"/>	22" alber decor spoke guards per unit. Desired quantity:	NC : 1566203 73,93
1566203	<input type="checkbox"/>	22" transparent spoke guards per unit. Desired quantity:	73,93
1566196	<input type="checkbox"/>	Ball for flexible joystick diameter 70 mm	NC : 1565669, 1565670 27,49
1565669	<input type="checkbox"/>	Ball for special joystick diameter 40 mm	NC : 1565670 25,59
1565670	<input type="checkbox"/>	T-control for quadriplegic	95,73
1566197	<input type="checkbox"/>	Extension for gear selector (for limited hand functions)	48,34
1565836	<input type="checkbox"/>	joystick protection	55,92
1566168	<input type="checkbox"/>	Drum bag with Velcro straps	111,85
1566169	<input type="checkbox"/>	Battery bag attachment set	NC : 1566164, 1566163 43,60
1566164	<input type="checkbox"/>	Fastenings on brace for battery (folding armchairs)	NC : 156163 194,31
1566163	<input type="checkbox"/>	Battery axle mounts (non-folding chairs)	160,19
1566177	<input type="checkbox"/>	Remote charging socket (extension plugged into interface)	102,37
1467780	<input type="checkbox"/>	Brake pad extensions	44,55
1566179	<input type="checkbox"/>	Clutch release aid, each	109,95
1566178	<input type="checkbox"/>	Release aid (Per Pair)	215,17
1565005	<input type="checkbox"/>	<b>Original manual wheel adaptation kit</b> Tip: for perfect compatibility of the brakes with the manual wheels, we advise you to order the complete manual wheels as an accessory (1520119 or 1520072) or to equip the original manual wheels with the same coating as the motorized wheels.	215,17
1520119	<input type="checkbox"/>	Complete manual wheels 22 X 1 3/8, gray studded tyre, stainless steel handrail, with 1/2" axle (pair)	412,32
1520072	<input type="checkbox"/>	Complete manual wheels 24 X 1 3/8, gray studded tyre, stainless steel handrail, with 1/2" axle (pair)	412,32
<b>Tablet with joystick in the center:</b>			
1566207	<input type="checkbox"/>	for seat width 380-430 mm	273,93
1566208	<input type="checkbox"/>	for seat width 440-480 mm	273,93
1566206	<input type="checkbox"/>	Fixing kit for mounting the joystick on an existing tablet	160,19



1566200  
1566201



1566196



1565669



1565670



1566197



1565836



1566169



1566168  
1566169



1566177



1566179  
1566178



1566179  
1566178



1566207  
1566208



1566207  
1566208

\*\*subject to approval with the chair chosen

# Alber® e-fix® E36

Electric Power Add-On



Date :

Purchase Order :

Customer Code :

Distributor Stamp :

Assembly by trained service providers or Invacare



**Description:**


- Full engine with two-wheel drive
- Wheels equipped with pneumatic coating
- Programmable control box.
- 7.5Ah lithium batteries, battery charger.
- Maximum speed 6km/h, 8km/h optional with Pack Mobility Plus
- Wheel diameter: 24". Fixing kit included. 2x150 W motors.
- Assembly carried out by Invacare or trained service providers
- Maximum user weight: 160kg.
- Warranty: 2 years batteries included.

CODE	DESCRIPTION	NC: Not Compatible NC: 9999: not compatible with reference 9999	Euros	
------	-------------	--	-------	--

**Assembly of the e-fix® kit**

1566181	<input type="checkbox"/> <b>alber e-fix®E36</b> , 24" wheels (maximum user weight 160kg - wheels equipped with pneumatic coating)		7 135,55	
---------	---	--	----------	--

**MANDATORY OPTIONS**

1467178	<input type="checkbox"/> Fixing kit for e-fix wheels		271,09	
1584856-EF	<input type="checkbox"/> Installation of the e-fix wheel fixing kit by Invacare (return transport costs not included) Average assembly time: 5 working days upon receipt of the chair (In the case of an existing chair, plan to return it to our workshops within 10 days).		323,22	
1593206	<input type="checkbox"/> Anti-tippers with kickstand		355,45	 1593206

**To determine compatibility:**

Wheelchair from the Invacare® group (Action®, kuschall®), please indicate below the serial number of the wheelchair to be equipped.	Wheelchair of all other brands, please send us with this sheet the measurement of the wheelchair to be equipped.
---	--


Test the compatibility of the manual wheelchair using the DIP

**Serial number:**  
**Warning: Pair of original or Alber anti-tip wheels required.**  
 The brakes will be adjusted to work with the motorized wheels. For your brakes to be functional with manual wheels, we advise you to equip them with the same coating as the motorized wheels.  
**Wheelbase of the chair subject to change. Avoid all options close to the rear bearings which could interfere with assembly.**












<b>Motorized wheel size</b>	<input type="checkbox"/> 24"		<input type="radio"/>	
-----------------------------	------------------------------	--	-----------------------	--

**ELECTRONIC CONTROLS**

Standard controls			
	<input type="checkbox"/> Joystick right		◆
	<input type="checkbox"/> Joystick left		○
1593361	<input type="checkbox"/> Inward and outward retractable joystick support, multi-adjustable		311,85
	<input type="checkbox"/> Joystick on tablet (see tablet with central position)		○
Third-party controls			
1457755	<input type="checkbox"/> Third-party control, movement of the joystick to the left in the backrest		144,08
1457754	<input type="checkbox"/> Third-person control, movement of the joystick to the right in the backrest		144,08
Intuitive dual control			
1566165	<input type="checkbox"/> Intuitive double control, 1 handle		677,02
	<input type="checkbox"/> Additional manual handle for dual control		○
Batteries			
	<input type="checkbox"/> 7.5 Ah battery (up to 20 km)		◆
1566153	<input type="checkbox"/> Additional 7.5 Ah battery		696,68



**OPTIONS**

1591926	<input type="checkbox"/>	Pack Mobility Plus - Speed up to 8 km/h (not programmable), visual feedback of incoming calls and sms, remote control of the wheelchair Available on Android and iOS (8km/h nc optibox)		347,87	 P30094
1566184	<input type="checkbox"/>	Optibox for <b>e-fix E36</b>		293,84	 1566200 1566201
P30094	<input type="checkbox"/>	Red round and flat contactor		110,90	
1467698	<input type="checkbox"/>	Sensor for standing chair		262,56	
1457743	<input type="checkbox"/>	Support for anti-tipper (only when 1593206 ordered without e-fix®)		146,92	
1566200	<input type="checkbox"/>	24" alber decor spoke guards, individually. Desired quantity:	NC : 1566666, 1566201, 1566203	73,93	 1566196
1566666	<input type="checkbox"/>	24" clear spoke guards per unit. Desired quantity:	NC : 1566201, 1566203	73,93	 1565669
1566201	<input type="checkbox"/>	22" alber decor spoke guards per unit. Desired quantity:	NC : 1566203	73,93	 1565670
1566203	<input type="checkbox"/>	22" transparent spoke guards per unit. Desired quantity:		73,93	 1566197
1566196	<input type="checkbox"/>	Ball for flexible joystick diameter 70 mm	NC : 1565669, 1565670	27,49	 1565836
1565669	<input type="checkbox"/>	Ball for special joystick diameter 40 mm	NC : 1565670	25,59	 1566168 1566169
1565670	<input type="checkbox"/>	T-control for quadriplegic		95,73	 1566177
1566197	<input type="checkbox"/>	Extension for gear selector (for limited hand functions)		48,34	 1566179
1565836	<input type="checkbox"/>	joystick protection		55,92	
1566168	<input type="checkbox"/>	Drum bag with Velcro straps		111,85	
1566169	<input type="checkbox"/>	Battery bag attachment set	NC : 1566164, 1566163	43,60	
1566164	<input type="checkbox"/>	Fastenings on brace for battery (folding armchairs)	NC : 156163	194,31	
1566163	<input type="checkbox"/>	Battery axle mounts (non-folding chairs)		160,19	
1566177	<input type="checkbox"/>	Remote charging socket (extension plugged into interface)		102,37	
1467780	<input type="checkbox"/>	Brake pad extensions		44,55	
1566179	<input type="checkbox"/>	Clutch release aid, each		109,95	
1566178	<input type="checkbox"/>	Release aid (Per Pair)		215,17	
1565005	<input type="checkbox"/>	Original manual wheel adaptation kit Tip: for perfect compatibility of the brakes with the manual wheels, we advise you to order the complete manual wheels as an accessory (1520072) or to equip the original manual wheels with the same coating as the motorized wheels.		215,17	 1566207 1566208
1520072	<input type="checkbox"/>	Complete manual wheels 24 X 1 3/8, gray studded tyre, stainless steel handrail, with 1/2" axle (pair)		412,32	
<b>Tablet with joystick in the center:</b>					
1566207	<input type="checkbox"/>	for seat width 380-430 mm		273,93	
1566208	<input type="checkbox"/>	for seat width 440-480 mm		273,93	
1566206	<input type="checkbox"/>	Fixing kit for mounting the joystick on an existing tablet		160,19	