




Please contact Invacare EU Export Customer Services on :-
Tel : +33 247 626980 ; Email : serviceclient_export@invacare.com
 Or visit our website : www.invacare.eu.com



Invacare® TDX® SP2 AA1  

Mixt Power wheelchair 6 wheels



Description :


- 2-year warranty excluding batteries and wearing parts.

Date :

User Name :






Customer Code:

Dealer stamp :

 Customization Service Invacare Unique
 Please indicate your quote number or special manufacturing number :

Indicative Public Rate - Use the online configurator on Invacare Pro to generate quotes or orders free from incompatibilities.

- Sélectionner les options choisies par une croix dans les cases Configuration standard Options sans supplément de prix

CODE	DESCRIPTION	NC : Non Compatible (nc : 9999) not compatible with the reference 9999	EUROS	
ARH0015	<input type="checkbox"/> <i>Invacare® TDX® SP2 AA1</i>		8 234,12	
ARH0071	<input type="checkbox"/> <i>Invacare® TDX® SP2 AA1 - Low Rider version - including 73.5 Ah batteries - Reduced seat height 420 mm - 30° seat tilt and lift included - Armrests not adjustable in width</i>	NC : 1091, 1092, 1093, 1095, 1145, 2110, 2184, 2185, 2186, 2187, 2188, 2189, 2229, 2134+0589, 2121	10 930,81	
ARH0072	<input type="checkbox"/> <i>Invacare® TDX® SP2 AA1 - Low Rider version - including 60Ah batteries - Reduced seat height 403 mm - 30° seat tilt and lift included</i>	NC : 1091, 1092, 1093, 1095, 1145, 1260, 2110, 2184, 2185, 2186, 2187, 2188, 2189, 2134+0589, 2121	10 930,81	
Invacare® Modulite Seat Unit				
ARH2110	<input type="checkbox"/> One Piece Seat Plate, width 430 mm Adjustable by arms 440 - 480 mm	NC : 0556,0589, 0977, 1092, 1093, 1094, 1095, 1332, 2108, 2113,2192, 2193, 2194, thigh braces, 2128, Bodypoint	◆	 2110
SEAT DEPTH SETTING				
ARH2132	<input type="checkbox"/> 410 mm	NC : 2196, 2197,2198	○	
ARH2134	<input type="checkbox"/> 460 mm		◆	
ARH2136	<input type="checkbox"/> 510 mm	NC : 2143	○	
SEAT CUSHIONS				
ARH2141	<input type="checkbox"/> Standard Foam Cushion 50 mm thick	NC : 2152, 2153, 2155, Bodypoint	◆	
ARH2142	<input type="checkbox"/> Matrix Flo-tech Cushion Lite (75mm up to 127 kg); Contour (100mm up to 191 kg)		○	2143
ARH2143	<input type="checkbox"/> Matrix Flo-tech Contour Visco; (2-way stretch material) 430 x 430 mm [max. user weight 125 kg]	NC : 2155	76,78	
ARH2147	<input type="checkbox"/> Matrix Libra Cushion, 90 mm thick Standard (up to 136 kg)/HD (up to 227 kg). Extended lead time: + 4 days	NC : 2155	293,84	2147
ARH2144	<input type="checkbox"/> Matrix Vi Cushion (Mesh fabric)	NC : 2155	293,84	2144
BACKREST SUPPORT				
ARH2161	<input type="checkbox"/> Backrest frame, detachable, height 480 mm	NC : 1307	◆	
ARH2171	<input type="checkbox"/> Tension Adjustable - tall = 540 mm /short = 480 mm	NC : 2052, 2053, 2152, 2153, 2155, 1445, 2230, 2247, 2322, 2323, 2324, 2325, 2326, 2327, Elan Headrests	◆	
ARH2174	<input type="checkbox"/> Matrix Posture Back, height 400 mm (Mesh fabric)		798,10	
ARH2175	<input type="checkbox"/> Matrix Posture Back, height 500 mm (Mesh fabric)		798,10	
ARH2176	<input type="checkbox"/> Matrix Elite E2 Back , height 500 mm (Mesh fabric)		717,54	
ARH2177	<input type="checkbox"/> Matrix Elite TR Back, height 500 mm (Mesh fabric)		717,54	
ARH2178	<input type="checkbox"/> Matrix Elite Deep E2 Back, height 500 mm (Mesh fabric)		717,54	2171

Find the trunk supports and all the accessories on the Matrix measurement sheet!

MODULITE MODULAR SEAT
Seat type

ARH2111	<input type="checkbox"/>	Telescopic Seat Frame and Plate with Side Rails width 380 to 530 mm Additional 50 mm by arms		107,11
ARH2112	<input type="checkbox"/>	Telescopic Seat Frame + Sling Seat with Side Rails width 380 to 530 mm; + 30 mm seat height Additional 50 mm by arms		120,38


Seat width (Factory preset)

		330mm (take seat width 380 mm (2121) + Inside curved armrest (2183))	NC : 2143, 2701, 2703, 2705, 2138+2142/2147/2144	
ARH2121	<input type="checkbox"/>	380 mm	NC : 2143, 0071, 0072, 2138+2142/2147/2144, 2701, 2703, 2705	○
ARH2122	<input type="checkbox"/>	430 mm	NC : 2138, 2701, 2703, 2705	◆
ARH2123	<input type="checkbox"/>	480 mm	NC : 2138+2142/2147, 2702, 2704, 2706	○
ARH2124	<input type="checkbox"/>	530 mm	NC : Matrx backrests, 2143, 2702, 2704, 2706	○

Seat width (Factory preset)

ARH2129	<input type="checkbox"/>	Standard Depth Package (SD range 410 - 510 mm)	NC : 2138	◆
ARH2130	<input type="checkbox"/>	Extended Depth Package (SD range 510 - 560 mm)	NC : 2132, 2134	○

Seat Depth (Factory preset)

ARH2132	<input type="checkbox"/>	410 mm	NC : 2196, 2197, 2198, 0556+thigh wedge, Bodypoint	○
ARH2134	<input type="checkbox"/>	460 mm	NC : 0556+thigh wedge	◆
ARH2136	<input type="checkbox"/>	510 mm	NC : 2143, 0556+thigh wedge	○
ARH2138	<input type="checkbox"/>	560 mm(only with seat width 530 mm)	NC : 2143	○

Seat cushion

ARH2142	<input type="checkbox"/>	Seat cushion Flo-tech Lite (for width from 380 to 480 mm, height 75 mm, max weight 127 kg) / Contour (for width 530 mm, height 100 mm, max weight 152 kg)		◆
ARH2143	<input type="checkbox"/>	Seat cushion Flo-tech Contour Visco 430 x 430 mm (height 90 mm, max weight 100 kg)	NC : 2155	76,78
ARH2147	<input type="checkbox"/>	Seat cushion Matrx Libra, (height 90mm, max weight 136kg)	NC : 2155	298,84
ARH2144	<input type="checkbox"/>	Seat cushion Matrx Vi (micro ventilated cover)	NC : 2155	298,84


Backposts

ARH2162	<input type="checkbox"/>	Height 540 mm		◆
ARH2163	<input type="checkbox"/>	Height 480 mm	NC : 2052, 2053, 1307, 1332, 2220, 2219, 2245, 2227, 2228	○

Push handles

ARH2107	<input type="checkbox"/>	Pusch handles		◆
ARH2108	<input type="checkbox"/>	Without pusch handles - only for Flex 3 backrests		○

Backrest support

ARH2171	<input type="checkbox"/>	Tension adjustable backrest,bi-material padded incl. Back pocket	NC : 1445, 2052, 2053, 2152, 2153,2155, 2230, 2247, 2324, 2325,2327, Elan headrest	◆
ARH2179	<input type="checkbox"/>	Flex3 Tension Adjustable, delivered with Lateral back cushion, Dartex coating (extra charge)	NC : 1445, 2152, 2153, 2155, 2230, 2247, 2324, 2325, 2327, Elan Headrest	196,21
ARH2173	<input type="checkbox"/>	Rigid backrest Flex 3 width and height adjustable (560 to 790 mm) with Laguna backrest cushion	NC : 2128	164,93
ARH2174	<input type="checkbox"/>	Matrx Posture Back, height 400 mm - incl. Back pocket		798,10
ARH2175	<input type="checkbox"/>	Matrx Posture Back, height 500 mm - incl. Back pocket		798,10
ARH2176	<input type="checkbox"/>	Matrx Elite, height 500 mm - incl. Back pocket		717,54
ARH2177	<input type="checkbox"/>	Matrx Elite TR Back, height 500 mm (Mesh fabric)		717,54
ARH2178	<input type="checkbox"/>	Matrx Elite Deep, height 500 mm - incl. Back pocket		717,54



COMMON OPTIONS FOR MODULITE SEATING
Backrest cushion and / or seat upholstery (depending on configuration)

ARH2151	<input type="checkbox"/>	Nylon noir		◆
ARH2152	<input type="checkbox"/>	Dartex noir		○
ARH2153	<input type="checkbox"/>	Extra LK (black with orange seam)		○
ARH2155	<input type="checkbox"/>	Mesh black		○

Armrest

ARH2191	<input type="checkbox"/>	Height adjustable armrest 290 to 360 mm, in depth and removable, by pair		◆
ARH2198	<input type="checkbox"/>	Height adjustable armrest 340 to 400 mm, in depth and removable, by pair	NC : 2195, 2196, 2197, cale-cuisses	247,39
ARH2181	<input type="checkbox"/>	Enveloping armrest, Dartex coating, by pair		60,66
ARH2183	<input type="checkbox"/>	Inside curved armrest, up to 50 mm width, 25 mm per side	NC : cale-cuisses	○
ARH2193	<input type="checkbox"/>	Lifting armrest, ajustable height 230 - 360 mm		○
ARH2192	<input type="checkbox"/>	Lifting and parallel armrest, ajustable height 230 - 300 mm	NC : 1445	302,37
ARH2194	<input type="checkbox"/>	Lifting and parallel armrest, ajustable height 300 - 360 mm	NC : 1445	302,37



2191



2198

Manchettes

ARH2195	<input type="checkbox"/>	Standard armpad, length 325 mm, by pair		◆
ARH2196	<input type="checkbox"/>	Long armpad, length 375 mm, by pair		78,67
ARH2197	<input type="checkbox"/>	Ergonomic long armpad, length 397 mm, by pair	NC : 2230, 2247	113,74


Hemiplegic gutter

	<input type="checkbox"/>	Hemiplegic gutter in special manufacturing		On Demand
	<input type="checkbox"/>	Hemi concave gutter with flat or curved horn palmar support and 360° right or left reversible rotator, in 18° steps		On Demand


Seat accessories

ARH2184	<input type="checkbox"/>	Left thigh wedge, 140x100 mm	NC : Bodypoint	290,05
ARH2186	<input type="checkbox"/>	Left thigh wedge, 230x100 mm	NC : Bodypoint	290,05
ARH2188	<input type="checkbox"/>	Left thigh wedge, 330x100 mm	NC : Bodypoint	290,05
ARH2185	<input type="checkbox"/>	Right thigh wedge 140x100 mm	NC : Bodypoint	290,05
ARH2187	<input type="checkbox"/>	Right thigh wedge 230x100 mm	NC : Bodypoint	290,05
ARH2189	<input type="checkbox"/>	Right thigh wedge 330x100 mm	NC : Bodypoint	290,05

Wedge-thigh support height

ARH2164	<input type="checkbox"/>	Wedge-thigh support 155 mm		◆
ARH2165	<input type="checkbox"/>	Wedge-thigh support 206 mm		○



1432

Appuis-têtes et autres accessoires

ARH1307	<input type="checkbox"/>	Push bar (dia 22 mm) in conjunction with telescopic backposts	NC : 2161	43,60
ARH1432	<input type="checkbox"/>	Adjustable headrest in depth , height and sideways, Dartex-coated	NC : 2229, 2230, 2247	237,91
ARH1427	<input type="checkbox"/>	Multi adjustable neckrest Kontour with side earflaps, dartex coating	NC : 2229, 2230, 2247	314,69
ARH2324	<input type="checkbox"/>	Headrest Elan Standard 10" - Black cover	NC : 2230, 2247	383,89
ARH2325	<input type="checkbox"/>	Headrest Elan Occipital 9" - Black cover	NC : 2230, 2247	427,49
ARH2327	<input type="checkbox"/>	Headrest Elan 4 points 11" - Black cover	NC : 2230, 2247	559,24
ARH1445	<input type="checkbox"/>	Lateral support with extended arm, Dartex upholstery, pair	NC : Matrx backrests	336,49



1432



1427



2325



2325



427,49



559,24



336,49

SEAT ADJUSTMENTS FOR MODULITE SEAT				
Seat lifter / Seat tilt				
ARH1091	<input type="checkbox"/>	Manually settable Seat Tilt	NC : 2054	◆
ARH1092	<input type="checkbox"/>	Powered tilt 0° à 20°	NC : 2054, 2201	412,32
ARH1095	<input type="checkbox"/>	Powered "fixed pivot" Tilt 20°, heavy duty	NC : 2054, 2201	412,32
ARH1093	<input type="checkbox"/>	Powered tilt with CoG shift 0° to 30°	NC : 2201	787,68
ARH2052	<input type="checkbox"/>	Powered tilt with CoG shift 0° to 50°	NC 0012, 0071, 0072, 0073, 0074, 2110, 2201, 1924, (1922/1923/1924/1496+1450/1494), 2161, 2163, 2171	787,68
ARH1094	<input type="checkbox"/>	Electric with compensation from 0° to 30° + Lift 300 mm - Electrically lifting seat (Max weight 130 kg) from 460 to 760 mm	NC : 2201	1 895,73
ARH2053	<input type="checkbox"/>	Electric with compensation from 0° to 45° + Lift 300 mm - Electrically lifting seat (Max weight 130 kg) from 460 to 760 mm	NC 2110, 2201, 1924, (1922/1923/1924+1350/1432/1427+1450/1494), 2161, 2163, 2171, 0012	1 895,73
Height floor-plate for electric from 0° to 20°				
ARH0354	<input type="checkbox"/>	450 mm		◆
ARH0364	<input type="checkbox"/>	475 mm		○
Seat Tilt Option (only if option 1093 or 1094 has been selected)				
ARH2054	<input type="checkbox"/>	5° Fixed Anterior Tilt, Assist mount (will reduce max tilt angle by 5°)		424,64
Backrest recliner				
ARH0975	<input type="checkbox"/>	Manual from 0° to 30° in steps of 3.75° REMOVABLE BACKREST WITHOUT TOOLS		◆
ARH0977	<input type="checkbox"/>	Electric from 0° to 30° FOLDING BACKREST WITHOUT TOOLS	NC : 2201	709,00
SEAT AND BACKREST MAX				
ARH1145	<input type="checkbox"/>	Seat Max and backrest Max	NC : 1332, 2113, 0526, 1404, 1405, 2253, 2205, 2206, 2229, 2128, 2258, Bodypoint	1 483,41
Seat width				
ARH0378	<input type="checkbox"/>	550 mm		◆
ARH0380	<input type="checkbox"/>	610 mm		○
Seat depth				
ARH0396	<input type="checkbox"/>	560 mm		○
ARH0397	<input type="checkbox"/>	595 mm		◆
ARH0398	<input type="checkbox"/>	630 mm		○
Armrests				
ARH0635	<input type="checkbox"/>	Removable armrests, height adjustable 250 to 340 mm		○
Armrests, pair, reinforced bracket				
ARH0647	<input type="checkbox"/>	Short Armpad (325 mm)		○
ARH0649	<input type="checkbox"/>	Long Armpad (375 mm)		◆
HEADREST				
ARH1432	<input type="checkbox"/>	Headrest, sideways adjustable		237,91
ARH1427	<input type="checkbox"/>	Headrest with cheek support, sideways adjustable		314,69
SEAT TILT				
Inclinaison d'assise				
ARH1091	<input type="checkbox"/>	Manually settable Seat Tilt		◆
ARH1092	<input type="checkbox"/>	Powered "fixed pivot" Tilt 20° *(up to 136 kg)	NC : 2201	412,32
ARH1095	<input type="checkbox"/>	Powered "fixed pivot" Tilt 20°, heavy duty (up to 180 kg)	NC : 2201	412,32
SEAT HEIGHT SETTING				
ARH1024	<input type="checkbox"/>	Fix Seat Height 470 mm		◆
ARH1046	<input type="checkbox"/>	Fix Seat Height 495 mm		○
BACKREST RECLINER				
ARH0958	<input type="checkbox"/>	Settable Recliner, by spindle (0 - 25°)		◆
ARH0947	<input type="checkbox"/>	Electrical Recliner (with high pivot, shearing compensation)	NC : 2201	708,06



FOLDABLE
BACKREST

NEW

NEW



0975



0977

LEGRESTS / FOOTRESTS			
CENTRE MOUNTED LEGRESTS			
ARH0556	<input type="checkbox"/>	Hanger, centre mounted, angle settable - Length: 280 - 385 mm	NC : 0517 ○
ARH0589	<input type="checkbox"/>	LNX Power centre mount legrest, length compensating - Length: 340 - 410 mm	NC : 2201 1 713,74
FOOTPLATES / FOOT PLATFORM			
ARH2365	<input type="checkbox"/>	Angle & width adjustable footplates S (127 W x 190 mm D / 5"x7.5")	○
ARH0559	<input type="checkbox"/>	Angle & width adjustable footplates M (140 W x 240 mm D / 5.5"x9.5")	◆
ARH0516	<input type="checkbox"/>	Angle & width adjustable footplates L (150 W x 290 mm D / 6"x11.5)	124,17
ARH0517	<input type="checkbox"/>	Angle adjustable foot platform M (305 W x 275 mm D / 12"x10.75")	124,17
SIDE MOUNTED LEGREST PAIRS LH/RH			
ARH0526	<input type="checkbox"/>	Standard hanger 80° pair	NC : 0504 ○
ARH0503	<input type="checkbox"/>	Hanger Vari F pair	◆
ARH0533	<input type="checkbox"/>	Hanger Vari A pair	271,09
ARH0531	<input type="checkbox"/>	Hanger ADE 0° - 80° pair	NC : 2201 1 507,11
FOOTPLATE TYPE / PAIRS			
ARH0504	<input type="checkbox"/>	Angle Adjustable Footplate pair	◆
ARH0513	<input type="checkbox"/>	Angle and depth adjustable Footplate pair	107,11
REMOTES LINX			
LINX PRIMARY REMOTES with proportional Joystick + BRACKETS			
ARH2201	<input type="checkbox"/>	Remote LINX DLX-REM110 = Drive only	NC : 2229, 2230, 2247, 2257, 2233, 2240, 2270, 2245 -984,83
ARH2203	<input type="checkbox"/>	Remote LINX DLX-REM211 = Drive & Actuators	NC : 2229, 2231, 2232, 2230, 2247, 2257, 2233, 2240, 2270 -984,83
ARH2204	<input type="checkbox"/>	Remote LINX DLX-REM216 = Drive, Actuators & Lights	NC : 2229, 2231, 2232, 2230, 2247, 2257, 2233, 2240, 2270 -984,83
ARH2205	<input type="checkbox"/>	Rehab Remote LINX, touch-screen user interface DLX-REM400	NC : 2220 ○
ARH2206	<input type="checkbox"/>	Rehab Remote LINX without joystick for alternative access users. DLX-REM500	NC : 2220, 2270 576,30
REM400 TOGGLE OPTION			
ARH2270	<input type="checkbox"/>	Assignable Toggle Switch Module f. REM400 (DLX-SW400TGL)	340,28
REMOTE MOUNTING POSITION			
ARH1207	<input type="checkbox"/>	Standard Bracket RH	NC : 1404 ○
ARH1208	<input type="checkbox"/>	Standard Bracket LH	NC : 1405 ○
ARH1707	<input type="checkbox"/>	Swing Away Bracket RH	NC : 1404 ◆
ARH1708	<input type="checkbox"/>	Swing Away Bracket LH	NC : 1405 ○
ARH1709	<input type="checkbox"/>	Maxx resolve , swing away in/out - RH	NC 1404, (2231/2232+2207/2213), (2233/2240+2235/2213/2241), (2257+2275) ○
ARH1710	<input type="checkbox"/>	Maxx resolve , swing away in/out - LH	NC 1405, (2231/2232+2208/2214), (2233/2240+2236/2214/2242), (2257+2276) ○
ARH2213	<input type="checkbox"/>	Centre Mount, swing-away to RH, Nucleus	NC : 1404, 1405, 1415 685,31
ARH2214	<input type="checkbox"/>	Centre Mount, swing-away to LH, Nucleus	NC : 1404, 1405, 1339 685,31
ARH2227	<input type="checkbox"/>	Bracket RH, mounted for Attendant	NC : 2219, 2220, 1287, 1228, 2128, 2108 33,85
ARH2228	<input type="checkbox"/>	Bracket LH, mounted for Attendant	NC : 2219, 2220, 1286, 2128, 2108 33,85
ARW2239	<input type="checkbox"/>	Individual mounting option per request (Special)	On Demand
LINX REM500 (DISPLAY ONLY) BRACKETS			
ARH2209	<input type="checkbox"/>	Swing away RH, multi-adjustable	NC : 1404, 1415 ◆
ARH2210	<input type="checkbox"/>	Swing away LH, multi-adjustable	NC : 1405, 1339 ○
PW-4005	<input type="checkbox"/>	Centre Mount, swing-away to RH, Nucleus	On Demand
ARH2213	<input type="checkbox"/>	Centre Mount, swing-away to LH, Nucleus	NC : 1404, 1405, 1415 652,13
ARH2214	<input type="checkbox"/>	Individual mounting option per request (Special)	NC : 1404, 1405, 1339 652,13
ARW2239	<input type="checkbox"/>	Montage personnalisé, merci de nous préciser votre demande :	On Demand



0533

0531

LINX



REM110



REM211



REM216



REM400

Bluetooth



REM500

Bluetooth




2270

NEW



2209

2210

DUAL CONTROL LiNX + BRACKETS				
ARH2220	<input type="checkbox"/>	Dual Control LiNX (DLX-REM050 as secondary remote)	NC : 2227, 2228, 1221, 1222	677,02
ARH2219	<input type="checkbox"/>	Compact Dual Control LiNX (DLX-ACU200)	NC : 1221, 1222, 2227, 2228	1 091,94
ARH2245	<input type="checkbox"/>	Invacare LiNX IDC Dual control	NC : 1207, 1208, 2227, 2228	1 563,98
ARH1207	<input type="checkbox"/>	Standard Bracket RH		◆
ARH1208	<input type="checkbox"/>	Standard Bracket LH		○
ARH1221	<input type="checkbox"/>	Bracket RH, detachable		◆
ARH1222	<input type="checkbox"/>	Bracket LH, detachable		○
If several joysticks are to be mounted on the retractable support for mounting in the central position (2213/2214), select option 2215				
Mo-Vis special controls - refer to the order sheet				
LiNX - COMPACT REMOTES + BRACKETS				
REQUIRES PRIMARY REMOTE (DLX-REM400 or DLX-REM500)				
ARH2231	<input type="checkbox"/>	Proportional Compact Remote DLX-CR400		1 192,42
ARH2232	<input type="checkbox"/>	Proportional Compact Remote Low Force DLX-CR-400LF		1 312,80
ARH2207	<input type="checkbox"/>	RH Mount	NC : 1404	◆
ARH2208	<input type="checkbox"/>	LH Mount	NC : 1405	○
ARH2213	<input type="checkbox"/>	Centre Mount, swing-away to RH (Nucleus)	NC : 1404, 1405, 1415	717,54
ARH2214	<input type="checkbox"/>	Centre Mount, swing-away to LH (Nucleus)	NC : 1404, 1405, 1339	717,54
ARW2215	<input type="checkbox"/>	Individual mounting option per request (Special)		On Demand
CHIN CONTROL + BRACKETS				
REQUIRES PRIMARY REMOTE (DLX-REM400 or DLX-REM500)				
ARH2229	<input type="checkbox"/>	Proportional Chin Joystick (ASL138)	NC : 2128	3 011,37
ARH1289	<input type="checkbox"/>	Swing Away Bracket RH, side manual (ASL628) - Requires ELAN Headrest	NC : 1350, 1432, 1427	◆
ARH1288	<input type="checkbox"/>	Swing Away Bracket LH, side manual (ASL628) - Requires ELAN Headrest	NC : 1350, 1432, 1427	○
ARH1287	<input type="checkbox"/>	Swing Away Bracket RH, powered	NC : 2125, 2227, 1404, 1415, 1312	1 445,50
ARH1286	<input type="checkbox"/>	Swing Away Bracket LH, powered	NC : 2125, 2228, 1405, 1339, 1363	1 445,50
HEAD CONTROL ATOM Technology				
ARH2230	<input type="checkbox"/>	Head Control with ultrasonic proximity sensors (ATOM, ASL104) with standard wings M3	NC : 2233, 2092, 2324, 2325, 2327, 2257, 2240	5 648,34
ARH2247	<input type="checkbox"/>	Head Control with ultrasonic proximity sensors (PROTON, ASL104P) with PROTON wings	NC : 2233, 2092, 2324, 2325, 2327, 2257, 2240	5 648,34
FOUR-SWITCH PROXIMITY ARRAY (with ATOM Technology)				
ARH2257	<input type="checkbox"/>	Four-Switch Proximity Array (ASL106)	NC : 2233, 2240	6 129,86
ARH2275	<input type="checkbox"/>	Centre Mount, swing-away to RH, Nucleus - Incl. Eclipse Tray ASL619, 360x180 mm)		○
ARH2276	<input type="checkbox"/>	Centre Mount, swing-away to LH, Nucleus - Incl. Eclipse Tray ASL619, 360x180 mm)		○
ARW2215	<input type="checkbox"/>	Individual mounting option per request (Special) - Requires additional information/specification		On Demand
LiNX - PROPORTIONAL REMOTES / INPUTS & BRACKETS				
REQUIRES PRIMARY REMOTE (DLX-REM400 or DLX-REM500)				
ARH2233	<input type="checkbox"/>	MEC Proportional Joystick (Micro Extremity Control ASL130)	NC : 2240	3 366,82
ARH2240	<input type="checkbox"/>	Commande joystick renforcé proportionnel ASL133		2 709,95
ARH2235	<input type="checkbox"/>	Tray Mount RH (ASL603, 100x150 mm)		○
ARH2236	<input type="checkbox"/>	Tray Mount LH (ASL603, 100x150 mm)		○
ARH2213	<input type="checkbox"/>	Centre Mount, swing-away to RH, Nucleus	NC : 1404, 1405, 2310, 2311	○
ARH2214	<input type="checkbox"/>	Centre Mount, swing-away to LH, Nucleus	NC : 1404, 1405, 2310, 2311	○
ARH2241	<input type="checkbox"/>	Centre Mount, swing-away to RH, Nucleus - Incl. Tray ASL603, 100x150 mm	NC : 1404, 1405, 2310, 2311	717,54
ARH2242	<input type="checkbox"/>	Centre Mount, swing-away to LH, Nucleus - Incl. Tray ASL603, 100x150 mm		717,54
ARW2215	<input type="checkbox"/>	Individual mounting option per request (Special) - Requires additional information/specification		On Demand
ALTERNATIVE SEATING CONTROL - LiNX 10-WAY SWITCH				
ARH2251	<input type="checkbox"/>	10-Way Switch DLX-SW10-A f. direct Powered Seating Access		530,81
ARH2217	<input type="checkbox"/>	Bracket RH, mounted for user	NC : 2209, 2213, 1415	○
ARH2218	<input type="checkbox"/>	Bracket LH, mounted for user	NC : 2210, 2214	○
ARH2227	<input type="checkbox"/>	Bracket RH, mounted for attendant	NC : 1287	○
ARH2228	<input type="checkbox"/>	Bracket LH, mounted for attendant	NC : 1286	○
ARH2225	<input type="checkbox"/>	Without mounting		○
ARH2252	<input type="checkbox"/>	Loom providing jack sockets for "Drive" and "Mode"		87,20



REM050




2219
2245



2231
2232



2229



2230



2247



2257



2233



2240



2251

LiNX ACCESSORIES			
LiNX ACCESSORIES			
ARH2253	<input type="checkbox"/>	USB Charger Port DLX-USB02-A	NC : 2110, Bodypoint 236,02
ARH2207	<input type="checkbox"/>	RH Mount	NC : 1404 ○
ARH2208	<input type="checkbox"/>	LH Mount	NC : 1405 ○
FURTHER COMPONENTS / ACCESSORIES			
ARH2300	<input type="checkbox"/>	To be enclosed only	○
ARW2301	<input type="checkbox"/>	To be connected and programmed (Special)	Sur devis
BUDDY BUTTONS - Accessory loom 2252 required, if no REM400 or REM500 is selected			
ARH1685	<input type="checkbox"/>	Red Buddy Button	130,81
ARH1686	<input type="checkbox"/>	Yellow Buddy Button	130,81
ARH1687	<input type="checkbox"/>	Green Buddy Button	130,81
ARH1690	<input type="checkbox"/>	Blue Buddy Button	130,81
EGG SWITCH - Accessory loom 2252 required, if no REM400 or REM500 is selected			
ARH2254	<input type="checkbox"/>	Egg Switch, black	103,32
PIKO BUTTONS - Accessory loom 2252 required, if no REM400 or REM500 is selected			
ARH1711	<input type="checkbox"/>	Red Piko Button	130,81
ARH1712	<input type="checkbox"/>	Yellow Piko Button	130,81
ARH1713	<input type="checkbox"/>	Green Piko Button	130,81
ARH1714	<input type="checkbox"/>	Orange Piko Button	130,81
ARH1715	<input type="checkbox"/>	Blue Piko Button	130,81
ARH1716	<input type="checkbox"/>	Black Piko Button	130,81
REMOTE STOP SWITCH			
ARH2258	<input type="checkbox"/>	Remote Stop Switch (ASL504)	831,28
BODYPOINT JOYSTICK KNOBS			
ARH2721	<input type="checkbox"/>	3 inch U-Shaped, Joystick Handle, Bodypoint PC101A	100,00
ARH2722	<input type="checkbox"/>	4 inch U-Shaped, Joystick Handle, Bodypoint PC102A	100,00
ARH2723	<input type="checkbox"/>	Domed Rubber, Joystick Handle, Bodypoint PC107A	100,00
ARH2724	<input type="checkbox"/>	Mushroom Grooved, Joystick Handle, Bodypoint PC110A	100,00
DRIVE UNIT DETAILS			
Shroud colours			
ARP2640	<input type="checkbox"/>	Obsidian black	○
ARP2641	<input type="checkbox"/>	Ruby red	○
ARP2642	<input type="checkbox"/>	Purple Passion	○
ARP2643	<input type="checkbox"/>	Peacock blue	○
ARP2644	<input type="checkbox"/>	Artic blue	○
Rim insert colours			
ARP2650	<input type="checkbox"/>	Obsidian black	○
ARP2651	<input type="checkbox"/>	Ruby red	○
ARP2652	<input type="checkbox"/>	Purple Passion	○
ARP2653	<input type="checkbox"/>	Peacock blue	○
ARP2654	<input type="checkbox"/>	Artic blue	○
PERFORMANCE			
FORKS			
ARH2631	<input type="checkbox"/>	Single sided fork (new) incl. black castor	399,05
ARH2632	<input type="checkbox"/>	Double sided fork	◆
CENTRE / DRIVE WHEELS			
ARO0704	<input type="checkbox"/>	14"x3" Black Tires, Pneumatic	◆
ARO0705	<input type="checkbox"/>	14"x3" Black Tires, Solid tire	○
ARO0706	<input type="checkbox"/>	14"x3" Black Tires Puncture Protect	○
MOTOR TYPE / SPEED OPTIONS			
ARH1282	<input type="checkbox"/>	OPS Drive 6 km/h (4-pole)	○
ARH1285	<input type="checkbox"/>	OPS Drive 10 km/h (4-pole)	○
ARH1223	<input type="checkbox"/>	10 km/h Setting for OPS Drive High Speed Motor	○
BATTERY			
ARH1260	<input type="checkbox"/>	73,5 Ah Gel	◆
CHARGER			
ARH1313	<input type="checkbox"/>	OptiCharge Charger 10A (IP44)	◆
ARH1314	<input type="checkbox"/>	Opti Charge Charger 10A (IP44) (EDO : UK Plug)	○



2253



2258

2721
2722


2723



2724




2640 2641 2642



2643 2644



2650 2651 2652



2653 2654

GYROSCOPE			
G-Trac			
ARH1215	<input type="checkbox"/>	G-Trac Module	1 035,07
OPTIONS			
LIGHT			
ARH1367	<input type="checkbox"/>	Light system with indicators (Choose REM216, REM400 or REM500)	627,49
ARH1437	<input type="checkbox"/>	LED Light system (Choose REM216, REM400 or REM500)	650,24
ARH1254	<input type="checkbox"/>	Without Light system	◆
TRANSPORTATION KIT			
ARH1450	<input type="checkbox"/>	Preparation for DAHL-Docking station (Adequate headrest is compulsory) - Docking Station for car implementation has to be ordered separately with DAHL Engineering	○
TIE-DOWNS			
ARH1493	<input type="checkbox"/>	4-Point tie-down (For wheelchair transportation without user)	◆
ARH1494	<input type="checkbox"/>	4-Point tie-down (Tested version for using wheelchair as a vehicle seat according to ISO 7176-19) (Adequate headrest is compulsory)	○
LAP BELT			
ARH1329	<input type="checkbox"/>	Lap Belt with Auto Lock - X-tra long for Max Seat	◆
ARH2113	<input type="checkbox"/>	Lap Belt with Auto Lock - Flexible mount in side rails	○
ARH1332	<input type="checkbox"/>	H-Belt -	271,09
BODYPOINT PELVIC BELTS - Includes mounting kit			
ARH2701	<input type="checkbox"/>	Evoflex Pelvic Stabilizer, Rehab Latch Size L - Padded length 620 mm	156,40
ARH2702	<input type="checkbox"/>	Evoflex Pelvic Stabilizer, Rehab Latch Size M - Padded length 460 mm	156,40
ARH2703	<input type="checkbox"/>	2-Point Hip Belt, Ctr-Pull, Push Butt, Cinch-Mount Size L - Padded length 620 mm	133,65
ARH2704	<input type="checkbox"/>	2-Point Hip Belt, Ctr-Pull, Push Butt, Cinch-Mount Size M - Padded length 460 mm	133,65
ARH2705	<input type="checkbox"/>	2-Point Hip Belt, Dual-Pull, Side-Release Butt. Cinch-Mount Size L - Padded length 620 mm	116,59
ARH2706	<input type="checkbox"/>	2-Point Hip Belt, Dual-Pull, Side-Release Butt. Cinch-Mount, Size M - Padded length 460 mm	116,59
REARVIEW MIRROR			
ARH1415	<input type="checkbox"/>	RH Mirror	70,14
ARH1339	<input type="checkbox"/>	LH Mirror	70,14
BAG HOOKS			
ARH2128	<input type="checkbox"/>	Bag hooks (on Modulite Seat) - Max load up to 6 kg = impact on max user weight	150,71
CANEHOLDER			
ARH1312	<input type="checkbox"/>	Caneholder RH	68,25
ARH1363	<input type="checkbox"/>	Caneholder LH	68,25
TRAY			
ARH1404	<input type="checkbox"/>	Tray, Swing Away RH	503,32
ARH1405	<input type="checkbox"/>	Tray, Swing Away LH	503,32
RAMPS			
1440530	<input type="checkbox"/>	Fiberglass Folding Mono Ramp Folded dimensions: 2000 x 230 mm 16.3 kg - maximum capacity: 300 kg	1 787,68
1654130	<input type="checkbox"/>	Aluminium folding mono ramp Folded dimensions: 1824 x 714 mm 13.9 kg - maximum capacity: 300 kg	317,54



DAHL
ENGINEERING



1493



1329



2701, 2702




2703, 2704



2705, 2706



2128



1404

1405



1440530



1654130