

# Invacare® Action<sup>3</sup><sub>NG</sub> RC Matrix

Please contact Invacare EU Export Customer Services on :-  
Tel : +33 247 626980 ; Email : serviceclient\_export@invacare.com  
Or visit our website : www.invacare.eu.com



## Invacare® Action<sup>3</sup><sub>NG</sub> RC Matrix (Rocking Chair)

Manual folding aluminum wheelchair with mechanical seat inclination at 25°



KIT DE TRANSPORTATION SANS SUPPLEMENT



### Description:

- Action3NG Rocking Chair Matrix 6-wheel manual wheelchair with central wheel drive for better access to handrails
- Mechanical seat tilt at 25° offering a resting and lockable position
- Articulated rear wheel supports fitted with 5" wheels to facilitate 2-wheeling
- New cable pull brake system
- Rigid anti-hammock base supplied as standard with all seat cushions (subject to compatibility with the seat dimensions chosen)
- Weight: from 18.4 kg.
- Maximum user weight: 125 kg.
- 2-year warranty period excluding wear parts

Date :

Purchase Order :

Customer Code :

Distributor Stamp:



Invacare Unique Customization Service  
Please specify the quote or special production number:

Please make your selection with a cross in the box      ◆ Standard feature      ○ Free of charge option

CODE		DESCRIPTION	NC : Non Compatible NC : 9999 = not compatible with the reference 9999	Euros
CEU0031	<input type="checkbox"/>	Invacare® Action <sup>3</sup> <sub>NG</sub> RC MATRIX - Fixed Backrest		1324,61
CEU0036	<input type="checkbox"/>	Invacare® Action <sup>3</sup> <sub>NG</sub> RC MATRIX - Folding Backrest		1366,94
CEU0041	<input type="checkbox"/>	Invacare® Action <sup>3</sup> <sub>NG</sub> RC MATRIX - Reclining Backrest		1366,94

### TYPES DE PROPULSION

CEU0100	<input type="checkbox"/>	Standard		◆
---------	--------------------------	----------	--	---

### SEAT

#### SEAT WIDTH

CEU0180	<input type="checkbox"/>	380 mm	NC : 0485,0486, 0487, 0488, 0545+0595, 0852, 0855, 1345	○
CEU0190	<input type="checkbox"/>	405 mm	NC : 0482, 0486, 0487, 0488, 0545+0595, 1345	○
CEU0200	<input type="checkbox"/>	430 mm	NC : 0482, 0483, 0487, 0488, 0853	◆
CEU0210	<input type="checkbox"/>	455 mm	NC : 0482, 0483, 0484, 0488, 0853	○
CEU0220	<input type="checkbox"/>	480 mm	NC : 0482, 0483, 0484, 0485, 0853, 0854	○
CEU0230	<input type="checkbox"/>	505 mm	NC : 0482, 0483, 0484, 0485, 0486, 0853, 0854, 0855, 0856	○

#### SEAT DEPTH







CEU0240	<input type="checkbox"/>	400 mm	NC : 0879	◆
CEU0250	<input type="checkbox"/>	450 mm	NC : 0853, 0878	○
CEU0252	<input type="checkbox"/>	Adjustable from 450 to 400 mm Delivered at 430 mm (or 450 mm if choice of a seat cushion)	NC : 0330, 0350	○










#### SEAT HEIGHT












CEU0270	<input type="checkbox"/>	485 mm - Only with 24" drive wheels		○
CEU0280	<input type="checkbox"/>	485 mm - Only with 22" drive wheels		◆








#### SEAT UPHOLSTERY TYPE

CEU0330	<input type="checkbox"/>	NYLON WITHOUT LOOP BANDS SEAT UPHOLSTERY		◆
CEU0340	<input type="checkbox"/>	NYLON WITH LOOP BANDS SEAT UPHOLSTERY		○
CEU0350	<input type="checkbox"/>	PADDED NYLON SEAT UPHOLSTERY		○

BACKREST					
BACKREST TYPE					
CEU0380	<input type="checkbox"/>	FIXED 0° BACKREST 2 HEIGHTS 400/430 MM (DELIV. 430 MM) - FIXED PUSH HANDLES		○	 0380 / 0390
CEU0390	<input type="checkbox"/>	FIXED 0° BACKREST 510 MM HEIGHT - FIXED PUSH HANDLES		○	
CEU0410	<input type="checkbox"/>	FIXED 7° BACKREST - 2 HEIGHTS 400/430 MM (DELIV. 430 MM)		◆	
CEU0420	<input type="checkbox"/>	FIXED 7° BACKREST - 510 MM HEIGHT		○	 0431 / 0432
CEU0431	<input type="checkbox"/>	ANGLE ADJUSTABLE AND FOLD DOWN (-15° to + 15°) FIXED 7°, HEIGHT 350MM / 14" WITH FIXED SHORT PUSHHANDLES	NC : 0905, 0906, 0907, 1451	456,87	
CEU0432	<input type="checkbox"/>	ANGLE ADJUSTABLE AND FOLD DOWN (-15° to + 15°) FIXED 7°, HEIGHT 425MM / 17" WITH FIXED LONG PUSHHANDLES		456,87	
CEU0445	<input type="checkbox"/>	RECLINING (GAS SPRING) 0/30° BACKREST INCL. BACKRACE & PASSIVE REAR WHEEL POS. ONLY		◆	 0445 / 0450
CEU0450	<input type="checkbox"/>	RECLINING (GAS SPRING) 0/30° BACKREST INCL. BACKRACE & PASSIVE REAR WHEEL POS. ONLY		○	
CEU0455	<input type="checkbox"/>	FOLDING 7° BACKREST	NC : 0451 à 0454, 0458 à 0467	◆	 0455 / 0460
CEU0460	<input type="checkbox"/>	FOLDING 7° BACKREST	NC : 0451 à 0454, 0458 à 0467	○	
<b>Matrx backs - See table "Possible widths of Matrx backs depending on the width of the seat" at the end. Find the trunk supports and all the accessories on the Matrx order form!</b>					
CEU0451	<input type="checkbox"/>	MATRX ELITE E2 BACK WITH HARDWARE - 160 MM BACK HEIGHT - CURVED 80 MM - MINI FASTENERS		○	
CEU0452	<input type="checkbox"/>	MATRX ELITE E2 BACK WITH HARDWARE - 210 MM BACK HEIGHT - CURVED 80 MM - MINI FASTENERS		○	
CEU0453	<input type="checkbox"/>	MATRX ELITE E2 BACK WITH HARDWARE - 260 MM BACK HEIGHT - CURVED 80 MM - MINI FASTENERS		○	
CEU0454	<input type="checkbox"/>	MATRX ELITE E2 BACK WITH HARDWARE - 310 MM BACK HEIGHT - CURVED 80 MM - MINI FASTENERS		○	
CEU0456	<input type="checkbox"/>	MATRX ELITE E2 BACK WITH HARDWARE - 360 MM BACK HEIGHT - CURVED 80 MM - MINI FASTENERS		○	
CEU0461	<input type="checkbox"/>	MATRX ELITE E2 BACK WITH HARDWARE - 410 MM BACK HEIGHT - CURVED 80 MM - MINI FASTENERS		○	
CEU0462	<input type="checkbox"/>	MATRX ELITE E2 BACK WITH HARDWARE - 460 MM BACK HEIGHT - CURVED 80 MM - STANDARD FASTENERS		○	
CEU0457	<input type="checkbox"/>	MATRX ELITE E2 BACK WITH HARDWARE - 510 MM BACK HEIGHT - CURVED 80 MM - STANDARD FASTENERS		○	
CEU0458	<input type="checkbox"/>	MATRX ELITE DEEP E2 BACK WITH HARDWARE - 160 MM BACK HEIGHT - CURVED 160 MM - MINI FASTENERS		○	
CEU0459	<input type="checkbox"/>	MATRX ELITE DEEP E2 BACK WITH HARDWARE - 210 MM BACK HEIGHT - CURVED 160 MM - MINI FASTENERS		○	
CEU0466	<input type="checkbox"/>	MATRX ELITE DEEP E2 BACK WITH HARDWARE - 260 MM BACK HEIGHT - CURVED 160 MM - MINI FASTENERS		○	 Standard fixation
CEU0467	<input type="checkbox"/>	MATRX ELITE DEEP E2 BACK WITH HARDWARE - 310 MM BACK HEIGHT - CURVED 160 MM - MINI FASTENERS		○	
CEU0468	<input type="checkbox"/>	MATRX ELITE DEEP E2 BACK WITH HARDWARE - 360 MM BACK HEIGHT - CURVED 160 MM - MINI FASTENERS		○	
CEU0463	<input type="checkbox"/>	MATRX ELITE DEEP E2 BACK WITH HARDWARE - 410 MM BACK HEIGHT - CURVED 160 MM - MINI FASTENERS		○	
CEU0464	<input type="checkbox"/>	MATRX ELITE DEEP E2 BACK WITH HARDWARE - 460 MM BACK HEIGHT - CURVED 160 MM - STANDARD FASTENERS		○	
CEU0469	<input type="checkbox"/>	MATRX ELITE DEEP E2 BACK WITH HARDWARE - 510 MM BACK HEIGHT - CURVED 160 MM - STANDARD FASTENERS		○	
<b>MATRX BACKRESTS WIDTH CHOICE</b>					
CEU0482	<input type="checkbox"/>	360 MM - INDICATIVE BUST WIDTH : 265 MM		○	
CEU0483	<input type="checkbox"/>	380 MM - INDICATIVE BUST WIDTH : 290 MM		○	
CEU0484	<input type="checkbox"/>	410 MM - INDICATIVE BUST WIDTH : 315 MM		○	
CEU0485	<input type="checkbox"/>	430 MM - INDICATIVE BUST WIDTH : 340 MM		○	
CEU0486	<input type="checkbox"/>	460 MM - INDICATIVE BUST WIDTH : 370 MM		○	
CEU0487	<input type="checkbox"/>	480 MM - INDICATIVE BUST WIDTH : 390 MM		○	
CEU0488	<input type="checkbox"/>	510 MM - INDICATIVE BUST WIDTH : 420 MM		○	

HANGERS/FOOTPLATES					
<b>HANGERS RH TYPE</b>					
CEU0510	<input type="checkbox"/>	80° STRAIGHT RH SWING IN/SWING OUT HANGER		◆	 0510 / 0560  0520 / 0570
CEU0520	<input type="checkbox"/>	ELEVATING LEGREST (0° TO 75°) RH SWING IN/SWING OUT HANGER (INCLUDING CALFPAD)	NC : 0611, 0930, 0935, 0936	73,82	
CEU0545	<input type="checkbox"/>	AMPUTEE LEGREST RH	NC : 0600, 0610, 0611, 0930, 0936	140,28	
<b>HANGERS LH TYPE</b>					
CEU0560	<input type="checkbox"/>	80° STRAIGHT LH SWING IN/SWING OUT HANGER		◆	 0545 / 0595  0610 / 0630 si potence 80°  0610 / 0630  0611
CEU0570	<input type="checkbox"/>	ELEVATING LEGREST (0° TO 75°) LH SWING IN/SWING OUT HANGER (INCLUDING CALFPAD)	NC: 0611, 0930, 0935, 0936	73,82	
CEU0595	<input type="checkbox"/>	AMPUTEE LEGREST LH	NC : 0611, 0620, 0630, 0930, 0936	140,28	
<b>FOOTPLATES RH TYPE</b>					
CEU0600	<input type="checkbox"/>	FLIP UP RH FOOTPLATE - (INCLUDING HEEL STRAP)		◆	 0610 / 0630 si potence 80°  0610 / 0630
CEU0610	<input type="checkbox"/>	FLIP UP DEPTH & ANGLE AJUSTABLE RH FOOTPLATE - (INCLUDING HEEL STRAP)		○	
CEU0611	<input type="checkbox"/>	FLIP UP ONE PIECE FOOTPLATE - DEPTH & ANGLE ADJUSTABLE	NC : 0620, 0630, 0935, 0936	234,12	
<b>FOOTPLATES LH TYPE</b>					
CEU0620	<input type="checkbox"/>	FLIP UP LH FOOTPLATE - (INCLUDING HEEL STRAP)		◆	 0611
CEU0630	<input type="checkbox"/>	FLIP UP DEPTH & ANGLE AJUSTABLE LH FOOTPLATE - (INCLUDING HEEL STRAP)		○	
<b>ARMRESTS</b>					
<b>ARMRESTS RH FORM IN BLACK COLOR</b>					
CEU0660	<input type="checkbox"/>	SWING AWAY DETACHABLE RH (N°2) - DESK	NC : 0772, 0780, 0790, 1480, 1483	◆	 0660 / 0760
CEU0670	<input type="checkbox"/>	SWING AWAY DETACHABLE RH (N°2) - FULL LENGTH	NC : 0772, 0780, 0790	○	
CEU0672	<input type="checkbox"/>	LIFTABLE AND REMOVABLE, HEIGHT-ADJUSTABLE FROM 170 TO 295 MM - SHORT (330 MM) NON-ROTATING NARROW TROUGH WITH CLOTHES GUARD AND ERGONOMIC SUPPORT HANDLE	NC : 0760, 0770, 1480, 1483	113,17	
CEU0680	<input type="checkbox"/>	SWING AWAY DETACHABLE RH (N°3) - DESK	NC : 0760, 0770, 1480, 1483	○	 0672 / 0772  0680 / 0780
CEU0690	<input type="checkbox"/>	SWING AWAY DETACHABLE RH (N°3) - FULL LENGTH	NC : 0760, 0770, 1483	○	
<b>ARMRESTS LH FORM IN BLACK COLOR</b>					
CEU0760	<input type="checkbox"/>	SWING AWAY DETACHABLE LH (N°2) - DESK	NC : 1480, 1484	◆	 0672 / 0772  0680 / 0780
CEU0770	<input type="checkbox"/>	SWING AWAY DETACHABLE LH (N°2) - FULL LENGTH		○	
CEU0772	<input type="checkbox"/>	LIFTABLE AND REMOVABLE, HEIGHT-ADJUSTABLE FROM 170 TO 295 MM - SHORT (330 MM) NON-ROTATING NARROW TROUGH WITH CLOTHES GUARD AND ERGONOMIC SUPPORT HANDLE	NC : 1480, 1484	113,17	
CEU0780	<input type="checkbox"/>	SWING AWAY DETACHABLE LH (N°3) - DESK	NC : 1480, 1484	○	 0680 / 0780
CEU0790	<input type="checkbox"/>	SWING AWAY DETACHABLE LH (N°3) - FULL LENGTH	NC : 1484	○	
<b>SEAT CUSHION TYPE</b>					
<b>Cushion</b>					
CEU0853	<input type="checkbox"/>	CLASSIC VISCO CUSHION 375X 400 MM	NC : 0878, 0879	○	 0853 / 0854 0855 / 0856  0869
CEU0854	<input type="checkbox"/>	CLASSIC VISCO CUSHION 405 X 400 MM	NC : 0878, 0879	○	
CEU0855	<input type="checkbox"/>	CLASSIC VISCO CUSHION 430 X 430 MM	NC : 0878, 0879	○	
CEU0856	<input type="checkbox"/>	CLASSIC VISCO CUSHION 455 X 400 MM	NC : 0878, 0879	○	 0871  0873  0874
CEU0869	<input type="checkbox"/>	MATRX FLO-TECH LITE CUSHION		◆	
CEU0871	<input type="checkbox"/>	MATRX CONTOUR NG VISCO CUSHION		○	 0876
CEU0873	<input type="checkbox"/>	MATRX FLO-TECH IMAGE CUSHION		○	
CEU0874	<input type="checkbox"/>	MATRX FLO-TECH SOLUTION XTRA CUSHION		360,19	
CEU0876	<input type="checkbox"/>	MATRX LIBRA CUSHION		293,84	
<b>SEAT CUSHION DEPTH</b>					
CEU0878	<input type="checkbox"/>	FOR 400 MM SEAT DEPTH		○	 0876
CEU0879	<input type="checkbox"/>	FOR 450 MM SEAT DEPTH		○	

OTHER SEATING OPTIONS					
CEU0852	<input type="checkbox"/>	SEAT RIGIDIZER	(Mandatory: Choose a seat cushion)	◆	 0852
CEU0905	<input type="checkbox"/>	NECKREST BLACK PU TR26 (INCLUDING BACKBRACE EXCEPT FOR LAGUNA)	NC : 0906, 0907, 0908	60,10	 0905
CEU0906	<input type="checkbox"/>	HEADREST BLACK PU TR26 (INCLUDING BACKBRACE EXCEPT FOR LAGUNA)	NC : 0907, 0908	199,05	 0906
CEU0907	<input type="checkbox"/>	HEADREST WITH CHEEK SUPPORT BLACK PU TR26 (INCLUDING BACKBRACE EXCEPT FOR LAGUNA) -	NC : 0908	217,06	 0907
CEU0908	<input type="checkbox"/>	MATRX SOFT PAD HEADREST (SOFT PAD 250MM) WITH FIXED HARDWARE		383,89	 0908
CEU0930	<input type="checkbox"/>	ADJUSTABLE CALF STRAP		10,43	
CEU0935	<input type="checkbox"/>	LONGER FOOTREST TUBE (UL= 450-530 MM)	NC : 0936	17,06	
CEU0936	<input type="checkbox"/>	SHORTER FOOTREST SUPPORT (PAIR) (UL= 230-430 MM)		79,62	
COLOURS					
CEU0961	<input type="checkbox"/>	SLATE GREY (RAL7024 FINE TEXTURE)		○	 0961 / 0966
CEU0966	<input type="checkbox"/>	MATT BLACK		○	
CEU0967	<input type="checkbox"/>	BLUE POP		○	
CEU0969	<input type="checkbox"/>	RED MATT		○	
CEU0974	<input type="checkbox"/>	NAVY BLUE		○	
CEU0991	<input type="checkbox"/>	SPECIAL COLOUR		On Request	0974 / 0969
CASTER HOUSING TYPE					
CEU0995	<input type="checkbox"/>	STANDARD		◆	
REAR WHEELS					
CEU1035	<input type="checkbox"/>	150 X 30 MM (6" X 1.1/4") - BLACK SOLID TYRE MEDIUM HARD		○	
CEU1050	<input type="checkbox"/>	150 X 30 MM (6" X 1.1/4") - BLACK SOLID TYRE		◆	
CEU1056	<input type="checkbox"/>	140 X 40 MM (5" 1/2 X 1" 3/4) - BLACK SOLID TYRE MEDIUM HARD		○	1050
REAR WHEELS					
REAR WHEEL SIZE					
CEU1066	<input type="checkbox"/>	22" - 560 mm	NC : 1260	◆	
CEU1068	<input type="checkbox"/>	24" - 600 mm	NC : 1261	○	
REAR WHEEL TYPE					
CEU1071	<input type="checkbox"/>	STANDARD ( BLACK HUB, COLORLESS RIM & ZINC PLATTED SPOKES )		◆	
CEU1072	<input type="checkbox"/>	REINFORCED (COLORLESS HUB, CLEAR ANODIZED RIM & STAINLESS STEEL SPOKES)		○	Standard
TYRE TYPE					
CEU1082	<input type="checkbox"/>	TYRES SOLID BLACK 35 MM (1"3/8)		◆	
CEU1084	<input type="checkbox"/>	PNEUMATIC PROFILED BLACK 35 MM (1"3/8)		○	
CEU1088	<input type="checkbox"/>	PNEUMATIC LOW PROFILE BLACK 25 MM (1")		○	
HANDRIM TYPE					
CEU1140	<input type="checkbox"/>	ALUMINIUM PRE-ANODIZED HANDRIM		◆	
CEU1150	<input type="checkbox"/>	HANDRIM COATED IN BLACK ANTI-SLIP PLASTIC		127,01	
REAR WHEELS AXLE TYPE					
CEU1180	<input type="checkbox"/>	QUICK RELEASE AXLE		◆	
REAR WHEELS POSITION					
CEU1195	<input type="checkbox"/>	ROCKING CHAIR REAR WHEELS POSITION - 'PIVOT POSITION +62,5MM & DRIVE WHEELS + 90MM FRONTWARDS(/BACKREST CANE AXLE)		◆	
Pump					
CEU1230	<input type="checkbox"/>	PUMP AND SUPPORT		10,43	
CHASSIS OPTIONS TYPE					
CEU1241	<input type="checkbox"/>	FRONT WHEELS EXTENSION (+ 50 MM OUTWARD)		○	 1241
CEU1260	<input type="checkbox"/>	SPOKE GUARDS PAIR 600 MM (24") BLACK	NC : 1261	165,88	
CEU1261	<input type="checkbox"/>	SPOKE GUARDS PAIR CLEAR		165,88	
BRAKES TYPE					
CEU1272	<input type="checkbox"/>	ROCKING CHAIR PULL TO LOCK BRAKES		◆	
SAFETY OPTIONS TYPE					
CEU1345	<input type="checkbox"/>	TRANSPORTATION BRACKETS	NC : 0180, 0190	○	 1345
CEU1360	<input type="checkbox"/>	POSTURE BELT - PLASTIC BUCKLE		31,28	
CEU1380	<input type="checkbox"/>	REFLECTORS KIT		38,86	
OPTIONS					
CEU1451	<input type="checkbox"/>	DRIP STAND SUPPORT WITH DRIPSTAND (WITH BACKBRACE 0940 ONLY)		101,42	

OTHERS OPTIONS								
CEU1480	<input type="checkbox"/>	ACRYLIC TRAY	NC : 1483, 1484, 1485	72,83	 1480			
CEU1483	<input type="checkbox"/>	HALF TABLE TRAY, CLEAR, FLIP UP, RH	NC : 1484	72,83	 1483 / 1484			
CEU1484	<input type="checkbox"/>	HALF TABLE TRAY, CLEAR, FLIP UP, LH		72,83				
CEU1485	<input type="checkbox"/>	COMFORT PADDING FOR HALF TABLE TRAY		90,05	 1485			
ACCESSORIES (delivered separtly)								
AP1493219	<input type="checkbox"/>	GUTTER WITH INDEPENDENT SIDE ROTATION, ADJUSTABLE IN HEIGHT AND DEPTH, RIGHT	Only compatible with armrest 0680, 0690	113,17				
AP1493220	<input type="checkbox"/>	GUTTER WITH INDEPENDENT SIDE ROTATION, ADJUSTABLE IN HEIGHT AND DEPTH, LEFT	Only compatible with armrest 0780, 0790	113,17				
<b>Possible widths of the Matrx backrests depending on the seat width</b>								
		<b>Seat Width (mm)</b>						
		<b>(mm)</b>	<b>380</b>	<b>405</b>	<b>430</b>	<b>455</b>	<b>480</b>	<b>505</b>
<b>Backrest Width</b>	<b>360</b>	○						
	<b>380</b>	○	○					
	<b>410</b>	○	○	○				
	<b>430</b>		○	○	○			
	<b>460</b>			○	○	○		
	<b>480</b>				○	○	○	
	<b>510</b>					○	○	
RAMPS								
1440530	<input type="checkbox"/>	<b>Fiberglass Folding Mono Ramp</b> Folded dimensions: 2000 x 230 mm 16.3 kg - maximum capacity: 300 kg		1 787,68	 1440530			
1654128	<input type="checkbox"/>	<b>Basic ramp 2 telescopic parts</b> in aluminum and non-slip coating. Folded dimensions: 1210 x 194 mm 8.8 kg per pair - maximum capacity: 270 kg		402,84	 1654128			
1654129	<input type="checkbox"/>	<b>Quick2go Compact 3-part aluminum telescopic ramp</b> with non-slip coating Folded dimensions: 870 x 237 mm 13.6 kg per pair - maximum capacity: 260 kg		805,69	 1654129			
1654130	<input type="checkbox"/>	<b>Aluminium folding mono ramp</b> Folded dimensions: 1824 x 714 mm 13.9 kg - maximum capacity: 300 kg		426,54	 1654130			