

Invacare® Storm®4 & Storm®4 X-plore AA1

Please contact Invacare EU Export Customer Services on :-
Tel : +33 247 626980 ; Email : serviceclient_export@invacare.com
 Or visit our website : www.invacare.eu.com



Invacare® Storm®4 & Storm®4 X-plore AA1

Electric wheelchair with rear wheel drive for indoor and outdoor use



Description:

- LiNX electronics as standard, programmable and _evolving
- Weight of the chair : from 175 kg
- Maximum user weight: 150 kg
- 2 years warranty, excluding battery and wearing parts

Date :

User name :

Customer Code :

Dealer stamp:









Customization Service Invacare Unique

Please indicate your quote number or special manufacturing number :

Indicative Public Rate - Use the online configurator on Invacare Pro to generate quotes or orders free from incompatibilities.

- Please make your selection with a cross in the box Standard feature Free of Charge

| CODE | DESCRIPTION | NC : Non Compatible NC : 9999 : non compatible with reference 9999 | EUROS | |
|---|---|--|----------|---|
| ATB0015 | <input type="checkbox"/> Invacare® Storm®4 AA1 | | 8 234,12 | |
| ATB0018 | <input type="checkbox"/> Invacare® Storm®4X-plore AA1 | NC : 1030 | 9 520,38 | |
| Invacare® Modulite Modulable Seat Unit | | | | |
| SEATING TYPE | | | | |
| ATB2111 | <input type="checkbox"/> Telescopic Seat Frame and Plate with Side Rails width 380 to 530 mm Additional 50 mm by arms | | ◆ |  2111 |
| ATB2112 | <input type="checkbox"/> Telescopic Seat Frame + Sling Seat with Side Rails width 380 to 530 mm; + 30 mm seat height Additional 50 mm by arms | | ○ |  2112 |
| SEAT WIDTH SETTING FOR ADJUSTABLE SEAT FRAME | | | | |
| | 330mm (choose seat width 380 mm 2121 and inward curved armrests 2183) | NC : 2143, 2701, 2703, 2705 | | |
| ATB2121 | <input type="checkbox"/> 380 mm | NC : 2143, 2701, 2703, 2705 | ○ | |
| ATB2122 | <input type="checkbox"/> 430 mm | NC : 2701, 2703, 2705 | ◆ | |
| ATB2123 | <input type="checkbox"/> 480 mm | NC : 2702, 2704, 2706 | ○ | |
| ATB2124 | <input type="checkbox"/> 530 mm | NC : MatrX backrest, 2143, 2702, 2704, 2706 | ○ | |
| SEAT DEPTH SETTING | | | | |
| ATB2132 | <input type="checkbox"/> 410 mm | NC : 2196, 2197, 2198, Bodypoint | ○ | |
| ATB2134 | <input type="checkbox"/> 460 mm | | ◆ | |
| ATB2136 | <input type="checkbox"/> 510 mm - Seat rail extended by 35 mm for a chair ordered with a depth of 510 mm and a Flex 3 backrest | NC : 2143 | ○ | |
| SEAT CUSHION | | | | |
| ATB2142 | <input type="checkbox"/> Matrix Flo-tech Cushion - Lite (75mm up to 127 kg); Contour (100mm up to 191 kg) | | ◆ |  2143 |
| ATB2143 | <input type="checkbox"/> Matrix Flo-tech Contour Visco; (2-way stretch material) - 430 x 430 mm [max. user weight 125 kg] | NC : 2155 | 76,78 |  |
| ATB2147 | <input type="checkbox"/> Matrix Libra Cushion, 90 mm thick Standard (up to 136 kg)/HD (up to 227 kg) Extended lead time: + 4 days | NC : 2155 | 293,84 |  |
| ATB2144 | <input type="checkbox"/> Matrix Vi Cushion (Mesh fabric) | NC : 2155 | 293,84 |  2147 2144 |

| BACKREST SUPPORT | | | |
|--|--------------------------|---|-----------|
| ATB2162 | <input type="checkbox"/> | Backposts short (540 mm) | ○ |
| ATB2163 | <input type="checkbox"/> | Backposts tall (480 mm) | ○ |
| NC : 2173 | | | |
| PUSH HANDLES for BACKPOSTS | | | |
| ATB2107 | <input type="checkbox"/> | Backposts with push handles | ◆ |
| ATB2108 | <input type="checkbox"/> | Backposts without push handles | ○ |
| NC : 1307, 1332, 2223, 2220, 2219, 2245 | | | |
| BACKREST UPHOLSTERY / CUSHION | | | |
| ATB2171 | <input type="checkbox"/> | Tension Adjustable - tall = 540 mm /short = 480 mm | ◆ |
| ATB2179 | <input type="checkbox"/> | Flex3 Tension Adjustable - tall = 540 mm /short = 480 mm | 196,21 |
| ATB2173 | <input type="checkbox"/> | Flex3 adjustable Backrest Plates with Laguna Backrest cushion | 164,93 |
| ATB2174 | <input type="checkbox"/> | Matrx Posture Back, height 400 mm (Mesh fabric) | 798,10 |
| ATB2175 | <input type="checkbox"/> | Matrx Posture Back, height 500 mm (Mesh fabric) | 798,10 |
| ATB2176 | <input type="checkbox"/> | Matrx Elite Back , height 500 mm (Mesh fabric) | 717,54 |
| ATB2177 | <input type="checkbox"/> | Matrx Elite TR Back, height 500 mm (Mesh fabric) | 717,54 |
| ATB2178 | <input type="checkbox"/> | Matrx Elite Deep Back, height 500 mm (Mesh fabric) | 717,54 |
| Find the trunk supports and all the accessories on the Matrx measurement sheet! | | | |
| UPHOLSTERY COLOUR | | | |
| ATB2151 | <input type="checkbox"/> | Black Fabric | ◆ |
| ATB2152 | <input type="checkbox"/> | LK Version, Black with orange seam | ○ |
| ATB2155 | <input type="checkbox"/> | Black Spacer Fabric | ○ |
| ARMREST (Pair) | | | |
| ATB2191 | <input type="checkbox"/> | T-Arm detachable, Standard - Adjustment range 245 - 315 mm | ◆ |
| ATB2181 | <input type="checkbox"/> | T-Arm detachable, Extended height - Adjustment range 295 - 365 mm | 60,66 |
| ATB2198 | <input type="checkbox"/> | Padded Armrest with integrated cloth guard | 247,39 |
| ATB2183 | <input type="checkbox"/> | Inrigged Armrests - Reduces SW by 25 mm each side | ○ |
| ATB2193 | <input type="checkbox"/> | Flip-up Armrest - For 150 kg max user weight | ○ |
| ATB2192 | <input type="checkbox"/> | Following Armrest Adjustment range from 230 - 300 mm For 150 kg max user weight | 302,37 |
| ATB2194 | <input type="checkbox"/> | Following Armrest Adjustment range from 300 - 360 mm For 150 kg max user weight | 302,37 |
| ATB2195 | <input type="checkbox"/> | Short Armpad (325 mm) | ◆ |
| ATB2196 | <input type="checkbox"/> | Long Armpad (375 mm) | 78,67 |
| ATB2197 | <input type="checkbox"/> | Long Ergonomic Armpad (397 mm) | 92,89 |
| Hemiplegic gutters | | | |
| | <input type="checkbox"/> | Hemiplegic gutter in special manufacture | On demand |
| | <input type="checkbox"/> | Hemi concave gutter with flat or curved horn palmar support and 360° right or left reversible rotator, in 18° steps | On demand |
| HIP SUPPORTS | | | |
| ATB2184 | <input type="checkbox"/> | Hip Support LH, pad size 140 x 100 mm | 290,05 |
| ATB2186 | <input type="checkbox"/> | Hip Support LH, pad size 230 x 100 mm | 290,05 |
| ATB2188 | <input type="checkbox"/> | Hip Support LH, pad size 330 x 100 mm | 290,05 |
| ATB2185 | <input type="checkbox"/> | Hip Support RH, pad size 140 x 100 mm | 290,05 |
| ATB2187 | <input type="checkbox"/> | Hip Support RH, pad size 230 x 100 mm | 290,05 |
| ATB2189 | <input type="checkbox"/> | Hip Support RH, pad size 330 x 100 mm | 290,05 |



FOLDING BACKREST



2171



2173















2191




2198



| MOUNTING HARDWARE FOR HIP SUPPORTS | | | |
|--|--------------------------|---|---|
| ATB2164 | <input type="checkbox"/> | Mounting hardware for hip supports (6,1" / 155 mm high) | ◆ |
| ATB2165 | <input type="checkbox"/> | Mounting hardware for hip supports (8,1" / 206 mm high) | ○ |
| HEADREST/NECKREST (Black wipedown cover) | | | |
| ATB1307 | <input type="checkbox"/> | Push bar (dia 22 mm) in conjunction with telescopic backposts | NC : 2161 43,60 |
| ATB1432 | <input type="checkbox"/> | Headrest sideways adjustable | 237,91 |
| ATB1427 | <input type="checkbox"/> | Headrest with cheek support | 314,69 |
| ATB2324 | <input type="checkbox"/> | Elan Standard Pad 255 mm / 10" wide w/standard cover (ESP26) | 383,89 |
| ATB2325 | <input type="checkbox"/> | Elan Occipital Pad 230x180 mm / 9"x7" w/standard cover (EOP23) | 427,49 |
| ATB1445 | <input type="checkbox"/> | Lateral Support with extended arm, multi-adjustable pad | NC : MatrX backrests 336,49 |
|       | | | |
| SEATING OPTIONS | | | |
| SEAT HEIGHT & SEAT RISER | | | |
| SEAT HEIGHT | | | |
| ATB1023 | <input type="checkbox"/> | Fix Seat Height 450 mm | ◆ |
| ATB1025 | <input type="checkbox"/> | Fix Seat Height 480 mm | ○ |
| ATB1030 | <input type="checkbox"/> | Electr. Seat Riser (400 - 650 mm) | NC : X-plore Version, 2201 1 895,73 |
| ATB1040 | <input type="checkbox"/> | Electr. Seat Riser (440 - 690 mm) incl. Adapter | NC : 2201 1 895,73 |
| SEAT TILT | | | |
| ATB1002 | <input type="checkbox"/> | Manual Seat Tilt by spindle | ◆ |
| ATB1014 | <input type="checkbox"/> | Electrical Tilt 0° to 25° | 787,68 |
| BACKREST RECLINER | | | |
| ATB0975 | <input type="checkbox"/> | Manual Settable Recliner (in 3.75° steps) | ◆ |
| ATB0977 | <input type="checkbox"/> | Powered Recliner | 708,06 |
| LEGRESTS / FOOTRESTS | | | |
| Tilt-adjustable central legrest with calf support and angle-adjustable paddle | | | |
| PW-2006 | <input type="checkbox"/> | Manual LNX (adjustable from 1.5° to 63°) | NC : hip support On demand |
| PW-2007 | <input type="checkbox"/> | Electric LNX with compensation, positioned at 90° adjustable to +7°/-7°. | On demand |
| FOOTREST HANGER TYPE / PAIRS | | | |
| ATB0503 | <input type="checkbox"/> | Hanger Vari F pair | ◆ |
| ATB0533 | <input type="checkbox"/> | Hanger Vari A pair | NC : 0512 271,09 |
| ATB0531 | <input type="checkbox"/> | Hanger ADE 0° - 80° pair | NC : 0512,2201 1 507,11 |
| FOOTPLATE TYPE / PAIRS | | | |
| ATB0512 | <input type="checkbox"/> | Fixed Footplate pair | ○ |
| ATB0504 | <input type="checkbox"/> | Angle Adjustable Footplate pair | ◆ |
| ATB0513 | <input type="checkbox"/> | Angle and depth adjustable Footplate pair | 247,39 |
| REMOTES LINX | | | |
| LINX PRIMARY REMOTES with proportional Joystick + BRACKETS | | | |
| ATB2201 | <input type="checkbox"/> | Remote LiNX DLX-REM110 = Drive only | NC : 2231, 2232, 2229, 2270, 2245 -984,83 |
| ATB2203 | <input type="checkbox"/> | Remote LiNX DLX-REM211 = Drive & Actuators | NC : 2331, 2232, 2229, 2270 -984,83 |
| ATB2204 | <input type="checkbox"/> | Remote LiNX DLX-REM216 = Drive, Actuators & Lights | NC : 2331, 2232, 2229, 2270 -984,83 |
| ATB2205 | <input type="checkbox"/> | Rehab Remote LiNX, touch-screen user interface DLX-REM400 | NC : 2220 ○ |
| ATB2206 | <input type="checkbox"/> | Rehab Remote LiNX without joystick for alternative access users DLX-REM500 | NC : 2220, 2270 576,30 |
| REM400 TOGGLE OPTION | | | |
| ATB2270 | <input type="checkbox"/> | Assignable Toggle Switch Module f. REM400 (DLX-SW400TGL) | 340,28 |
|  REM110  REM211  REM216  REM400 Bluetooth  REM500 Bluetooth  2270 | | | |

PRICE CUT!

| REMOTE MOUNTING POSITION | | | | |
|--|--------------------------|--|---|-----------|
| ATB1207 | <input type="checkbox"/> | Standard Bracket RH | NC : 1404 | ○ |
| ATB1208 | <input type="checkbox"/> | Standard Bracket LH | NC : 1405 | ○ |
| ATB1707 | <input type="checkbox"/> | Swing Away Bracket RH | NC : 1404 | ◆ |
| ATB1708 | <input type="checkbox"/> | Swing Away Bracket LH | NC : 1405 | ○ |
| ATB1709 | <input type="checkbox"/> | Maxx resolve , swing away in/out - RH | NC : 1404, (2231/2232 + 2207/2213), (2233 + 2235/2213/2241) | ○ |
| ATB1710 | <input type="checkbox"/> | Maxx resolve , swing away in/out - LH | NC : 1405, (2231/2232 + 2208/2214), (2233 + 2236/2214/2242) | ○ |
| ATB2213 | <input type="checkbox"/> | Centre Mount, swing-away to RH, Nucleus | NC : 1404, 1405, 1415 | 685,31 |
| ATB2214 | <input type="checkbox"/> | Centre Mount, swing-away to LH, Nucleus | NC : 1404,1405, 1339 | 685,31 |
| ATB2227 | <input type="checkbox"/> | Bracket RH, mounted for Attendant | NC : 2219, 2220, 1287, 2128 | 33,85 |
| ATB2228 | <input type="checkbox"/> | Bracket LH, mounted for Attendant | NC : 2219, 2220, 1286, 2128 | 33,85 |
| ATZ2229 | <input type="checkbox"/> | Individual mounting option per request (Special) | | On demand |
| LINX REM500 (DISPLAY ONLY) BRACKETS | | | | |
| ATB2209 | <input type="checkbox"/> | Swing away RH, multi-adjustable | NC : 1404 | ◆ |
| ATB2210 | <input type="checkbox"/> | Swing away LH, multi-adjustable | NC : 1405 | ○ |
| PW-4005 | <input type="checkbox"/> | Option 2209/2210 with mounting rod for REM500 extended by 200 mm | | On demand |
| ATB2213 | <input type="checkbox"/> | Centre Mount, swing-away to RH, Nucleus | NC : 1404, 1405, 1415 | 685,31 |
| ATB2214 | <input type="checkbox"/> | Centre Mount, swing-away to LH, Nucleus | NC : 1404,1405, 1339 | 685,31 |
| ATZ2239 | <input type="checkbox"/> | Individual mounting option per request (Special) | | On demand |
| DUAL CONTROL LINX + BRACKETS | | | | |
| ATB2220 | <input type="checkbox"/> | Dual Control LiNX (DLX-REM050 as secondary remote) | NC : 1221, 1222, 2227, 2228 | 677,02 |
| ATB2219 | <input type="checkbox"/> | Compact Dual Control LiNX (DLX-ACU200) | NC : 1221, 1222, 2227, 2228 | 1 091,94 |
| ATB2245 | <input type="checkbox"/> | Invacare LiNX IDC Dual control | NC : 1207, 1208 | 1 563,98 |
| ATB1207 | <input type="checkbox"/> | Standard Bracket RH | | ◆ |
| ATB1208 | <input type="checkbox"/> | Standard Bracket LH | | ○ |
| ATB1221 | <input type="checkbox"/> | Bracket RH, detachable | | ◆ |
| ATB1222 | <input type="checkbox"/> | Bracket LH, detachable | | ○ |
| If multiple joysticks are to be mounted on the retractable center mount bracket (2213/2214), select option 2215 | | | | |
| Mo-Vis special controls - refer to the order sheet | |  | | |
| LINX - COMPACT REMOTES + BRACKETS | | | | |
| ATB2231 | <input type="checkbox"/> | Proportional Compact Remote DLX-CR400 | | 1 192,42 |
| ATB2232 | <input type="checkbox"/> | Proportional Compact Remote Low Force DLX-CR-400LF | | 1 312,80 |
| ATB2207 | <input type="checkbox"/> | RH Mount | NC : 1404 | ◆ |
| ATB2208 | <input type="checkbox"/> | LH Mount | NC : 1405 | ○ |
| ATB2213 | <input type="checkbox"/> | Centre Mount, swing-away to RH (Nucleus) | NC : 1404, 1405, 1415 | 717,54 |
| ATB2214 | <input type="checkbox"/> | Centre Mount, swing-away to LH (Nucleus) | NC : 1404, 1405, 1339 | 717,54 |
| ATZ2215 | <input type="checkbox"/> | Individual mounting option per request (Special) | | On demand |
| CHIN CONTROL + BRACKETS | | | | |
| ATB2229 | <input type="checkbox"/> | Proportional Chin Joystick (ASL138) | NC : 2128 | 3 011,37 |
| ATB1289 | <input type="checkbox"/> | Swing Away Bracket RH, side manual (ASL628) | | ◆ |
| ATB1288 | <input type="checkbox"/> | Swing Away Bracket LH, side manual (ASL628) | | ○ |
| ATB1287 | <input type="checkbox"/> | Swing Away Bracket RH, powered | NC : 1404, 1415, 1312 | 1 445,50 |
| ATB1286 | <input type="checkbox"/> | Swing Away Bracket LH, powered | NC : 1405, 1339, 1363 | 1 445,50 |
| HEAD CONTROL ATOM Technology | | | | |
| ATB2230 | <input type="checkbox"/> | Head Control with ultrasonic proximity sensors (ATOM, ASL104) with standard wings M3 | NC : 2233, 2092, 2324, 2325, 2257, 2240 | 5 648,34 |
| ATB2247 | <input type="checkbox"/> | Head Control with ultrasonic proximity sensors (PROTON, ASL104P) with PROTON wings | NC : 2233, 2092, 2324, 2325, 2257, 2240 | 5 648,34 |
| MICRO EXTREMITY CONTROL | | | | |
| ATB2233 | <input type="checkbox"/> | MEC Proportional Joystick (Micro Extremity Control ASL130) | NC : 2240 | 3 366,82 |
| ATB2235 | <input type="checkbox"/> | Tray Mount RH (100x150 mm) | | ○ |
| ATB2236 | <input type="checkbox"/> | Tray Mount LH (100x150 mm) | | ○ |
| ATB2213 | <input type="checkbox"/> | Centre Mount, swing-away to RH, Nucleus | NC : 1404, 1405, 2310, 2311 | 717,54 |
| ATB2214 | <input type="checkbox"/> | Centre Mount, swing-away to LH, Nucleus | NC : 1404, 1405, 2310, 2311 | 717,54 |
| ATB2241 | <input type="checkbox"/> | Centre Mount, swing-away to RH, Nucleus | NC : 1404, 1405, 2310, 2311 | 717,54 |
| ATB2242 | <input type="checkbox"/> | Centre Mount, swing-away to LH, Nucleus | | 717,54 |
| ATZ2215 | <input type="checkbox"/> | Individual Mounting option per request (Special) | | On demand |

NEW



2209
2210



2219
2245



2231



1288 1286
1289 1287













2230




2247



2233

| LINX 10-WAY SWITCH | | | | | |
|----------------------------------|--------------------------|---|-----------------------|-----------|---|
| ATB2251 | <input type="checkbox"/> | 10-Way Switch DLX-SW10-A f. direct Powered Seating Access | | 530,81 |  2251 |
| ATB2217 | <input type="checkbox"/> | Bracket RH, mounted for user | NC : 2209, 2213, 1415 | ○ | |
| ATB2218 | <input type="checkbox"/> | Bracket LH, mounted for user | NC : 2210, 2214 | ○ | |
| ATB2227 | <input type="checkbox"/> | Bracket RH, mounted for attendant | NC : 1287 | ○ | |
| ATB2228 | <input type="checkbox"/> | Bracket LH, mounted for attendant | NC : 1286 | ○ | |
| ATB2225 | <input type="checkbox"/> | Without mounting | | ○ | |
| ATB2252 | <input type="checkbox"/> | Loom providing jack sockets for "Drive" and "Mode" | | 87,20 | |
| LINX ACCESSORIES | | | | | |
| ATB2253 | <input type="checkbox"/> | USB Charger Port DLX-USB02-A | NC : Bodypoint | 236,02 |  2253 |
| ATB2207 | <input type="checkbox"/> | RH Mount | | ○ | |
| ATB2208 | <input type="checkbox"/> | LH Mount | | ○ | |
| FURTHER COMPONENTS / ACCESSORIES | | | | | |
| ATB2300 | <input type="checkbox"/> | To be enclosed only | | ○ | |
| ATZ2301 | <input type="checkbox"/> | To be connected and programmed (Special) | | On demand | |
| BUDDY BUTTONS | | | | | |
| ATB1685 | <input type="checkbox"/> | Red Buddy Button | | 130,81 |  |
| ATB1686 | <input type="checkbox"/> | Yellow Buddy Button | | 130,81 | |
| ATB1687 | <input type="checkbox"/> | Green Buddy Button | | 130,81 | |
| ATB1690 | <input type="checkbox"/> | Blue Buddy Button | | 130,81 | |
| EGG SWITCH | | | | | |
| ATB2254 | <input type="checkbox"/> | Egg Switch, black | | 103,32 | |
| PIKO BUTTONS | | | | | |
| ATB1711 | <input type="checkbox"/> | Red Piko Button | | 130,81 |  |
| ATB1712 | <input type="checkbox"/> | Yellow Piko Button | | 130,81 | |
| ATB1713 | <input type="checkbox"/> | Green Piko Button | | 130,81 | |
| ATB1714 | <input type="checkbox"/> | Orange Piko Button | | 130,81 | |
| ATB1715 | <input type="checkbox"/> | Blue Piko Button | | 130,81 | |
| ATB1716 | <input type="checkbox"/> | Black Piko Button | | 130,81 | |
| BODYPOINT JOYSTICK KNOBS | | | | | |
| ATB2721 | <input type="checkbox"/> | 3 inch U-Shaped, Joystick Handle, Bodypoint PC101A | | 100,00 |  |
| ATB2722 | <input type="checkbox"/> | 4 inch U-Shaped, Joystick Handle, Bodypoint PC102A | | 100,00 | |
| ATB2723 | <input type="checkbox"/> | Domed Rubber, Joystick Handle, Bodypoint PC107A | | 100,00 | |
| ATB2724 | <input type="checkbox"/> | Mushroom Grooved, Joystick Handle, Bodypoint PC110A | | 100,00 | |
| DRIVE UNIT DETAILS | | | | | |
| SHROUD COLOURS | | | | | |
| ATB0202 | <input type="checkbox"/> | Blue | | ○ |  |
| ATB0228 | <input type="checkbox"/> | Black | | ○ | |
| ATB0220 | <input type="checkbox"/> | Champagne | | ○ | |
| ATB0204 | <input type="checkbox"/> | Transparent Cherry Red | | 217,06 | |
| ATZ0299 | <input type="checkbox"/> | Special Shroud Colour (RAL code required) | | 764,93 | |
| CASTORS | | | | | |
| ATB0851 | <input type="checkbox"/> | 3.00 - 6 Pneumatic, Grey | | ◆ |  |
| ATB0853 | <input type="checkbox"/> | 3.00 - 6 Puncture Proof sealed, Grey | | 130,81 | |
| ATB0855 | <input type="checkbox"/> | 3.00 - 6 Puncture Proof (solid inlay), Grey | | 150,71 | |
| DRIVE WHEEL | | | | | |
| ATB0771 | <input type="checkbox"/> | 3.00 - 8 Pneumatic, Grey | | ◆ |  |
| ATB0773 | <input type="checkbox"/> | 3.00 - 8 Puncture Proof(sealed), Grey | | 130,81 | |
| ATB0750 | <input type="checkbox"/> | 3.00 - 8 Puncture Proof (solid inlay), Grey | | 238,86 | |
| PERFORMANCES | | | | | |
| MOTORTYPE | | | | | |
| ATB1277 | <input type="checkbox"/> | 6 km/h OPS Drive Motor | | ◆ |  |
| ATB1285 | <input type="checkbox"/> | 10 km/h OPS Drive Motor | | ○ | |
| ATB1223 | <input type="checkbox"/> | 10 km/h Setting for DuraWatt High Speed Motor | | ○ | |
| BATTERY | | | | | |
| ATB1364 | <input type="checkbox"/> | 73,5 Ah Gel | | ◆ |  |
| ATB1313 | <input type="checkbox"/> | Opti Charge Charger 10A (IP44) | | ◆ | |
| ATA1314 | <input type="checkbox"/> | 10A Opticharge Charger (UK) | | ○ | |
| REAR SUSPENSION | | | | | |
| ATB1240 | <input type="checkbox"/> | Suspension low (up to 80kg user weight) | | ○ |  |
| ATB1241 | <input type="checkbox"/> | Suspension middle (from 70kg up to 100kg user weight) | | ◆ | |
| ATB1242 | <input type="checkbox"/> | Suspension hard (from 90kg up to 150kg user weight) | | ○ | |
| SUSPENSION Storm4 X-plore | | | | | |
| ATB1233 | <input type="checkbox"/> | REAR SUSPENSION | | ◆ |  |
| ATB1238 | <input type="checkbox"/> | Front suspension (up to 100 kg) | | ◆ | |
| ATB1239 | <input type="checkbox"/> | Front suspension (above 100 kg) | | ○ | |

| G-TRAC | | | |
|---|---|-----------|---|
| G-Trac | | | |
| ATB1215 | <input type="checkbox"/> G-Trac Module | | 1 035,07 |
| POSITIONING OPTIONS | | | |
| Consider Bodypoint positioning accessories: belts, harnesses, ankle supports. | | |  |
| OPTIONS | | | |
| LIGHT SYSTEM | | | |
| ATB1437 | <input type="checkbox"/> LED Light system with indicators | | 650,24 |
| ATB1254 | <input type="checkbox"/> Without Light system | | ◆ |
| ANTI-TIPPER | | | |
| ATB1205 | <input type="checkbox"/> Anti-tipper (standard version) | | ◆ |
| ATB1204 | <input type="checkbox"/> Flip-down anti-tipper | | 144,08 |
| KERB RIDER | | | |
| ATB1244 | <input type="checkbox"/> Kerb Rider | NC : 1450 | 291,00 |
| TRANSPORTATION KIT | | | |
| ATB1450 | <input type="checkbox"/> Preparation for DAHL-Docking station (Adequate headrest is compulsory) Docking Station for car implementation has to be ordered separately with DAHL Engineering | | ○ |
| ATB1493 | <input type="checkbox"/> 4-Point tie-down (For wheelchair transportation without user) | | ◆ |
| ATB1494 | <input type="checkbox"/> 4-Point tie-down (Tested version for using wheelchair as a vehicle seat according to ISO 7176-19) (Adequate headrest is compulsory) | | ◆ |
| LAP BELT | | | |
| ATB1329 | <input type="checkbox"/> Lap Belt with Auto Lock | | ◆ |
| ATB2113 | <input type="checkbox"/> Lap belt with auto lock (flexible mount in side rails) | | 19,91 |
| ATB1332 | <input type="checkbox"/> H-Belt | | 271,09 |
| BODYPOINT PELVIC BELTS | | | |
| ATB2701 | <input type="checkbox"/> Evoflex Pelvic Stabilizer, Rehab Latch Size L | | 156,40 |
| ATB2702 | <input type="checkbox"/> Evoflex Pelvic Stabilizer, Rehab Latch Size M | | 156,40 |
| ATB2703 | <input type="checkbox"/> 2-Point Hip Belt, Ctr-Pull, Push Butt, Cinch-Mount Size L | | 133,65 |
| ATB2704 | <input type="checkbox"/> 2-Point Hip Belt, Ctr-Pull, Push Butt, Cinch-Mount Size M | | 133,65 |
| ATB2705 | <input type="checkbox"/> 2-Point Hip Belt, Dual-Pull, Side-Release Butt. Cinch-Mount Size L | | 116,59 |
| ATB2706 | <input type="checkbox"/> 2-Point Hip Belt, Dual-Pull, Side-Release Butt. Cinch-Mount Size M | | 116,59 |
| REARVIEW MIRROR | | | |
| ATB1415 | <input type="checkbox"/> Rearview mirror RH | | 70,14 |
| ATB1339 | <input type="checkbox"/> Rearview mirror LH | | 70,14 |
| BAG HOOKS | | | |
| ATB2128 | <input type="checkbox"/> Bag hooks (on Modulite Seat) | | 150,71 |
| CANEHOLDER | | | |
| ATB1312 | <input type="checkbox"/> RH | | 68,25 |
| ATB1363 | <input type="checkbox"/> LH | | 68,25 |
| FENDER | | | |
| ATB1416 | <input type="checkbox"/> Fender for castors | | 88,15 |
| ATB1417 | <input type="checkbox"/> Fender for rear/drive wheels | | 220,85 |
| TRAY | | | |
| ATB1404 | <input type="checkbox"/> Swing Away RH | | 503,32 |
| ATB1405 | <input type="checkbox"/> Swing Away LH | | 503,32 |
| Tool kit | | | |
| ATB1333 | <input type="checkbox"/> Tool kit | | 29,38 |
| Accessories | | | |
| SP1522428 | <input type="checkbox"/> Storm®4 labelled stickers for front arms - color Blue (pair) | | 40,76 |
| SP1523651 | <input type="checkbox"/> Storm®4 labelled stickers for front arms - black color (pair) | | 40,76 |
| SP1529145 | <input type="checkbox"/> Storm®4 labelled stickers for front arms - Champagne color (pair) | | 40,76 |
| SP1529393 | <input type="checkbox"/> Storm®4 labelled stickers for front arms - color Red (pair) | | 40,76 |
| SP1529395 | <input type="checkbox"/> Storm®4 labelled stickers for front arms - color Red (pair) | | 40,76 |
| SP1529397 | <input type="checkbox"/> Storm®4 labelled stickers for front arms - color Green (pair) | | 40,76 |



1437



1244



1329



2701, 2702



2703, 2704



2705, 2706







2128



1416

1417

| Invacare® Storm 4 & X-plore AA1 | Hauteur d'assise sol/Plaque d'assise (en mm) | | |
|--|--|----------------------------|---------------------------------------|
| | Assise | Assise Standard ATB2110 | Assise modulable rigide ATB2111 |
| Type d'assise (fixe ou avec lift) | | | |
| ATB1023 : Hauteur d'assise fixe 450 mm | 450 mm | 450 mm | 480 mm |
| ATB1025 : Hauteur d'assise fixe 480 mm | 480 mm | 480 mm | 510 mm |
| ATB1030 : Lift de 400 à 650 mm | 400 à 650 mm | 400 à 650 mm | 430 à 680 mm |
| ATB1040 : Lift de 440 à 690 mm | 440 à 690 mm | 440 à 690 mm | 470 à 720 mm |

| RAMPS | | | | | |
|---------|--------------------------|---|--|----------|--|
| 1440530 | <input type="checkbox"/> | Fiberglass Folding Mono Ramp Folded dimensions: 2000 x 230 mm 16.3 kg - maximum capacity: 300 kg | | 1 787,68 |  1440530 |
| 1654128 | <input type="checkbox"/> | Basic ramp 2 telescopic parts in aluminum and non-slip coating. Folded dimensions: 1210 x 194 mm. 8.8 kg per pair - maximum capacity: 270 kg | | 402,84 |  1654128 |
| 1654129 | <input type="checkbox"/> | Quick2go Compact 3-part aluminum telescopic ramp with non-slip coating Folded dimensions: 870 x 237 mm 13.6 kg per pair - maximum capacity: 260 kg | | 805,69 |  1654129 |
| 1654130 | <input type="checkbox"/> | Aluminium folding mono ramp Folded dimensions: 1824 x 714 mm 13.9 kg - maximum capacity: 300 kg | | 426,54 |  1654130 |