

Invacare[®] Action^{®3} NG Comfort

Please contact Invacare EU Export Customer Services on :-
Tel : +33 247 626980 ; Email : serviceclient_export@invacare.com
Or visit our website : www.invacare.eu.com



Invacare[®] Action^{®3} NG Comfort Aluminum manual folding wheelchair



Description:

- Weight: from 25.8 kg.
- Maximum user weight: 125 kg
- 2-year warranty period excluding wear parts

Date :

Purchase Order :

Customer Code :

Distributor Stamp::





Invacare Unique Customization Service
Please specify the quote or special production number:


- Please make your selection with a cross in the box Standard feature Free of charge option

CODE	DESCRIPTION	NC : Non Compatible NC : 9999 = not compatible with the reference 9999	Euros
CEG0041	<input type="checkbox"/> Invacare [®] Action ^{®3} NG Comfort		1168,97
ALBER			
CEG0070	<input type="checkbox"/> Mounting brackets for electric propulsion assistance alber e-motion M25 (included 2 alber anti-tippers and original manual wheel adaptation kit)	NC : 0110, 0140, 0150, 0310, 0315, 0732, 0832, 1062, 1064, 1066, 1073, 1074, 1075, 1082, 1170, 1280, 1320, 1330, 1370, 1375, 1430, 1440	579,15
CEG0080	<input type="checkbox"/> Brackets for electrical assistance when pushing and braking for the alber viamobil V25 attendant	NC : 0110, 0140, 0150, 0300, 0310, 0315, 1170, 1370, 1375, 1430, 1440	313,74
CEG0090	<input type="checkbox"/> Brackets for electrical assistance when pushing and braking for the alber viamobil eco attendant	NC : 0140, 0150, 0290, 0300, 0310, 0315, 1370, 1375, 1430, 1440	414,25
PROPULSION TYPE			
CEG0100	<input type="checkbox"/> SELF PROPULSION	NC : 1062, 1075	<input checked="" type="checkbox"/>
CEG0110	<input type="checkbox"/> TRANSIT PROPULSION WITH RH TIPPING AID	NC : 0290, 0300, 0310, 0315, 1054, 1056, 1064, 1066, 1068, 1075, 1115, 1140, 1150, 1180, 1275, 1320, 1330, 1390	<input type="checkbox"/>
CEG0140	<input type="checkbox"/> DUAL HANDRIM RIGHT HAND PROPULSION (NEW DHR SYSTEM), QR AXLE	NC : 0315, 1062, 1064, 1071, 1072, 1073, 1074, 1140, 1150, 1170, 1280, 1330	257,09
CEG0150	<input type="checkbox"/> DUAL HANDRIM LEFT HAND PROPULSION (NEW DHR SYSTEM), QR AXLE	NC : 0315, 1140, 1150, 1170, 1280, 1320	257,09
SEAT			
SEAT WIDTH			
CEG0190	<input type="checkbox"/> 405 mm		<input type="checkbox"/>
CEG0200	<input type="checkbox"/> 430 mm		<input checked="" type="checkbox"/>
CEG0210	<input type="checkbox"/> 455 mm		<input type="checkbox"/>
CEG0230	<input type="checkbox"/> 505 mm		<input type="checkbox"/>
SEAT DEPTH			
CEG0240	<input type="checkbox"/> 400 mm		<input type="checkbox"/>
CEG0250	<input type="checkbox"/> 450 mm	NC : 1275	<input checked="" type="checkbox"/>
SEAT HEIGHT			
CEG0280	<input type="checkbox"/> 460 mm		<input checked="" type="checkbox"/>
CEG0290	<input type="checkbox"/> 435 mm	NC : 1005, 1010, 1062	<input type="checkbox"/>
CEG0300	<input type="checkbox"/> 410 mm	NC : 0935, 1005, 1010, 1056, 1062, 1370, 1440	<input type="checkbox"/>
CEG0310	<input type="checkbox"/> 385 mm	NC : 0935, 1005, 1010, 1035, 1050, 1056, 1062, 1068, 1280, 1370, 1440	<input type="checkbox"/>
CEG0315	<input type="checkbox"/> 360 MM SEAT HEIGHT, 0° SEAT ANGLE (AVAILABLE WITH LOW FORK, 5" FRONT WHEEL & 20" REAR WHEELS)	NC : 0935, 1035, 1062, 1066, 1068, 1280, 1375, 1440	145,02
SEAT UPHOLSTERY TYPE			
CEG0340	<input type="checkbox"/> NYLON WITH LOOP BANDS SEAT UPHOLSTERY	NC : 0372	<input checked="" type="checkbox"/>
CEG0372	<input type="checkbox"/> CUSHION COMFORT MISTRAL 2 LAYER (INCLUDING SEAT UPHOLSTERY 3 LOOP BANDS)	NC : 0871	-43,70

BACKREST				
BACKREST TYPE - Anti-tippers required with reclining backrests				
CEG0442	<input type="checkbox"/>	RECLINING (GAS SPRING) 0/30° LAGUNA SHELL		◆
BACKREST UPHOLSTERY TYPE				
CEG0490	<input type="checkbox"/>	COMFORT BACKREST LAGUNA BLACK PU TR26		○
CEG0491	<input type="checkbox"/>	COMFORT BACKREST PASSAD 2 BLACK PU TR26		◆
HANGERS/FOOTPLATES				
HANGERS RH TYPE				
CEG0520	<input type="checkbox"/>	ELEVATING LEGREST (0° TO 75°) RH SWING IN/SWING OUT HANGER (INCLUDING CALFPAD)		◆
HANGERS LH TYPE				
CEG0570	<input type="checkbox"/>	ELEVATING LEGREST (0° TO 75°) LH SWING IN/SWING OUT HANGER (INCLUDING CALFPAD)		◆
FOOTPLATES RH TYPE				
CEG0610	<input type="checkbox"/>	FLIP UP DEPTH & ANGLE AJUSTABLE RH FOOTPLATE - (INCLUDING HEEL STRAP)		◆
FOOTPLATES LH TYPE				
CEG0630	<input type="checkbox"/>	FLIP UP DEPTH & ANGLE AJUSTABLE LH FOOTPLATE - (INCLUDING HEEL STRAP)		◆
ARMRESTS				
ARMRESTS RH FORM IN BLACK COLOR				
CEG0672	<input type="checkbox"/>	LIFTABLE AND REMOVABLE, HEIGHT-ADJUSTABLE FROM 170 TO 295 MM - SHORT (330 MM) NON-ROTATING NARROW	NC : 0791, 0797, 1481	○
CEG0691	<input type="checkbox"/>	REMOVABLE RH (N°4) - COMFORT BLACK PU TR26	NC : 0772, 0797	-113,17
CEG0697	<input type="checkbox"/>	REMOVABLE RH (N°4) - LONG CONCAVE ARMPAD	NC : 0772, 1480	◆
CEG0732	<input type="checkbox"/>	REMOVABLE RH (N°4) AUTOLOCK SAFETY DEVICE INCLUDED - ARMPAD HEMI BLACK PU TR26	NC : 1481	○
ARMRESTS LH FORM IN BLACK COLOR				
CEG0772	<input type="checkbox"/>	LIFTABLE AND REMOVABLE, HEIGHT-ADJUSTABLE FROM 170 TO 295 MM - SHORT (330 MM) NON-ROTATING NARROW	NC : 1481	○
CEG0791	<input type="checkbox"/>	REMOVABLE LH (N°4) - COMFORT BLACK PU TR26		-113,17
CEG0797	<input type="checkbox"/>	REMOVABLE LH (N°4) - LONG CONCAVE ARMPAD		◆
CEG0832	<input type="checkbox"/>	REMOVABLE LH (N°4) AUTOLOCK SAFETY DEVICE INCLUDED - ARMPAD HEMI BLACK PU TR26	NC : 1481	○
SEAT CUSHION TYPE				
CEG0871	<input type="checkbox"/>	MATRX CONTOUR NG VISCO CUSHION		◆
SEAT CUSHION DEPTH				
CEG0878	<input type="checkbox"/>	FOR 400 MM SEAT DEPTH		○
CEG0879	<input type="checkbox"/>	FOR 450 MM SEAT DEPTH		○
OTHER SEATING OPTIONS				
CEG0881	<input type="checkbox"/>	TRUNK SUPPORT COMFORT BLACK PU TR26 (PAIR)		237,91
CEG0905	<input type="checkbox"/>	NECKREST BLACK PU TR26 (INCLUDING BACKBRACE EXCEPT FOR LAGUNA)		◆
CEG0906	<input type="checkbox"/>	HEADREST BLACK PU TR26 (INCLUDING BACKBRACE EXCEPT FOR LAGUNA)		199,05
CEG0907	<input type="checkbox"/>	HEADREST WITH CHEEK SUPPORT BLACK PU TR26 (INCLUDING BACKBRACE EXCEPT FOR LAGUNA)		217,06
COLOURS				
CEG0961	<input type="checkbox"/>	SLATE GREY (RAL7024 FINE TEXTURE)		○
CEG0964	<input type="checkbox"/>	PEARL WHITE		○
CEG0966	<input type="checkbox"/>	MATT BLACK		○
CEG0967	<input type="checkbox"/>	BLUE POP		○
CEG0969	<input type="checkbox"/>	RED MATT		○
CEG0974	<input type="checkbox"/>	NAVY BLUE		○
CEG0980	<input type="checkbox"/>	ANTHRACITE BLACK		○
CEG0991	<input type="checkbox"/>	SPECIAL COLOUR		On Request
CASTER HOUSING TYPE				
CEG0995	<input type="checkbox"/>	STANDARD		◆
FRONT WHEELS				
CEG1005	<input type="checkbox"/>	200 X 32 MM (8" X 1.1/4") - BLACK PNEUMATIC TYRE		○
CEG1010	<input type="checkbox"/>	200 X 30 MM (8" X 1.1/4") - BLACK SOLID TYRE		○
CEG1035	<input type="checkbox"/>	150 X 30 MM (6" X 1.1/4") - BLACK SOLID TYRE MEDIUM HARD		○
CEG1050	<input type="checkbox"/>	150 X 30 MM (6" X 1.1/4") - BLACK SOLID TYRE		◆
CEG1054	<input type="checkbox"/>	125 X 30 MM (5" X 1") - BLACK SOLID TYRE	NC : 1062	○
CEG1056	<input type="checkbox"/>	140 X 40 MM (5" 1/2 X 1" 3/4) - BLACK SOLID TYRE MEDIUM HARD	NC : 1062	○




0610 / 0630



0691 / 0791



0697 / 0797




0732 / 0832




0871



0905



0906 0907





0961 0964 0966



0974 0969 0980



1010 1050


REAR WHEELS				
REAR WHEEL SIZE				
CEG1062	<input type="checkbox"/>	12" - 305 mm	NC : 1071, 1072, 1075, 1084, 1088, 1140, 1150, 1180, 1320, 1330, 1390	○
CEG1064	<input type="checkbox"/>	20" - 515 mm	NC : 1071, 1073, 1074, 1075, 1088, 1170, 1280	○
CEG1066	<input type="checkbox"/>	22" - 560 mm	NC : 1074	○
CEG1068	<input type="checkbox"/>	24" - 600 mm		◆
REAR WHEEL TYPE				
CEG1071	<input type="checkbox"/>	STANDARD (BLACK HUB, COLORLESS RIM & ZINC PLATTED SPOKES)	NC: 1170, 1280	◆
CEG1072	<input type="checkbox"/>	REINFORCED (COLORLESS HUB, CLEAR ANODIZED RIM & STAINLESS STEEL SPOKES)	NC : 1280	○
CEG1073	<input type="checkbox"/>	DRUM BRAKE (20/22/24" : COLORLESS HUB, CLEAR ANODIZED RIM & STAINLESS STEEL SPOKES / 12" : BLACK PLASTIC HUB & RIM)	NC : 1270, 1275, 1320, 1330	○
CEG1074	<input type="checkbox"/>	COMPOSITE (BLACK PLASTIC HUB & RIM)	NC : 1088, 1280	○
CEG1075	<input type="checkbox"/>	ONE ARM DRIVE (BLACK HUB & ZINC PLATTED SPOKED WITH ONE ARM DRIVE HANDRIM SYSTEM)	NC : 1084, 1140, 1150, 1170, 1280	○
TYRE TYPE				
CEG1082	<input type="checkbox"/>	TYRES SOLID BLACK 35 MM (1"3/8)		◆
CEG1084	<input type="checkbox"/>	PNEUMATIC PROFILED BLACK 35 MM (1"3/8)		○
CEG1088	<input type="checkbox"/>	PNEUMATIC LOW PROFILE BLACK 25 MM (1")		○
HANDRIM TYPE				
CEG1140	<input type="checkbox"/>	ALUMINIUM PRE-ANODIZED HANDRIM		◆
CEG1150	<input type="checkbox"/>	HANDRIM COATED IN BLACK ANTI-SLIP PLASTIC	127,01	
REAR WHEELS AXLE TYPE				
CEG1170	<input type="checkbox"/>	FIXED AXLE		○
CEG1180	<input type="checkbox"/>	QUICK RELEASE AXLE		◆
REAR WHEELS POSITION				
CEG1200	<input type="checkbox"/>	PASSIVE REAR WHEELS POSITION - 25MM BACKWARDS/BACKREST CANE AXLE (12,5MM with Active Rear Wheel Support and Seat Depth 500MM)		◆
PUMP				
CEG1230	<input type="checkbox"/>	PUMP AND SUPPORT		10,43
CHASSIS OPTIONS TYPE				
CEG1241	<input type="checkbox"/>	FRONT WHEELS EXTENSION (+ 50 MM OUTWARD)		○  1241
BRAKES TYPE				
CEG1270	<input type="checkbox"/>	PUSH TO LOCK BRAKES		◆
CEG1275	<input type="checkbox"/>	PULL TO LOCK BRAKES		○
CEG1280	<input type="checkbox"/>	ATTENDANT HUB BRAKES (INCLUDING PUSH TO LOCK BRAKES)	178,20	
CEG1320	<input type="checkbox"/>	OAD WIRE CONTROLLED BRAKE RH	NC : 1390	94,79
CEG1330	<input type="checkbox"/>	OAD WIRE CONTROLLED BRAKE LH	NC : 1390	94,79
1270				
SAFETY OPTIONS TYPE				
CEG1360	<input type="checkbox"/>	POSTURE BELT - PLASTIC BUCKLE	NC : 1361, 1362, 1363, 1364	31,28
CEG1361	<input type="checkbox"/>	HIP BELT, 2-PT, CTR-PULL, PB - M X 460MM PADS, FLAT-MOUNT	NC : 1362, 1363, 1364	199,05
CEG1362	<input type="checkbox"/>	HIP BELT, 2-PT, CTR-PULL, PB - L X 620MM PADS, FLAT-MOUNT	NC : 1363, 1364	206,64
CEG1363	<input type="checkbox"/>	HIP BELT, 4-PT, CTR-PULL, PB - M X 460MM PADS, FLAT-MOUNT	NC : 1364	234,12
CEG1364	<input type="checkbox"/>	HIP BELT, 4-PT, CTR-PULL, PB - L X 620MM PADS, FLAT-MOUNT		241,71
CEG1370	<input type="checkbox"/>	REAR ANTI-TIPPERS PAIR -	NC : 1375, 1440	79,62
CEG1375	<input type="checkbox"/>	REAR ANTI-TIPPERS PAIR WITH TIPPING AID - (REA TYPE)	NC : 1440	125,12
CEG1390	<input type="checkbox"/>	BRAKE EXTENSION PAIR		10,43
1370				
1375				





Standard



Composite




1" 1.3/8" 1.3/8"
1088 1084 1082



1370 1375

ATTENDANT OPTIONS TYPE			
CEG1430	<input type="checkbox"/>	CANE HOLDER	49,29
CEG1440	<input type="checkbox"/>	TIPPING AID RH	28,44
CEG1481	<input type="checkbox"/>	SWING AWAY COMFORT ACRYLIC TRAY	72,83
CEG1482	<input type="checkbox"/>	LOCKING DEVICE FO COMFORT TRAY	54,03
RAMPS			
1440530	<input type="checkbox"/>	Fiberglass Folding Mono Ramp Folded dimensions: 2000 x 230 mm 16.3 kg - maximum capacity: 300 kg"	1 787,68
1654128	<input type="checkbox"/>	Basic ramp 2 telescopic parts in aluminum and non-slip coating - Folded dimensions: 1210 x 194 mm. 8.8 kg per pair - maximum capacity: 270 kg	402,84
1654129	<input type="checkbox"/>	Quick2go Compact 3-part aluminum telescopic ramp with non-slip coating Folded dimensions: 870 x 237 mm 13.6 kg per pair - maximum capacity: 260 kg	805,69
1654130	<input type="checkbox"/>	Aluminium folding mono ramp Folded dimensions: 1824 x 714 mm 13.9 kg - maximum capacity: 300 kg	426,54



1440




1440530



1654128



1654129



1654130