

Invacare® TDX® SP2^{NB} AA2 Ultra Low Maxx

Please contact Invacare EU Export Customer Services on :-
 Tel : +33 247 626980 ; Email : serviceclient_export@invacare.com
 Or visit our website : www.invacare.eu.com



Invacare® TDX® SP2^{NB} AA2 Ultra Low Maxx Mid Power wheelchair 6 wheels



Description:

- Weight: from 154kg
- Max weight user: 136kg
- 2-year warranty excluding batteries and wearing parts.

Date :

User Name :

Customer Code:

Dealer stamp :




Customization Service Invacare Unique

Please indicate your quote number or special manufacturing number :

Indicative Public Rate - Use the online configurator on Invacare Pro to generate quotes or orders free from incompatibilities.

Please make your selection with a cross in the box Standard configuration Free of charge

CODE	DESCRIPTION	NC : Non Compatible NC : 9999 : non compatible avec la référence 9999	Euros
ARPO080	<input type="checkbox"/> Invacare® TDX® SP2 ^{NB} AA2 Ultra Low Maxx - Code LPPR 9125996 Power module: 90 A - Motors: 340W, 4 poles - Range: +/- 26 km (50Ah)		14 138,42



Customized settings:		Measured from:
A	Seat Height	Seat plate to floor
B	Seat Width	Front seat plate edge LH to seat plate edge RH
C	Seat Depth	Front of seat plate (incl. curve) to bracket of backrest (lowest point)
D	Finished Back Height	Seat plate to top of back
E	Armrest Height LH	Seat plate to top of tube
F	Armrest Height RH	Seat plate to top of tube
G	Centre mount legrest	Top of seat plate to top of footplate, parallel to legrest / knee-to-heel length
H	Side mount Legrest LH	Top of seat plate to top of footplate, parallel to legrest / knee-to-heel length
K	Side mount Legrest RH	Top of seat plate to top of footplate, parallel to legrest / knee-to-heel length
H	Pivot Plus Legrest LH	Top of seat plate to top of footplate, parallel to legrest / knee-to-heel length
K	Pivot Plus Legrest RH	Top of seat plate to top of footplate, parallel to legrest / knee-to-heel length

SEATING TYPE

SEATING TYPE

ARP2020	<input type="checkbox"/> Ultra Low Maxx Powered Positioning System	<input type="radio"/>
---------	--	-----------------------

POWERED POSITIONING OPTIONS

SEAT TILT and combined SEAT TILT & SEAT LIFTER

ARP2052	<input type="checkbox"/> Ultra Low Maxx CG Tilt (0 to 50°)	<input type="radio"/>
ARP2053	<input type="checkbox"/> Ultra Low Maxx CG Tilt (0 to 45°) combined w 300 mm Seat Lifter - Increased STF Height by 4 mm	NC : 2263, 2264 <input checked="" type="radio"/>

A - SEAT HEIGHT SETTING

SEAT-TO-FLOOR HEIGHT MAY INCREASE DUE TO SETTINGS!

ARP0337	<input type="checkbox"/> 440 mm	<input checked="" type="radio"/>
ARP0331	<input type="checkbox"/> 460 mm	<input type="radio"/>
ARP0339	<input type="checkbox"/> 490 mm	<input type="radio"/>

ANTERIOR and POSTERIOR TILT OPTIONS			
ARP2057	<input type="checkbox"/>	Ultra Low Maxx CG Tilt Standard Mount - No anterior or posterior tilt	◆
ARP2054	<input type="checkbox"/>	Ultra Low Maxx CG tilt 5° Fixed Anterior Assist mount - Will reduce max tilt angle by 5°	488,15
ARP2055	<input type="checkbox"/>	Ultra Low Maxx CG tilt 10° Fixed Anterior Assist mount - Will reduce max tilt angle by 10°	530,81
ARP2056	<input type="checkbox"/>	Ultra Low Maxx CG tilt 5° Fixed Posterior-tilt Assist mount - Will increase max tilt angle by 5°	488,15
BACKREST RECLINER			
ARP2069	<input type="checkbox"/>	Fixed Angle Setting (NO POWERED RECLINE)	NC 2095, 2096, 2097, 2263, 2264, 2245 ○
ARP2060	<input type="checkbox"/>	Powered Recline 90 to 170° , Standard Mount	NC 2307, 2510, 2511, 2512, 2513, 2514, 2515, 2516, 2540, 2541, 2542, 2543 ◆
ARP2063	<input type="checkbox"/>	Powered Recline, 8° Precline mount, 82° to 162°	NC 2307, 2510, 2511, 2512, 2513, 2514, 2515, 2516, 2540, 2541, 2542, 2543 ○
ARP2066	<input type="checkbox"/>	Powered Recline, 30° Precline mount, 60° to 140°	NC 2307, 2510, 2511, 2512, 2513, 2514, 2515, 2516, 2540, 2541, 2542, 2543 530,81
SEAT DIMENSIONS			
SEAT FRAME WIDTH RANGE			
ARP2021	<input type="checkbox"/>	405 mm - 505 mm (increments of 25 mm) / 16" - 20"	◆
ARU2003	<input type="checkbox"/>	480 mm - 555 mm (increments of 25 mm) / 19" - 22"	○
ARU2022	<input type="checkbox"/>	505 mm - 610 mm (increments of 25 mm) / 20" - 24"	NC : 2174, 2175 ○
SEAT FRAME DEPTH RANGE			
ARP2008	<input type="checkbox"/>	405 mm - 505 mm (increments of 25 mm) / 16" - 20"	◆
ARP2024	<input type="checkbox"/>	480 mm - 580 mm (increments of 25 mm) / 19" - 23"	○
B - SEAT WIDTH SETTING FOR ADJUSTABLE SEAT FRAME			
ARP2025	<input type="checkbox"/>	405 mm	NC : 2022, 2041, 2042, 2701, 2703, 2705 ○
ARP2026	<input type="checkbox"/>	430 mm	NC : 2022, 2041, 2142, 2701, 2703, 2705 ○
ARP2027	<input type="checkbox"/>	455 mm	NC : 2022, 2701, 2703, 2705 ○
ARP2028	<input type="checkbox"/>	480 mm	NC : 2022, 2702, 2704, 2706 ○
ARP2029	<input type="checkbox"/>	505 mm	NC : 2702, 2704, 2706 ○
ARP2030	<input type="checkbox"/>	530 mm	NC : 2021, 2034, 2035, 2036, 2174, 2175, 2702, 2704, 2706 ○
ARP2031	<input type="checkbox"/>	555 mm	NC : 2021, 2034, 2035, 2036, 2174, 2175, 2702, 2704, 2706 ○
ARP2032	<input type="checkbox"/>	580 mm	NC : 2021, 2034, 2035, 2036, 2174, 2175, 2147, 2702, 2704, 2706 ○
ARP2033	<input type="checkbox"/>	610 mm	NC : 2021, 2034, 2035, 2036, 2174, 2175, 1404, 1405, 2147, 2702, 2704, 2706 ○
C - SEAT DEPTH SETTING			
ARP2035	<input type="checkbox"/>	405 mm	NC : 2024, 0586, 0589, Bodypoint Belt ○
ARP2036	<input type="checkbox"/>	430 mm	NC : 2024 ○
ARP2037	<input type="checkbox"/>	455 mm	NC : 2024 ○
ARP2038	<input type="checkbox"/>	480 mm	○
ARP2039	<input type="checkbox"/>	505 mm	NC : 2023 ○
ARP2040	<input type="checkbox"/>	530 mm	NC : 2023 ○
ARP2041	<input type="checkbox"/>	555 mm	NC : 2023 ○
ARP2042	<input type="checkbox"/>	580 mm	NC : 2023 ○
SEAT CUSHION			
ARP2145	<input type="checkbox"/>	Matrx Flo-Tech Lite black smooth cover, 75 mm thick - Up to 127 kg	NC : 2041, 2042, 2030, 2031, 2032, 2033 ◆
ARP2146	<input type="checkbox"/>	Matrx Flo-tech Contour, black smooth cover, 100 mm thick - Up to 191 kg	NC : 2042 ○
ARP2147	<input type="checkbox"/>	Matrx Libra Cushion, 90 mm thick - Standard: up to 136kg/ HD: up to 227kg - Extended lead time: + 4 days	293,84
ARP2144	<input type="checkbox"/>	Matrx Vi Cushion [Mesh fabric]	293,84


BACK CANE HEIGHT - STRAIGHT OR ANGLED BACK CANES			
ARP2050	<input type="checkbox"/>	High Back, height 405 mm / 16" [Mesh fabric]	◆
ARP2051	<input type="checkbox"/>	High Back, height 455 mm / 18" [Mesh fabric]	○
ARP2320	<input type="checkbox"/>	High Back, height 505 mm / 20" [Mesh fabric]	○
ARP2550	<input type="checkbox"/>	Matrx Elite E2 Back, height 355mm / 14" / 16 - 18" wide	NC : 2030, 2031, 2032, 2033 ○
ARP2551	<input type="checkbox"/>	Matrx Elite E2 Back, height 405 mm / 16"	NC : 2030, 2031, 2032, 2033 ○
ARP2552	<input type="checkbox"/>	Matrx Elite E2 Back, height 455 mm / 18"	NC : 2030, 2031, 2032, 2033 ○
ARP2553	<input type="checkbox"/>	Matrx Elite E2 Back, height 505 mm / 20"	NC : 2030, 2031, 2032, 2033 ○
ARP2554	<input type="checkbox"/>	Matrx Elite HD Back, height 405 mm / 16"	NC : 2025, 2026, 2027, 2028, 2029 798,10
ARP2555	<input type="checkbox"/>	Matrx Elite HD Back, height 505 mm / 20"	NC : 2025, 2026, 2027, 2028, 2029 798,10
ARP2556	<input type="checkbox"/>	Matrx Elite TR Back, height 405 mm / 16" [Mesh fabric]	NC : 2030, 2031, 2032, 2033 798,10
ARP2557	<input type="checkbox"/>	Matrx Elite TR Back, height 455 mm / 18" [Mesh fabric]	NC : 2030, 2031, 2032, 2033 798,10
ARP2177	<input type="checkbox"/>	Matrx Elite TR Back, height 505 mm / 20" [Mesh fabric]	NC : 2025, 2026, 2027, 2028, 2029 798,10
ARP2563	<input type="checkbox"/>	Matrx Elite TR HD Back, height 505 mm / 20" [Mesh fabric]	NC : 2025, 2026, 2027, 2028, 2029 798,10
ARP2558	<input type="checkbox"/>	Matrx Elite Deep E2 Back, height 405 mm / 16" [Mesh fabric]	NC : 2030, 2031, 2032, 2033 798,10
ARP2559	<input type="checkbox"/>	Matrx Elite Deep E2 Back, height 455 mm / 18" [Mesh fabric]	NC : 2030, 2031, 2032, 2033 798,10
ARP2178	<input type="checkbox"/>	Matrx Elite Deep E2 Back, height 505 mm / 20" [Mesh fabric]	NC : 2030, 2031, 2032, 2033 798,10
ARP2174	<input type="checkbox"/>	Matrx PB Back, height 405 mm / 16" [Mesh fabric]	798,10
ARP2175	<input type="checkbox"/>	Matrx PB Back, height 505 mm / 20" [Mesh fabric]	798,10
ARP2560	<input type="checkbox"/>	Matrx PB Deep Back, height 405mm / 16"	798,10
ARP2561	<input type="checkbox"/>	Matrx PB Deep Back, height 505 mm / 20"	798,10
ARP2562	<input type="checkbox"/>	Matrx Elite Deep HD Back, height 505 mm / 20"	798,10
D - FINISHED BACK HEIGHT			
ARP2506	<input type="checkbox"/>	505 mm - unique with : 2550	○
ARP2501	<input type="checkbox"/>	535 mm - unique with : 2550	○
ARP2070	<input type="checkbox"/>	555 mm - unique with : 2050, 2551, 2554, 2556, 2558, 2174, 2560	○
ARP2071	<input type="checkbox"/>	585 mm - unique with : 2050, 2551, 2554, 2556, 2558, 2174, 2560	○
ARP2072	<input type="checkbox"/>	610 mm - unique with : 2051, 2552, 2557, 2559	○
ARP2073	<input type="checkbox"/>	635 mm - unique with : 2051, 2552, 2557, 2559	○
ARP2074	<input type="checkbox"/>	660 mm - unique with : 2320, 2553, 2555, 2177, 2563, 2178, 2175, 2561, 2562	○
ARP2502	<input type="checkbox"/>	685 mm - unique with : 2320, 2553, 2555, 2177, 2563, 2178, 2175, 2561, 2562	○
ARMRESTS FOR ESR RECLINE SYSTEM			
ARP2095	<input type="checkbox"/>	Cantilever Flip-Back Arm, width, height and angle adjustable, 240 - 330 mm (9.5" - 13")	◆
ARP2096	<input type="checkbox"/>	Cantilever Flip-Back Arm, width, height and angle adjustable, 340 - 405 mm (13.5 - 16")	○
ARP2097	<input type="checkbox"/>	Two-post Recline Arm, Flip Back, adjustable height 230 - 330 mm (9-13")	○
ACCESSORIES FOR ARMRESTS			
ARP2308	<input type="checkbox"/>	Spacers for armrest spacing reinforced with 25 mm per side	159,24
ARP2309	<input type="checkbox"/>	Spacers for armrest spacing reinforced with 25 mm per side	159,24
ARM PAD Left Hand			
ARP2012	<input type="checkbox"/>	Desk arm pad with startex cover visco foam [255mm]; 40 mm thick	◆
ARP2013	<input type="checkbox"/>	Full length arm pad with startex cover visco foam [355mm], 40 mm thick	○
ARP2014	<input type="checkbox"/>	Ergonomic arm trough; 30 mm thick	NC : 2347, 2348, 2349, 2350, 1404, 1405 163,98
ARM PAD Right Hand			
ARP2016	<input type="checkbox"/>	Desk arm pad with startex cover visco foam [255mm]; 40 mm thick	◆
ARP2017	<input type="checkbox"/>	Full length arm pad with startex cover visco foam [355mm]; 40 mm thick	○
ARP2018	<input type="checkbox"/>	Ergonomic arm trough, 30 mm thick	NC : 2351, 2352, 2353, 2354, 1404, 1405 163,98
ARM PAD ACCESSORIES & MOUNTING OPTIONS			
Only in combination with arm trough / Always to be mounted on the opposite side of remote			
ARP2080	<input type="checkbox"/>	Flat Hand Pad Left	159,24
ARP2083	<input type="checkbox"/>	Flat Hand Pad Right	159,24
MULTI-AXIS UPPER EXTREMITY SUPPORTS			
ARP2082	<input type="checkbox"/>	Multi Axis Upper Extremity Support (MACES) Left, lowest armpad height will be increased by 43 mm	309,95
ARP2085	<input type="checkbox"/>	Multi Axis Upper Extremity Support (MACES) Right, lowest armpad height will be increased by 43 mm	309,95

E - Height setting: ARMREST LH		SEAT PAN TO TOP OF THE TUBE	
Customized :			
<input type="checkbox"/> 290 mm			◆
<input type="checkbox"/> 230 mm <input type="checkbox"/> 240 mm <input type="checkbox"/> 250 mm <input type="checkbox"/> 260 mm <input type="checkbox"/> 270 mm			○
<input type="checkbox"/> 280 mm <input type="checkbox"/> 300 mm <input type="checkbox"/> 310 mm <input type="checkbox"/> 320 mm <input type="checkbox"/> 330 mm			○
<input type="checkbox"/> 340 mm <input type="checkbox"/> 350 mm <input type="checkbox"/> 360 mm <input type="checkbox"/> 370 mm <input type="checkbox"/> 380 mm			○
<input type="checkbox"/> 390 mm <input type="checkbox"/> 405 mm			○
F - Height setting: ARMREST RH		SEAT PAN TO TOP OF THE TUBE	
Customized :			
<input type="checkbox"/> 290 mm			◆
<input type="checkbox"/> 230 mm <input type="checkbox"/> 240 mm <input type="checkbox"/> 250 mm <input type="checkbox"/> 260 mm <input type="checkbox"/> 270 mm			○
<input type="checkbox"/> 280 mm <input type="checkbox"/> 300 mm <input type="checkbox"/> 310 mm <input type="checkbox"/> 320 mm <input type="checkbox"/> 330 mm			○
<input type="checkbox"/> 340 mm <input type="checkbox"/> 350 mm <input type="checkbox"/> 360 mm <input type="checkbox"/> 370 mm <input type="checkbox"/> 380 mm			○
<input type="checkbox"/> 390 mm <input type="checkbox"/> 405 mm			○
ELBOW BLOCK LEFT: PADS			
ARP2347	<input type="checkbox"/> Elbow Block XS (110 mm wide x 83 mm high)		296,68
ARP2348	<input type="checkbox"/> Elbow Block S (135 mm wide x 90 mm high)		296,68
ARP2349	<input type="checkbox"/> Elbow Block M (145 mm wide x 95 mm high)		296,68
ARP2350	<input type="checkbox"/> Elbow Block L (165 mm wide x 110 mm high)		296,68
ELBOW BLOCK LEFT: MOUNTING HARDWARE			
ARP2361	<input type="checkbox"/> Vertical 3"/ Horizontal 5"		○
ARP2362	<input type="checkbox"/> Vertical 3"/ Horizontal 7"		○
ARP2363	<input type="checkbox"/> Vertical 5"/ Horizontal 5"		○
ARP2364	<input type="checkbox"/> Vertical 5"/ Horizontal 7"		○
ELBOW BLOCK RIGHT: PADS			
ARP2351	<input type="checkbox"/> Elbow Block XS (110 mm wide x 83 mm high)		296,68
ARP2352	<input type="checkbox"/> Elbow Block S (135 mm wide x 90 mm high)		296,68
ARP2353	<input type="checkbox"/> Elbow Block M (145 mm wide x 95 mm high)		296,68
ARP2354	<input type="checkbox"/> Elbow Block L (165 mm wide x 110 mm high)		296,68
ELBOW BLOCK RIGHT: MOUNTING HARDWARE			
ARP2371	<input type="checkbox"/> Vertical 3"/ Horizontal 5"		○
ARP2372	<input type="checkbox"/> Vertical 3"/ Horizontal 7"		○
ARP2373	<input type="checkbox"/> Vertical 5"/ Horizontal 5"		○
ARP2374	<input type="checkbox"/> Vertical 5"/ Horizontal 7"		○
HIP SUPPORTS			
ARP2184	<input type="checkbox"/> Hip Support LH, Quick Release, pad size 140 x 100 mm	NC : Bodypoint Belt	290,05
ARP2114	<input type="checkbox"/> Hip Support LH, Quick Release, pad size 180 x 150 mm	NC : Bodypoint Belt	290,05
ARP2186	<input type="checkbox"/> Hip Support LH, Quick Release, pad size 230 x 100 mm	NC : Bodypoint Belt	290,05
ARP2188	<input type="checkbox"/> Hip Support LH, Quick Release, pad size 330 x 100 mm	NC : Bodypoint Belt	290,05
ARP2185	<input type="checkbox"/> Hip Support RH, Quick release, pad size 140 x 100 mm	NC : Bodypoint Belt	290,05
ARP2115	<input type="checkbox"/> Hip Support RH, Quick Release, pad size 180 x 150 mm	NC : Bodypoint Belt	290,05
ARP2187	<input type="checkbox"/> Hip Support RH, Quick release, pad size 230 x 100 mm	NC : Bodypoint Belt	290,05
ARP2189	<input type="checkbox"/> Hip Support RH, Quick Release, pad size 330 x 100 mm	NC : Bodypoint Belt	290,05
MOUNTING HARDWARE FOR HIP SUPPORTS			
ARP2164	<input type="checkbox"/> Mounting hardware for hip supports (155 mm high)		◆
ARP2165	<input type="checkbox"/> Mounting hardware for hip supports (206 mm high)		○
HEADREST AND MOUNTING HARDWARE			
ARP2092	<input type="checkbox"/> Onyx Auto Style Headrest		◆
ARP2324	<input type="checkbox"/> Elan Standard Pad 260 mm / 10" wide w/standard cover (ESP26)	Head Control or equivalent Headrest, provided independently from order	○
ARP2325	<input type="checkbox"/> Elan Occipital Pad 230 mm wide w/standard cover (EOP23)	Head Control or equivalent Headrest, provided independently from order	○
ARP1495	<input type="checkbox"/> Head Control or equivalent Headrest, provided independently from this order	NC : 2229	○



2325

LATERAL SUPPORTS			
ARP2343	<input type="checkbox"/>	Lateral Support Maxx Style Quick Release, pad size [110 mm wide x 83 mm high] LH	290,05
ARP2345	<input type="checkbox"/>	Lateral Support Maxx Style Quick Release, pad size [135 mm wide x 90 mm high] LH	290,05
ARP2043	<input type="checkbox"/>	Lateral Support Maxx Style Quick Release, pad size [145 mm wide x 95 mm high] LH	290,05
ARP2045	<input type="checkbox"/>	Lateral Support Maxx Style Quick Release, pad size [165 mm wide x 110 mm high] LH	290,05
ARP2344	<input type="checkbox"/>	Lateral Support Maxx Style Quick Release, pad size [110 mm wide x 83 mm high] RH	290,05
ARP2346	<input type="checkbox"/>	Lateral Support Maxx Style Quick Release, pad size [135 mm wide x 90 mm high] RH	290,05
ARP2044	<input type="checkbox"/>	Lateral Support Maxx Style Quick Release, pad size [145 mm wide x 95 mm high] RH	290,05
ARP2046	<input type="checkbox"/>	Lateral Support Maxx Style Quick Release, pad size [165 mm wide x 110 mm high] RH	290,05
ARP2049	<input type="checkbox"/>	Additional telescopic link for Maxx Style lateral support, 25 mm, Pair	107,11
LEGRESTS / FOOTRESTS			
CENTRE MOUNT LEGRESTS (Incl Calf pads)			
ARP0586	<input type="checkbox"/>	Centre mount legrest, angle settable Length: 310 - 410 mm	NC : 0517 -1 375,36
ARP0589	<input type="checkbox"/>	LNX Power centre mount legrest, length compensating; Length: 340 - 410 mm	NC : 2263, 2264 ◆
ARU0592	<input type="checkbox"/>	LNX Power centre mount legrest with telescoping foot platform (lowers to the ground); Length: 380 - 419 mm	NC : 2263, 2264, 2265 1 289,10
FOOTPLATES / FOOT PLATFORM			
ARP2365	<input type="checkbox"/>	Angle & width adjustable footplates S (127 W x 190 mm D / 5"x7.5")	○
ARP0559	<input type="checkbox"/>	Angle & width adjustable footplates M (140 W x 240 mm D / 5.5"x9.5")	◆
ARP0516	<input type="checkbox"/>	Angle & width adjustable footplates L (150 W x 290 mm D / 6"x11.5")	143,13
ARP0517	<input type="checkbox"/>	Angle adjustable foot platform M (305 W x 275 mm D / 12"x10.75")	143,13
G - Height setting: Centre Mount Legrest, options 0586 & 0589		SEAT PAN TO FOOTPLATE	
Customized :			
<input type="checkbox"/>	375 mm		◆
<input type="checkbox"/>	310 mm <input type="checkbox"/> 325 mm <input type="checkbox"/> 335 mm <input type="checkbox"/> 345 mm		○
<input type="checkbox"/>	355 mm <input type="checkbox"/> 364 mm <input type="checkbox"/> 385 mm <input type="checkbox"/> 410 mm		○
G- Height setting: Centre Mount w telescoping foot platform		SEAT PAN TO FOOTPLATE	
Customized :			
<input type="checkbox"/>	380 mm <input type="checkbox"/> 393 mm <input type="checkbox"/> 406 mm <input type="checkbox"/> 419 mm		○
SIDE MOUNTED FRONT RIGGINGS FOR ULTRA LOW-MAXX			
ARP0537	<input type="checkbox"/>	Hanger Vari A LH	-856,87
ARP0539	<input type="checkbox"/>	Hanger ADE 0° - 80° LH	-513,74
ARP0547	<input type="checkbox"/>	Hanger Vari A RH	-856,87
ARP0549	<input type="checkbox"/>	Hanger ADE 0° - 80° RH	-513,74
H - Height setting: Vari Hanger LH		SEAT PAN TO FOOTPLATE	
Customized :			
<input type="checkbox"/>	370 mm		◆
<input type="checkbox"/>	270 mm <input type="checkbox"/> 280 mm <input type="checkbox"/> 290 mm <input type="checkbox"/> 300 mm		○
<input type="checkbox"/>	310 mm <input type="checkbox"/> 320 mm <input type="checkbox"/> 330 mm <input type="checkbox"/> 340 mm		○
<input type="checkbox"/>	350 mm <input type="checkbox"/> 360 mm <input type="checkbox"/> 380 mm <input type="checkbox"/> 390 mm		○
<input type="checkbox"/>	400 mm <input type="checkbox"/> 410 mm <input type="checkbox"/> 420 mm <input type="checkbox"/> 430 mm		○
H - Height setting: Vari Hanger RH		SEAT PAN TO FOOTPLATE	
Customized :			
<input type="checkbox"/>	370 mm		◆
<input type="checkbox"/>	270 mm <input type="checkbox"/> 280 mm <input type="checkbox"/> 290 mm <input type="checkbox"/> 300 mm		○
<input type="checkbox"/>	310 mm <input type="checkbox"/> 320 mm <input type="checkbox"/> 330 mm <input type="checkbox"/> 340 mm		○
<input type="checkbox"/>	350 mm <input type="checkbox"/> 360 mm <input type="checkbox"/> 380 mm <input type="checkbox"/> 390 mm		○
<input type="checkbox"/>	400 mm <input type="checkbox"/> 410 mm <input type="checkbox"/> 420 mm <input type="checkbox"/> 430 mm		○
INDIVIDUAL FOOTPLATE TYPE; LH			
ARP0509	<input type="checkbox"/>	Angle Adjustable Footplate LH	◆
INDIVIDUAL FOOTPLATE TYPE; RH			
ARP0506	<input type="checkbox"/>	Angle Adjustable Footplate RH	◆

LiNX REMOTES			
LiNX PRIMARY REMOTES with proportional Joystick + BRACKETS			
ARP2203	<input type="checkbox"/> Remote LiNX DLX-REM211 = Drive & Actuators 3 Drive functions and power module incl. 2 Actuators	NC : 2229, 2231, 2232, 2230, 2247, 2257, 2233, 2240, 2270, 2219, 2245	-576,30
ARP2204	<input type="checkbox"/> Remote LiNX DLX-REM216 = Drive, Actuators & Lights 3 Drive functions and power module incl. 2 Actuators & Lights	NC : 2229, 2231, 2232, 2230, 2247, 2257, 2233, 2240, 2270, 2219, 2245	-576,30
ARP2205	<input type="checkbox"/> Rehab Remote LiNX, touch-screen user interface DLX-REM400 Configurable jack sockets		◆
ARP2206	<input type="checkbox"/> Rehab Remote LiNX without joystick for alternative access users DLX-REM500 Requires a user input/alternative joystick: 2231, 2232, 2229, 2230, 2247, 2257, 2233, 2240, 2243, 2255, 2256, 2271 or 2216	NC : 2270	568,72
REM400 TOGGLE OPTION			
ARP2270	<input type="checkbox"/> Assignable Toggle Switch Module for REM400 (DLX-SW400TGL) as default set to left: ON/OFF, right speed dial		340,28
REMOTE MOUNTING POSITION			
ARP2107	<input type="checkbox"/> Standard Bracket RH	NC : 1404	○
ARP2108	<input type="checkbox"/> Standard Bracket LH	NC : 1405	○
ARP1707	<input type="checkbox"/> Swing Away Bracket RH	NC : 1404	◆
ARP1708	<input type="checkbox"/> Swing Away Bracket LH	NC : 1405	○
ARP1709	<input type="checkbox"/> Maxx resolve , swing away in/out - RH	NC : 1404	○
ARP1710	<input type="checkbox"/> Maxx resolve , swing away in/out - LH	NC : 1405	○
ARP2075	<input type="checkbox"/> Swing Away + height / width adjust. Mount on RH for user, Quad link design	NC : 1415	233,18
ARP2076	<input type="checkbox"/> Swing Away + height / width adjust. Mount on LH for user, Quad link design	NC : 1339	233,18
ARP2213	<input type="checkbox"/> Centre Mount, swing-away to RH, Nucleus	NC : 1404, 1405	787,68
ARP2214	<input type="checkbox"/> Centre Mount, swing-away to LH, Nucleus	NC : 1404, 1405	787,68
ARP2227	<input type="checkbox"/> Bracket RH, mounted for Attendant	NC : 1221, 2219, 2245	33,85
ARP2228	<input type="checkbox"/> Bracket LH, mounted for Attendant	NC : 1222, 2219, 2245	33,85
ARU2239	<input type="checkbox"/> Montage personnalisé, merci de nous préciser votre demande :		On Demand
LiNX REM500 (DISPLAY ONLY) BRACKETS			
ARP2209	<input type="checkbox"/> Swing away RH, multi-adjustable	NC : 1404	◆
ARP2210	<input type="checkbox"/> Swing away LH, multi-adjustable	NC : 1405	○
PW-4005	<input type="checkbox"/> Option 2209/2210 with fixing rod for REM500 extended by 200 mm		On Demand
ARP2213	<input type="checkbox"/> Centre Mount, swing-away to RH, Nucleus	NC : 1404, 1405	787,68
ARP2214	<input type="checkbox"/> Centre Mount, swing-away to LH, Nucleus	NC : 1404, 1405	787,68
ARU2239	<input type="checkbox"/> Individual mounting option per request (Special) :		On Demand
DUAL CONTROL LiNX + BRACKETS			
ARP2219	<input type="checkbox"/> Compact Dual Control LiNX (DLX-ACU200)	NC : 1221, 1222, 2227, 2228	1 354,05
ARP2245	<input type="checkbox"/> Invacare LiNX IDC Dual control	NC : 1207, 1208, 2227, 2228, 2069	1 354,05
ARP1207	<input type="checkbox"/> Standard Bracket RH		◆
ARP1208	<input type="checkbox"/> Standard Bracket LH		○
ARP1221	<input type="checkbox"/> Bracket RH, detachable		○
ARP1222	<input type="checkbox"/> Bracket LH, detachable		○
If several joysticks (or Joystick + REM500) should be mounted on one Nucleus, please select special mounting option 2215!			
Mo-Vis special controls - refer to the order sheet			
LiNX - COMPACT REMOTES & BRACKETS			
ARP2231	<input type="checkbox"/> Proportional Compact Remote DLX-CR400		1 371,56
ARP2232	<input type="checkbox"/> Proportional Compact Remote Low Force DLX-CR-400LF		1 509,00
ARP2207	<input type="checkbox"/> RH Mount	NC : 1404	◆
ARP2208	<input type="checkbox"/> LH Mount	NC : 1405	○
ARP2213	<input type="checkbox"/> Centre Mount, swing-away to RH (Nucleus)	NC : 1404, 1405	787,68
ARP2214	<input type="checkbox"/> Centre Mount, swing-away to LH (Nucleus)	NC : 1404, 1405	787,68
ARU2215	<input type="checkbox"/> Individual mounting option per request (Special) :		On Demand
ALTERNATIVE JOYSTICKS + INPUTS + BRACKETS			
HEAD CONTROL ATOM Technology			
ARP2230	<input type="checkbox"/> Head Control with ultrasonic proximity sensors (ATOM, ASL104) with standard wings M3	NC : 2233, 2092, 2324, 2325, 2257, 2240	5 648,34
ARP2247	<input type="checkbox"/> Head Control with ultrasonic proximity sensors (PROTON, ASL104P) with PROTON wings	NC : 2233, 2092, 2324, 2325, 2257, 2240	5 648,34

LiNX




REM211



REM216



REM400
Bluetooth



REM500
Bluetooth



2270

NEW



2209
2210



2219
2245


















2231
2232








2230

2247

FOUR-SWITCH PROXIMITY ARRAY (with ATOM Technology)					
ARP2257	<input type="checkbox"/>	Four-Switch Proximity Array (ASL106)	NC : 2233, 2240	7 048,38	 2257
ARP2275	<input type="checkbox"/>	Centre Mount, swing-away to RH, Nucleus	Incl. Eclipse Tray ASL619, 360x180 mm)	○	
ARP2276	<input type="checkbox"/>	Centre Mount, swing-away to LH, Nucleus	Incl. Eclipse Tray ASL619, 360x180 mm)	○	
ARU2215	<input type="checkbox"/>	Individual mounting option per request (Special) :		On Demand	
WIRELESS ACCESSORIES FOR ATOM					
ARP2250	<input type="checkbox"/>	Wireless Mouse Emulator (ASL558)		1 506,16	 2250
LiNX - PROPORTIONAL REMOTES / INPUTS & BRACKETS					
ARP2233	<input type="checkbox"/>	MEC Proportional Joystick (Micro Extremity Control ASL130)	NC : 2240	5 648,34	 2233
ARP2235	<input type="checkbox"/>	Tray Mount RH (ASL603, 100x150 mm)		○	
ARP2236	<input type="checkbox"/>	Tray Mount LH (ASL603, 100x150 mm)		○	
ARP2213	<input type="checkbox"/>	Centre Mount, swing-away to RH, Nucleus	NC : 1404, 1405	○	
ARP2214	<input type="checkbox"/>	Centre Mount, swing-away to LH, Nucleus	NC : 1404, 1405	○	
ARP2241	<input type="checkbox"/>	Centre Mount, swing-away to RH, Nucleus	Incl. Tray ASL603, 100x150 mm	787,68	
ARP2242	<input type="checkbox"/>	Centre Mount, swing-away to LH, Nucleus	Incl. Tray ASL603, 100x150 mm	787,68	
ARU2215	<input type="checkbox"/>	Individual mounting option per request (Special) :		On Demand	
Proportional reinforced joystick control					
ARP2240	<input type="checkbox"/>	Proportional Heavy Duty Remote Joystick w mode switch (ASL133)		3 317,54	 2240
PEDIATRIC COMPACT					
ARP2243	<input type="checkbox"/>	Proportional Pediatric Compact (ASL132), includes Input Module		2 383,89	
ARP2235	<input type="checkbox"/>	Tray Mount RH (ASL603, 100x150 mm)		○	
ARP2236	<input type="checkbox"/>	Tray Mount LH (ASL603, 100x150 mm)		○	
ARP2213	<input type="checkbox"/>	Centre Mount, swing-away to RH, Nucleus		○	
ARP2214	<input type="checkbox"/>	Centre Mount, swing-away to LH, Nucleus		○	
ARP2241	<input type="checkbox"/>	Centre Mount, swing-away to RH, Nucleus (incl. Tray ASL603, 100x150 mm)		787,68	
ARP2242	<input type="checkbox"/>	Centre Mount, swing-away to LH, Nucleus (incl. Tray ASL603, 100x150 mm)		787,68	
ARU2215	<input type="checkbox"/>	Individual mounting option per request (Special) :		On Demand	
SIP'N PUFF HEAD CONTROL					
ARP2255	<input type="checkbox"/>	Sip'n Puff Head Control (ASL109), (Combines simple sip and puff controls with head movements)	Includes Input Module and Lip Switch (ASL301 LIP)	6 731,75	 2255
SIP'N PUFF CONTROL & INPUT MODULE					
ARP2256	<input type="checkbox"/>	Sip'n Puff Control	Includes Sip'n Puff kit, Lip Switch ASL301LIP, Input module	6 731,75	 2256
LiNX INTERFACE OPTIONS (mounted & connected)					
ARP2271	<input type="checkbox"/>	Input Module DLX-IN500-A (sub D, Sip'n Puff)		507,11	
ALTERNATIVE SEATING CONTROL					
ARP2251	<input type="checkbox"/>	10-Way Switch DLX-SW10-A for direct Powered Seating Access		530,81	 2251
ARP2217	<input type="checkbox"/>	Bracket RH, mounted for user		○	
ARP2218	<input type="checkbox"/>	Bracket LH, mounted for user		○	
ARP2226	<input type="checkbox"/>	For Attendant, mounted on back shroud		○	
ARP2225	<input type="checkbox"/>	Without mounting		○	
TOGGLES / BUTTONS					
ARP2261	<input type="checkbox"/>	Stereo Toggle - direct control for tilt only		290,05	
ARP2262	<input type="checkbox"/>	Stereo Button - direct control for tilt only		290,05	
ARP2263	<input type="checkbox"/>	Four-Way Toggle - direct control for tilt & recline		410,43	
ARP2264	<input type="checkbox"/>	Four-Way Button - direct control for tilt & recline		410,43	
ARP2207	<input type="checkbox"/>	RH Mount		○	
ARP2208	<input type="checkbox"/>	LH Mount		○	
ARP2225	<input type="checkbox"/>	Without mounting		○	
LiNX ACCESSORIES					
USB CHARGER PORT					
ARP2253	<input type="checkbox"/>	USB Charger Port DLX-USB02-A	NC : Bodypoint Belt	472,99	 2253
ARP2207	<input type="checkbox"/>	RH Mount		○	
ARP2208	<input type="checkbox"/>	LH Mount		○	
REMOTE STOP SWITCH					
ARP2258	<input type="checkbox"/>	Remote Stop Switch (ASL504)		831,28	 2258
OUTPUT MODULE					
ARP2272	<input type="checkbox"/>	LiNX Output Module (DLX-OUT500)		590,52	 2272
FURTHER COMPONENTS / ACCESSORIES					
ARP2300	<input type="checkbox"/>	To be enclosed only	Not mounted to the chair	○	
ARU2301	<input type="checkbox"/>	To be connected and programmed (Special)		On Demand	

BUDDY BUTTONS - Accessory loom 2252 required, if no REM400 or REM500 is selected				
ARP1685	<input type="checkbox"/>	Red Buddy Button	149,76	
ARP1686	<input type="checkbox"/>	Yellow Buddy Button	149,76	
ARP1687	<input type="checkbox"/>	Green Buddy Button	149,76	
ARP1690	<input type="checkbox"/>	Blue Buddy Button	149,76	
EGG SWITCH - Accessory loom 2252 required, if no REM400 or REM500 is selected				
ARP2254	<input type="checkbox"/>	Egg Switch, black	118,48	
PIKO BUTTONS - Accessory loom 2252 required, if no REM400 or REM500 is selected				
ARP1711	<input type="checkbox"/>	Red Piko Button	149,76	
ARP1712	<input type="checkbox"/>	Yellow Piko Button	149,76	
ARP1713	<input type="checkbox"/>	Green Piko Button	149,76	
ARP1714	<input type="checkbox"/>	Orange Piko Button	149,76	
ARP1715	<input type="checkbox"/>	Blue Piko Button	149,76	
ARP1716	<input type="checkbox"/>	Black Piko Button	149,76	
BODYPOINT JOYSTICK KNOBS				
ARP2721	<input type="checkbox"/>	3 inch U-Shaped, Joystick Handle, Bodypoint PC101A	100,00	
ARP2722	<input type="checkbox"/>	4 inch U-Shaped, Joystick Handle, Bodypoint PC102A	100,00	
ARP2723	<input type="checkbox"/>	Domed Rubber, Joystick Handle, Bodypoint PC107A	100,00	
ARP2724	<input type="checkbox"/>	Mushroom Grooved, Joystick Handle, Bodypoint PC110A	100,00	
DRIVE UNIT DETAILS				
SHROUD COLOURS				
ARP2640	<input type="checkbox"/>	Obsidian black	○	
ARP2641	<input type="checkbox"/>	Ruby red	○	
ARP2642	<input type="checkbox"/>	Purple Passion	○	
ARP2643	<input type="checkbox"/>	Peacock blue	○	
ARP2644	<input type="checkbox"/>	Artic blue	○	
RIM INSERT COLOURS				
ARP2650	<input type="checkbox"/>	Obsidian black	○	
ARP2651	<input type="checkbox"/>	Ruby red	○	
ARP2652	<input type="checkbox"/>	Purple Passion	○	
ARP2653	<input type="checkbox"/>	Peacock blue	○	
ARP2654	<input type="checkbox"/>	Artic blue	○	
PERFORMANCE				
Forks				
ARP2631	<input type="checkbox"/>	Single sided fork (new) incl. black castor	399,05	
ARP2632	<input type="checkbox"/>	Double sided fork	◆	
CENTRE / DRIVE WHEELS				
ARP0704	<input type="checkbox"/>	14"x3" Black Tires, Pneumatic	◆	
ARP0705	<input type="checkbox"/>	14"x3" Black Tires, Solid tires	○	
ARP0706	<input type="checkbox"/>	14"x3" Black Tires Puncture Protect	○	
MOTOR TYPE / SPEED OPTIONS				
ARP1282	<input type="checkbox"/>	OPS Drive 6 km/h (4-pole)	◆	
ARP1283	<input type="checkbox"/>	OPS Drive 10 km/h (4-pole)	○	
BATTERY				
ARP1257	<input type="checkbox"/>	50 Ah Gel Batteries	◆	
CHARGER				
ARP1313	<input type="checkbox"/>	OptiCharge Charger 10A	◆	
ARP1313	<input type="checkbox"/>	Opti Charge Charger 10A (IP44) (UK Plug)	○	
G-Trac				
ARP1215	<input type="checkbox"/>	G-Trac Module	1 090,05	
OPTIONS				
LIGHT				
ARP1437	<input type="checkbox"/>	LED Light system with Indicators 30 Lux headlights	◆	
ARP2837	<input type="checkbox"/>	LED Light system extra bright with Indicators 60 Lux headlights	170,62	
ARP1254	<input type="checkbox"/>	Without Light system	-650,24	
TRANSPORTATION KIT				
ARP1450	<input type="checkbox"/>	Preparation for DAHL-Docking station (Adequate headrest is compulsory) Docking Station for car implementation, please order separately with DAHL Engineering	○	
TIE-DOWNS				
ARP1494	<input type="checkbox"/>	4-Point tie-down (Tested version for using wheelchair as a vehicle seat according to ISO 7176-19) (Adequate headrest is compulsory)	◆	
ARP1401	<input type="checkbox"/>	6-Point tie-down (Tested version for using wheelchair as a vehicle seat according to ISO 7176-19) required for variants with combined Lift & Tilt module (Adequate headrest is compulsory)	○	

LAP BELT					
ARP2113	<input type="checkbox"/>	Lap belt with auto lock (flexible mount in side rails)	NC : Bodypoint Belt	◆	
BODYPOINT PELVIC BELTS - Includes mounting kit					
ARP2701	<input type="checkbox"/>	Evoflex Pelvic Stabilizer, Rehab Latch Size L		156,40	 2701, 2702  2703, 2704  2705, 2706
ARP2702	<input type="checkbox"/>	Evoflex Pelvic Stabilizer, Rehab Latch Size M		156,40	
ARP2703	<input type="checkbox"/>	2-Point Hip Belt, Ctr-Pull, Push Butt, Cinch-Mount Size L		133,65	
ARP2704	<input type="checkbox"/>	2-Point Hip Belt, Ctr-Pull, Push Butt, Cinch-Mount Size M		133,65	
ARP2705	<input type="checkbox"/>	2-Point Hip Belt, Dual-Pull, Side-Release Butt. Cinch-Mount. Size L		116,59	
ARP2706	<input type="checkbox"/>	2-Point Hip Belt, Dual-Pull, Side-Release Butt. Cinch-Mount. Size M		116,59	
REARVIEW MIRROR					
ARU1415	<input type="checkbox"/>	RH Mirror		70,14	
ARU1339	<input type="checkbox"/>	LH Mirror		70,14	
TRAY					
ARP1404	<input type="checkbox"/>	Swing Away RH		503,32	
ARP1405	<input type="checkbox"/>	Swing Away LH		503,32	
RAMPS					
1654128	<input type="checkbox"/>	Basic ramp 2 telescopic parts in aluminum and non-slip coating. Folded dimensions: 1210 x 194 mm. 8.8 kg per pair - maximum capacity: 270 kg		402,84	 1654128
1654129	<input type="checkbox"/>	Quick2go Compact 3-part aluminum telescopic ramp with non-slip coating Folded dimensions: 870 x 237 mm 13.6 kg per pair - maximum capacity: 260 kg		805,69	 1654129
1654130	<input type="checkbox"/>	Aluminium folding mono ramp Folded dimensions: 1824 x 714 mm 13.9 kg - maximum capacity: 300 kg		426,54	 1654130