

Invacare® Aviva® RX40 Modulite HD AA1

Please contact Invacare EU Export Customer Services on :-
 Tel : +33 247 626980 ; Email : serviceclient_export@invacare.com
 Or visit our website : www.invacare.eu.com



Invacare® Aviva® RX40 Modulite HD AA1

Rear drive wheelchair

CE

Date:

User Name:

Customer Code:

Dealer stamp:



Descriptive :

- Seat width up to 600 mm
- Seat depth up to 480 mm
- Max. user weight: 160 kg.
- Warranty : 2 years except batteries and wear parts

As standard :

- 340W motors, 4 pole
- 120 A power module
- 73 Ah batteries and 10A charger
- LED lights system
- Fender for castors and drive wheels
- Single sided fork
- Metallic colours on frame, rims and backrest



Customization Service Invacare Unique

Please indicate your quote number or special manufacturing number :

Indicative Public Rate - Use the online configurator on Invacare Pro to generate quotes or orders free from incompatibilities.

- Please make your selection with a cross in the box Standard configuration Free of charge

CODE	DESCRIPTION	NC : Non Compatible NC : 9999 : non compatible with the reference 9999	EUROS
JBH0028	<input type="checkbox"/> AVIVA RX 40 HD AA1 <input type="checkbox"/> Max user weight up to 160 kg HD Version includes 120A Power Module, 73Ah Batteries; Wide Base only	WHEELCHAIR NOT AVAILABLE ON E-COMMERCE	6 559,24
CHASSIS AVIVA RX			
JBH2830	<input type="checkbox"/> Chassis Wide (635 mm/25")		◆
MODULITE SEAT HD			
SEATING TYPE			
JBX2101	<input type="checkbox"/> Invacare® Modulite HD Seat Unit On RX 40 HD only		◆
SEAT WIDTH SETTING FOR ADJUSTABLE SEAT FRAME			
JBH2124	<input type="checkbox"/> 530 mm Seat Plate		◆
JBX2104	<input type="checkbox"/> 550 mm Seat Plate		○
SEAT DEPTH SETTING			
JBH2136	<input type="checkbox"/> 510 mm		◆
JBX2137	<input type="checkbox"/> 580 mm		○
SEAT CUSHION			
JBH2148	<input type="checkbox"/> Seat Cushion (90 mm high)		◆
BACKREST SUPPORT			
JBH2162	<input type="checkbox"/> Backposts tall (540 mm)		◆
BACKREST UPHOLSTERY / CUSHION			
JBH2171	<input type="checkbox"/> Tension Adjustable tall = 540 mm		◆
UPHOLSTERY COLOUR			
JBH2156	<input type="checkbox"/> Black Nylon		◆
ARMREST (Pair)			
JBH2191	<input type="checkbox"/> T-Arm detachable, Standard Adjustment range 245 - 315 mm		◆
JBH2181	<input type="checkbox"/> T-Arm detachable, Extended height Adjustment range 295 - 365 mm		60,66
ARMPAD (Pair)			
JBH2195	<input type="checkbox"/> Short Armpad (325 mm)		◆
JBH2196	<input type="checkbox"/> Long Armpad (375 mm)		78,67
JBH2197	<input type="checkbox"/> Long Ergonomic Armpad (397 mm)		113,74
HEADREST/NECKREST (Dartex)			
JBH1432	<input type="checkbox"/> Headrest sideways adjustable		237,91
JBH1427	<input type="checkbox"/> Headrest with cheek support		313,74
JBH2324	<input type="checkbox"/> Elan Standard Pad 255 mm / 10" wide w/standard cover (ESP26)		383,89
JBH2325	<input type="checkbox"/> Elan Occipital Pad 230x180 mm / 9"x7" w/standard cover (EOP23)		427,49
JBH2327	<input type="checkbox"/> Elan 4 Point Headrest Pad 280x255 mm / 11"x10" w/standard		559,24
JBH1495	<input type="checkbox"/> Non Invacare Headrest - no mounting hardware		○



2171




2191



1432



1427






2325









2327

SEAT LIFTER / SEAT TILT				
JBH1091	<input type="checkbox"/>	Manually settable Seat Tilt (0°-12°)	NC : 1401	◆
JBH1092	<input type="checkbox"/>	Powered "fixed pivot" Tilt 20°	NC : 1401, 2201	626,54
JBH1093	<input type="checkbox"/>	Powered Tilt (0°- 30°) with CoG shift	NC : 1401, 2201	787,68
JBH1094	<input type="checkbox"/>	Seat lifter with powered tilt (300 mm, 30°), CoG shift	NC : 1494, 2201, 2220	2 127,01
SEAT HEIGHT SETTING				
JBH2857	<input type="checkbox"/>	Seat-to-Floor Height 435 mm		◆
JBH2858	<input type="checkbox"/>	Seat-to-Floor Height 460 mm		○
JBH2859	<input type="checkbox"/>	Seat-to-Floor Height 485 mm		○
BACKREST RECLINER				
JBH0975	<input type="checkbox"/>	Manual Settable Recliner (in 3.75° steps)		◆
JBH0977	<input type="checkbox"/>	Powered Recliner	NC : 2201	709,00
LEGRESTS / FOOTRESTS				
CENTRE MOUNTED LEGRESTS CENTRE MOUNTED LEGRESTS				
JBH0556	<input type="checkbox"/>	Centre mount legrest, angle settable Length: 280 - 385 mm	NC : 0517	536,03
JBH0589	<input type="checkbox"/>	LNx Power centre mount legrest, length compensating Length: 340 - 410 mm	NC : 2201	1 712,80
FOOTPLATES / FOOT PLATFORM				
JBH2365	<input type="checkbox"/>	Angle & width adjustable footplates S (127 W x 190 mm D / 5"x7.5")		○
JBH0559	<input type="checkbox"/>	Angle & width adjustable footplates M (140 W x 240 mm D / 5.5"x9.5")		◆
JBH0516	<input type="checkbox"/>	Angle & width adjustable footplates L (150 W x 290 mm D / 6"x11.5")		124,17
JBH0517	<input type="checkbox"/>	Angle adjustable foot platform M (305 W x 275 mm D / 12"x10.75")	NC : 0556	124,17
FOOTRESTS (PAIR)				
JBH0503	<input type="checkbox"/>	Hanger Vari F pair Lower leg length: 290 - 460 mm Angle adjustment: 70 - 0° with handwheel and calf pad		◆
JBH0533	<input type="checkbox"/>	Hanger Vari A pair Lower leg length: 290 - 460 mm Angle adjustment: 70 - 0° with handwheel and calf pad	NC : 0512	270,14
JBH0531	<input type="checkbox"/>	Hanger ADE pair Lower leg length: 290 - 460 mm Powered Angle adjustment: 80 - 0° with calf pad	NC : 0512, 2201	1 507,11
FOOTPLATE TYPE / PAIRS				
JBH0512	<input type="checkbox"/>	Fixed Footplate pair	NC : 0533, 0531	◆
JBH0504	<input type="checkbox"/>	Angle Adjustable Footplate pair		○
JBH0513	<input type="checkbox"/>	Angle and depth adjustable Footplate pair		106,16
REMOTES LINX				
LiNX PRIMARY REMOTES with proportional Joystick + BRACKETS				
JBH2204	<input type="checkbox"/>	Remote LiNX DLX-REM216 = Drive & Actuators 3 Drive functions and power module incl. 2 Actuators	NC : 2231, 2232, 2233, 2257, 2240, 2270, 2258	◆
JBH2205	<input type="checkbox"/>	Rehab Remote LiNX, touch-screen user interface DLX-REM400 Configurable jack sockets	NC : 2220	1 137,44
JBH2206	<input type="checkbox"/>	Rehab Remote LiNX without joystick for alternative access users DLX-REM500 Requires a user input/alternative joystick: 2231, 2232, 2229, 2230, 2247, 2233	NC : 2220, 2270	1 712,80
REM400 TOGGLE OPTION				
JBH2270	<input type="checkbox"/>	Assignable Toggle Switch Module f. REM400 (DLX-SW400TGL)	NC : 2201, 2203, 2204, 2206	340,28
PRIMARY REMOTE AND DISPLAY MOUNTING POSITION				
JBH1207	<input type="checkbox"/>	Standard Bracket RH	NC : 2206, 2285, 2283, 2287, 2207, 2265, 2275, 1404	○
JBH1208	<input type="checkbox"/>	Standard Bracket LH	NC : 2206, 2286, 2284, 2288, 2208, 2266, 2276, 1405	○
JBH1707	<input type="checkbox"/>	Swing Away Bracket RH	NC : 2206, 2285, 2283, 2287, 2207, 2265, 2275, 1404	◆
JBH1708	<input type="checkbox"/>	Swing Away Bracket LH	NC : 2206, 2286, 2284, 2288, 2208, 2266, 2276, 1405	○
JBH2209	<input type="checkbox"/>	Swing away RH, multi-adjustable	NC : 2201, 2203, 2204, 2205, 2285, 2283, 2287, 2207, 2265, 2275, 1415, 2217, 1404	○
JBH2210	<input type="checkbox"/>	Swing away LH, multi-adjustable	NC : 2201, 2203, 2204, 2205, 2286, 2284, 2288, 2208, 2266, 2276, 1339, 2218, 1405	○



2209
2210

PW-4005	<input type="checkbox"/>	Option 2209/2210 with mounting rod for REM500 extended by 200 mm		On demand	
JBH2213	<input type="checkbox"/>	Centre Mount, swing-away to RH, Nucleus	NC : 2285, 2283, 2287, 2207, 2265, 2275, 1415, 2217, 1404, 1405	685,31	
JBH2214	<input type="checkbox"/>	Centre Mount, swing-away to LH, Nucleus	NC : 2286, 2284, 2288, 2208, 2266, 2276, 1339, 2218, 1404, 1405	685,31	
JBH2227	<input type="checkbox"/>	Bracket RH, mounted for Attendant	NC : 2206, 1287, 2220, 2128, 2108, 2219, 1221, 1312	160,19	
JBH2228	<input type="checkbox"/>	Bracket LH, mounted for Attendant	NC : 2206, 1286, 2220, 2128, 2108, 2219, 1222, 1363	160,19	
JBX2239	<input type="checkbox"/>	Individual mounting option per request (Special)		On demand	
DUAL CONTROL LiNX + BRACKETS					
JBH2220	<input type="checkbox"/>	Dual Control LiNX (DLX-REM050 as secondary remote)	NC : 1094, 2273, 2205, 2206, 1221, 1222, (2201+1283), 2227, 2228	677,02	 REM050
JBH2219	<input type="checkbox"/>	Compact Dual Control LiNX (DLX-ACU200)	NC : 2201, 1221, 1222, 2227, 2228	1 091,94	 2219
JBH2245	<input type="checkbox"/>	Invacare LiNX IDC Dual control	NC : 2201, 2259, 2260	1 563,98	 2245
JBH2259	<input type="checkbox"/>	Bracket RH, Attendant	NC : 1287, 2291, 2245, 1312	○	
JBH2260	<input type="checkbox"/>	Bracket LH, Attendant	NC : 1286, 2292, 2245, 1363	○	
JBH1221	<input type="checkbox"/>	Bracket RH, detachable	NC : 1287, 2291, 2220, 2219, 2227, 1312	○	
JBH1222	<input type="checkbox"/>	Bracket LH, detachable	NC : 1286, 2292, 2220, 2219, 2228, 1363	○	
LiNX - COMPACT REMOTES + BRACKETS REQUIRES PRIMARY REMOTE (DLX-REM400 or DLX-REM500)					
JBH2231	<input type="checkbox"/>	Proportional Compact Remote DLX-CR400	NC : 2201, 2203, 2204	1 191,47	 2231
JBH2232	<input type="checkbox"/>	Proportional Compact Remote Low Force DLX-CR-400LF	NC : 2201, 2203, 2204	1 312,80	 2232
JBH2207	<input type="checkbox"/>	RH Mount	NC : 1207, 1707, 2209, 2213, 2217, 1404	○	
JBH2208	<input type="checkbox"/>	LH Mount	NC : 1208, 1708, 2210, 2214, 2218, 1405	○	
JBH2265	<input type="checkbox"/>	Centre Mount, swing-away to RH (Nucleus)	NC : 1207, 1707, 2209, 2213, 2217, 1404, 1405, 1415	717,54	
JBH2266	<input type="checkbox"/>	Centre Mount, swing-away to LH (Nucleus)	NC : 1208, 1708, 2210, 2214, 2218, 1404, 1405, 1339	717,54	
JBX2215	<input type="checkbox"/>	Individual mounting option per request (Special)		On demand	
FOUR-SWITCH PROXIMITY ARRAY (with ATOM Technology)					
JBH2257	<input type="checkbox"/>	Four-Switch Proximity Array (ASL106)	NC : 2201, 2203, 2204, 2229, 2230, 2247, 2233, 2240, 2128	6 129,86	
JBH2275	<input type="checkbox"/>	Centre Mount, swing-away to RH, Nucleus	NC : 1207, 1707, 2209, 2213, 2217, 1404, 1405, 1415	○	
JBH2276	<input type="checkbox"/>	Centre Mount, swing-away to LH, Nucleus	NC : 1208, 1708, 2210, 2214, 2218, 1404, 1405, 1339	○	
JBX2269	<input type="checkbox"/>	Individual mounting option per request (Special)		On demand	
LiNX - PROPORTIONAL REMOTES WITH TPI / INPUTS & BRACKETS					
JBH2233	<input type="checkbox"/>	MEC Proportional Joystick (Micro Extremity Control ASL130)	NC : 2201, 2203, 2204, 2229, 2230, 2247, 2257, 2128	3 366,82	 2233
JBH2240	<input type="checkbox"/>	Proportional Heavy Duty Remote Joystick w mode switch (ASL133)	NC : 2201, 2203, 2204, 2229, 2230, 2247, 2257, 2128	2 709,95	
JBH2285	<input type="checkbox"/>	Tray Mount RH (100x150 mm)	NC : 1207, 1707, 2209, 2213, 2217, 1404, 1405, 1415	717,54	
JBH2286	<input type="checkbox"/>	Tray Mount LH (100x150 mm)	NC : 1208, 1708, 2210, 2214, 2218, 1404, 1405, 1339	717,54	
JBH2283	<input type="checkbox"/>	Centre Mount, swing-away to RH, Nucleus	NC : 1207, 1707, 2209, 2213, 2217, 1404, 1405, 1415	○	
JBH2284	<input type="checkbox"/>	Centre Mount, swing-away to LH, Nucleus	NC : 1208, 1708, 2210, 2214, 2218, 1404, 1405, 1339	○	
JBH2287	<input type="checkbox"/>	Centre Mount, swing-away to RH, Nucleus	NC : 1207, 1707, 2209, 2213, 2217, 1404, 1405, 1415	717,54	
JBH2288	<input type="checkbox"/>	Centre Mount, swing-away to LH, Nucleus	NC : 1208, 1708, 2210, 2214, 2218, 1404, 1405, 1339	717,54	
JBX2289	<input type="checkbox"/>	Individual mounting option per request (Special)		On demand	

LiNX 10-WAY SWITCH			
JBH2251	<input type="checkbox"/>	10-Way Switch DLX-SW10-A for direct Powered Seating Access	530,81
JBH2217	<input type="checkbox"/>	Bracket RH, mounted for user	NC : 1415, 2207, 2287, 2283, 2285, 2275, 2213, 2209, 2265, 1404
JBH2218	<input type="checkbox"/>	Bracket LH, mounted for user	NC : 1339, 2208, 2288, 2284, 2286, 2276, 2214, 2210, 2266, 1405
JBH2291	<input type="checkbox"/>	Bracket RH, mounted for attendant	NC : 2128, 2259, 1221
JBH2292	<input type="checkbox"/>	Bracket LH, mounted for attendant	NC : 2128, 2260, 1222
JBH2225	<input type="checkbox"/>	Without mounting	
LiNX ACCESSORIES			
JBH2253	<input type="checkbox"/>	USB Charger Port DLX-USB02-A	236,02
JBH2281	<input type="checkbox"/>	RH Mount	
JBH2282	<input type="checkbox"/>	LH Mount	
REMOTE STOP SWITCH			
JBH2258	<input type="checkbox"/>	Remote Stop Switch (ASL504)	NC : 2201, 2203, 2204
INPUT200 MODULE			
JBH2273	<input type="checkbox"/>	IN200 Module (Jack port for external power button + control inputs via DB9)	NC : 2220
FURTHER LiNX COMPONENTS / ACCESSORIES			
JBH2300	<input type="checkbox"/>	To be enclosed only	
JBX2301	<input type="checkbox"/>	To be connected and programmed (Special)	On demand
BUDDY BUTTONS			
JBH1685	<input type="checkbox"/>	Red Buddy Button	130,81
JBH1686	<input type="checkbox"/>	Yellow Buddy Button	130,81
JBH1687	<input type="checkbox"/>	Green Buddy Button	130,81
JBH1690	<input type="checkbox"/>	Blue Buddy Button	130,81
EGG SWITCH			
JBH2254	<input type="checkbox"/>	Egg Switch, black	103,02
PIKO BUTTONS			
JBH1711	<input type="checkbox"/>	Red Piko Button	130,81
JBH1712	<input type="checkbox"/>	Yellow Piko Button	130,81
JBH1713	<input type="checkbox"/>	Green Piko Button	130,81
JBH1714	<input type="checkbox"/>	Orange Piko Button	130,81
JBH1715	<input type="checkbox"/>	Blue Piko Button	130,81
JBH1716	<input type="checkbox"/>	Black Piko Button	130,81
BODYPOINT JOYSTICK KNOBS			
JBH2721	<input type="checkbox"/>	3 inch U-Shaped, Joystick Handle, Bodypoint PC101A	100,00
JBH2722	<input type="checkbox"/>	4 inch U-Shaped, Joystick Handle, Bodypoint PC102A	100,00
JBH2723	<input type="checkbox"/>	Domed Rubber, Joystick Handle, Bodypoint PC107A	100,00
JBH2724	<input type="checkbox"/>	Mushroom Grooved, Joystick Handle, Bodypoint PC110A	100,00
SWITCH ADAPTER			
JBH1681	<input type="checkbox"/>	5:1 Switch Adapter (9-pin sub D to 5 jack ports)	151,66
WHEELBASE DETAILS			
COLOURS			
JBH2871	<input type="checkbox"/>	Mid range - Black/Anthracite Shroud	-284,36
JBH2872	<input type="checkbox"/>	Mid range - Silver Shroud	-284,36
JBH2873	<input type="checkbox"/>	Mid range - Bengal Red Shroud	-284,36
JBH2874	<input type="checkbox"/>	Mid range - Mercury Blue Shroud	-284,36
JBH2875	<input type="checkbox"/>	Mid range - Midnight Purple Shroud	-284,36
JBX0299	<input type="checkbox"/>	Premium - Individual Shroud Colour (includes coloured spreader bars on Modulite back)	781,99
JBH2865	<input type="checkbox"/>	Premium - Racing Green Shroud RAL6035	
JBH2866	<input type="checkbox"/>	Premium - Deep Ocean Blue Satin Shroud RAL5026	
JBH2867	<input type="checkbox"/>	Premium - Frosty Blue Shroud RAL5025	
JBH2868	<input type="checkbox"/>	Premium - Gold Shroud RAL1035	



2251



2253



2721
2722



2723



2724



1681



2871



2872




2873



2874



2875



2865



2866



2867











2868

RIM INSERT COLOURS			
JBH2882	<input type="checkbox"/>	Mid range - Black Rim Inserts	-80,57
JBH2883	<input type="checkbox"/>	Mid range - Silver Rim Inserts	-80,57
JBH2884	<input type="checkbox"/>	Mid range - Bengal Red Rim Inserts	-80,57
JBH2885	<input type="checkbox"/>	Mid range - Mercury Blue Rim Inserts	-80,57
JBH2886	<input type="checkbox"/>	Mid range - Midnight Purple Rim Inserts	-80,57
JBH2887	<input type="checkbox"/>	Premium - Individual Rim Insert Colour	207,58
JBH2888	<input type="checkbox"/>	Premium - Racing Green Rim Inserts RAL6035	○
JBH2889	<input type="checkbox"/>	Premium - Deep Ocean Blue Satin Rim Inserts RAL5026	○
JBH2890	<input type="checkbox"/>	Premium - Frosty Blue Rim Inserts RAL5025	○
JBH2891	<input type="checkbox"/>	Premium - Gold Rim Inserts RAL1035	○
FORKS			
JBH2631	<input type="checkbox"/>	Single sided fork	◆
JBH2632	<input type="checkbox"/>	Double sided fork	○
CASTORS			
JBH0835	<input type="checkbox"/>	9" (225 mm) x 2.80 (70 mm) Castor, pneumatic	◆
JBH0836	<input type="checkbox"/>	9" (225 mm) x 2.80 (70 mm) Castor, puncture proof solid tyre	○
JBH0838	<input type="checkbox"/>	9" (225 mm) x 2.80 (70 mm) Castor, puncture protected	61,61
JBH0828	<input type="checkbox"/>	8" (200 mm) x 2.50-4 (65 mm) Castor, puncture proof solid tyre	149,76
CASTOR LOCK			
JBH1490	<input type="checkbox"/>	Castor Lock	NC : (2631+1416) 218,01
DRIVE WHEELS			
JBH0704	<input type="checkbox"/>	DW 14" (355 mm) x 3" (75 mm), Pneumatic	◆
JBH0705	<input type="checkbox"/>	DW 14" (355 mm) x 3" (75 mm), Solid inlay	238,86
JBH0706	<input type="checkbox"/>	DW 14" (355 mm) x 3" (75 mm), Puncture protected	61,61
CTC SUSPENSION			
JBH2870	<input type="checkbox"/>	<i>CTC Suspension Control - Traction - Comfort</i>	◆
SUSPENSION FOR RX 40 HD			
JBH1916	<input type="checkbox"/>	Suspension up to 160 kg User Weight	◆
4-Pole MOTOR TYPE / SPEED OPTIONS			
Motors			
JBH1282	<input type="checkbox"/>	OPS Drive 6 km/h	○
JBH1283	<input type="checkbox"/>	OPS Drive 10 km/h	◆
JBH1223	<input type="checkbox"/>	OPS Drive 10 km/h Setting for Ultra High Speed Motor Always combined with 73,5Ah Batteries	NC : 0828, 1260 ○
BATTERY			
JBH1260	<input type="checkbox"/>	73,5 Ah Gel	◆
GYROSCOPE			
G-Trac			
JBH1215	<input type="checkbox"/>	G-Trac Module	1 034,12
CHARGER			
JBH1313	<input type="checkbox"/>	Opti Charge Charger 10A (IP44)	◆
SP1606545	<input type="checkbox"/>	Opticharge Charger 10A (UK)	○
ANTI-TIPPERS			
JBH1205	<input type="checkbox"/>	Anti-tipper	◆
LIGHT			
JBH1437	<input type="checkbox"/>	LED Light system with Indicators 30 Lux headlights	NC : 2201, 2203 ◆
JBH2837	<input type="checkbox"/>	LED Light system extra bright with indicators 60 Lux headlights	NC : 2201, 2203 402,84
TRANSPORTATION KIT 4-POINT TIE DOWNS			
JBH1493	<input type="checkbox"/>	4-Point tie-down (For wheelchair transportation without user)	NC : 2894 ◆
JBH1494	<input type="checkbox"/>	4-Point tie-down (Tested version for using wheelchair as a vehicle seat according to ISO 7176-19)	NC : 1094 ○
JBH1401	<input type="checkbox"/>	6-Point tie-down (Tested version for using wheelchair as a vehicle seat according to ISO 7176-19)) required for variants with combined Lift & Tilt module	NC : 1091, 1092,1093 ○
TIE DOWN POINTS			
JBH2894	<input type="checkbox"/>	Easily accessible front tie-down points, additionally mounted for 4- or 6- point-tie-down	NC : 1493 91,94
LAP BELTS			
JBH1329	<input type="checkbox"/>	Lap belt with Auto Lock Standard mount on backrest	◆
JBH2113	<input type="checkbox"/>	Lap belt with Auto Lock Flexible mount in side rails	50,24



1329

REARVIEW MIRROR						
JBH1415	<input type="checkbox"/>	Rear view mirror RH	NC : 1287, 2217, 2285, 2209, 2213, 2265, 2275, 2283, 2287	70,14		
JBH1339	<input type="checkbox"/>	Rear view mirror LH	NC : 1286, 2218, 2286, 2210, 2214, 2266, 2276, 2284, 2288	70,14		
ACCESSORIES						
BAG HOOKS						
JBH2128	<input type="checkbox"/>	Bag Hooks on Modulite Seat Max load up to 6 kg = impact on max user weight	NC : 2227, 2228, 2233, 2240, 2291, 2292	149,76		
					2128	
CANEHOLDER						
JBH1312	<input type="checkbox"/>	Cane holder RH	NC : 1287, 2227, 2259, 1221	68,25		
JBH1363	<input type="checkbox"/>	Cane holder LH	NC : 1286, 2228, 2260, 1222	68,25		
FENDER CASTORS (black)						
JBH1416	<input type="checkbox"/>	Fender for Castors		◆		
JBH1417	<input type="checkbox"/>	Fender for Drive wheels		◆		
					1416	
					1417	
TRAY						
JBH1404	<input type="checkbox"/>	Tray, Swing Away RH	NC : 1207, 1707, 2209, 2275, 2276, 2287, 2288, 2283, 2284, 2285, 2286, 2265, 2266, 2207, 2213, 2214, 2217	502,37		
JBH1405	<input type="checkbox"/>	Tray, Swing Away LH	NC : 1208, 1708, 2210, 2275, 2276, 2287, 2288, 2283, 2284, 2285, 2286, 2265, 2266, 2208, 2213, 2214, 2218	502,37		
					1404	
					1405	
TOOLKIT						
JBH1333	<input type="checkbox"/>	Toolkit			29,38	
Ramps						
1440530	<input type="checkbox"/>	Fiberglass Folding Mono Ramp Folded dimensions: 2000 x 230 mm 16.3 kg - maximum capacity: 300 kg			1 787,68	
					1440530	
1654128	<input type="checkbox"/>	Basic ramp 2 telescopic parts in aluminum and non-slip coating. Folded dimensions: 1210 x 194 mm. 8.8 kg per pair - maximum capacity: 270 kg			298,58	
					1654128	
1654129	<input type="checkbox"/>	Quick2go Compact 3-part aluminum telescopic ramp with non-slip coating Folded dimensions: 870 x 237 mm 13.6 kg per pair - maximum capacity: 260 kg			559,24	
					1654129	
1654130	<input type="checkbox"/>	Aluminium folding mono ramp Folded dimensions: 1824 x 714 mm 13.9 kg - maximum capacity: 300 kg			317,54	
					1654130	