

Invacare® Aviva RX20 Modulite AA2

Please contact Invacare EU Export Customer Services on :-
Tel : +33 247 626980 ; Email : serviceclient_export@invacare.com
 Or visit our website : www.invacare.eu.com



Invacare® Aviva RX20 Modulite AA2

Rear drive wheelchair



Descriptive :

- Compactness and manoeuvrability thanks to:
 - Narrow base from 560 mm
 - Reduced wheelbase
 - Front wheels: 8" or 9"
- Seat height from 435 mm
- Adjustable CTC suspensions system
- 340W motors, 4 pole
- Max user weight: 136 kg.
- Warranty: 2 years except batteries and wear parts.



Date:

User Name:

Customer Code:

Dealer stamp:



Customization Service Invacare Unique

Please indicate your quote number or special manufacturing number :

Indicative Public Rate - Use the online configurator on Invacare Pro to generate quotes or orders free from incompatibilities.

Please make your selection with a cross in the box Standard configuration Free of charge


CODE	DESCRIPTION	NC: Non Compatible (NC: 9999) not compatible with the reference 9999	EUROS
JBC0016	<input type="checkbox"/> Invacare® Aviva® RX20 AA2 75A Power Module - 60Ah batteries - max. user weight: 136 kg		4 922,51
JBC0048	<input type="checkbox"/> Invacare® Aviva® RX20 AA2 PACK POWER 120A Power Module - 60Ah batteries - max. user weight: 136 kg REMOSO dual remote included	PACK NOT MODIFIABLE NC: 2860, 2108, 2219, 2245, 2220	5 599,53

CHASSIS AVIVA RX

JBC2810	<input type="checkbox"/> Narrow chassis - 560 mm		<input checked="" type="checkbox"/>
JBC2830	<input type="checkbox"/> Wide chassis - 635 mm <i>Recommended with the central legrest</i>	NC: 1244	382,94

Modulite Modular Seat

Seating type

JBC2111	<input type="checkbox"/> Rigid Modulite Seat, width and depth adjustable - Additional +25 mm by armrest Width: 380 to 530 mm, by step of 50 mm Depth: 410 to 510 mm, stepless adjustable		<input checked="" type="checkbox"/>	 2111
JBC2112	<input type="checkbox"/> Flexible Modulite Seat, tension, width and depth adjustable, width adjustable armrests (+25 mm par côté) - +30 mm seat height Width: 380 to 530 mm, by step of 50 mm Depth: 410 to 510 mm, stepless adjustable		<input type="checkbox"/>	 2112

Seat width (Factory preset)

JBC2121	<input type="checkbox"/> 380 mm	NC: 2701, 2703, 2705	<input type="checkbox"/>
JBC2122	<input type="checkbox"/> 430 mm	NC: 2701, 2703, 2705,	<input checked="" type="checkbox"/>
JBC2123	<input type="checkbox"/> 480 mm	NC: 2702, 2704, 2706	<input type="checkbox"/>
JBC2124	<input type="checkbox"/> 530 mm Recommended: choose 73,5Ah batteries	NC: Matrix backrests, 2143, 2702, 2704, 2706, 2106	138,39

Body fit kit

JBC2106	<input type="checkbox"/> Body fit kit (Backrest Pivot Point Spacer Kit) Recommended for molded seat	NC: 2124, 2192, 2194	<input type="checkbox"/>
---------	---	----------------------	--------------------------

Seat depth (Factory preset)

JBC2132	<input type="checkbox"/> 410 mm	NC: 2196, 2197, 2198, Bodypoint	<input type="checkbox"/>
JBC2134	<input type="checkbox"/> 460 mm		<input checked="" type="checkbox"/>
JBC2136	<input type="checkbox"/> 510 mm - Seat rail extended by 35 mm if seat depth 510mm with rigid backrest Flex 3	NC: 2143	<input type="checkbox"/>

Seat cushion			
JBC2142	<input type="checkbox"/>	Flo-tech Lite seat cushion (for width from 380 to 480mm, 75mm height, max. user weight 127 kg) / Contour (For 530mm width, 100mm height, max. user weight 152 kg)	◆
JBC2143	<input type="checkbox"/>	Matrx Contour Visco NG seat cushion (100 mm height, max user weight 100 kg)	NC : 2136, 2124 76,78
JBC2147	<input type="checkbox"/>	Matrx Libra seat cushion (90mm height, max user weight 136 kg)	293,84
JBC2144	<input type="checkbox"/>	Matrx Vi seat cushion (Housse micro-aérée)	293,84
Backposts			
JBC2162	<input type="checkbox"/>	Height 540 mm	○
JBC2163	<input type="checkbox"/>	Height 480 mm	NC: 2173 ◆
Push handles			
JBC2107	<input type="checkbox"/>	With push handles	◆
JBC2108	<input type="checkbox"/>	Without push handles - only for Flex 3 backrests	NC: 1307, 2219, 2220, 2227, 2228, 2245, 2291, 2292 ○
Backrest support			
JBC2171	<input type="checkbox"/>	Tension adjustable backrest, bi-material padded incl. Back pocket	NC: 2152, 1445, 2155, 2230, 2247, 1288, 1289 ◆
JBC2179	<input type="checkbox"/>	Flex 3 Tension Adjustable, delivered with Lateral back cushion, Dartex coating (extra charge)	NC: 2128, 2151, 2192, 2193, 2194, 2229, 2155, 2230, 2247 226,54
JBC2173	<input type="checkbox"/>	Rigid backrest Flex 3 width and height adjustable (560 to 790 mm) with Laguna backrest cushion	NC: 2163, 2128 ○
JBC2174	<input type="checkbox"/>	Matrx Posture Back , height 400 mm	NC: 1445, 2124 798,10
JBC2175	<input type="checkbox"/>	Matrx Posture Back , height 500 mm	NC: 1445, 2124 798,10
JBC2176	<input type="checkbox"/>	Matrx Elite , height 500 mm	NC: 1445, 2124 798,10
JBC2177	<input type="checkbox"/>	Matrx Elite TR , height 500 mm	NC: 1445, 2124 798,10
JBC2178	<input type="checkbox"/>	Matrx Elite Deep , height 500 mm	NC: 1445, 2124 798,10
<i>Find all the trunk supports and all the accessories on the Matrx pricelist!</i>			
Backrest cushion and / or seat upholstery (depending on configuration)			
JBC2151	<input type="checkbox"/>	Black fabric (nylon)	NC: 2179 ◆
JBC2152	<input type="checkbox"/>	Black Dartex	NC: 2171 71,09
JBC2155	<input type="checkbox"/>	Black Mesh	NC: 2171, 2179 100,47
Armrests			
JBC2191	<input type="checkbox"/>	Height adjustable armrest 290 to 360 mm, in depth and removable, by pair	◆
JBC2181	<input type="checkbox"/>	Height adjustable armrest 340 to 400 mm, in depth and removable, by pair	70,14
JBC2198	<input type="checkbox"/>	Enveloping armrest, Dartex coating, by pair	NC: 2132, 2195, 2196, 2197, Thigh wedge 284,36
JBC2183	<input type="checkbox"/>	Inside curved armrest, up to 50 mm width, 25 mm per side	NC: 2184, 2185, 2186, 2187, 2188, 2189 137,44
JBC2193	<input type="checkbox"/>	Flip-up Armrest, height adjustable from 230 to 360 mm	NC: 1445, 2179 148,82
JBC2192	<input type="checkbox"/>	Following Armrest, Height adjustable from 230 - 300 mm	NC: 1445, 2179, 2106 372,51
JBC2194	<input type="checkbox"/>	Following Armrest, Height adjustable from 300 - 360 mm	NC: 1445, 2179, 2106 372,51
Armpad			
JBC2195	<input type="checkbox"/>	Short armpad, length 325 mm, by pair	NC: 2198 ◆
JBC2196	<input type="checkbox"/>	Long armpad, length 375 mm, by pair	NC: 2132, 2198 91,00
JBC2197	<input type="checkbox"/>	Long ergonomic armpad, length 397 mm, by pair	NC: 2132, 2198, 2230, 2247 133,65
Hemiplegic gutter			
	<input type="checkbox"/>	Hemiplegic gutter (special manufacture)	On demand
	<input type="checkbox"/>	Concave hemiplegic gutter with flat or curved horn palmar support and reversible right or left rotator 360°, by steps of 18°	On demand
Hip supports			
JBC2184	<input type="checkbox"/>	Hip support, left, pad size 140 x 100 mm	NC: 2198, 2183, Bodypoint 290,05
JBC2186	<input type="checkbox"/>	Hip support, left, pad size 230 x 100mm	NC: 2198, 2183, Bodypoint 290,05
JBC2188	<input type="checkbox"/>	Hip support, left, pad size 330 x 100mm	NC: 2198, 2183, Bodypoint 290,05
JBC2185	<input type="checkbox"/>	Hip support, right, pad size 140 x 100mm	NC: 2198, 2183, Bodypoint 290,05
JBC2187	<input type="checkbox"/>	Hip support, right, pad size 230 x 100mm	NC: 2198, 2183, Bodypoint 290,05
JBC2189	<input type="checkbox"/>	Hip support, right, pad size 330 x 100mm	NC: 2198, 2183, Bodypoint 290,05
Mounting hardware for hip supports			
JBC2164	<input type="checkbox"/>	Mounting hardware 155 mm high	◆
JBC2165	<input type="checkbox"/>	Mounting hardware 206 mm high	○



2147 2144



2171

2173





















2191

2198



Hip support

Headrest/Neckrest						
JBC1350	<input type="checkbox"/>	Neckrest depth adjustable	NC: 2230, 2247, 1288, 1289	◆		1432
JBC1432	<input type="checkbox"/>	Headrest sideways (depth and width) adjustable, dartex	NC: 2230, 2247, 1288, 1289	○		1427
JBC1427	<input type="checkbox"/>	Kontour Headrest support multi-adjustable with cheek support, dartex	NC: 2230, 2247, 1288, 1289	361,14		2325
JBC2324	<input type="checkbox"/>	Elan Standard headrest 10" - black breathable cover	NC: 2230, 2247	427,49		2327
JBC2325	<input type="checkbox"/>	Elan Occipital headrest 9" - black breathable cover	NC: 2230, 2247	427,49		
JBC2327	<input type="checkbox"/>	Elan 4 points headrest 11" - black breathable cover	NC: 2230, 2247	559,24		
JBC1495	<input type="checkbox"/>	Non Invacare Headrest - no mounting hardware, compliant with ISO 7176-19	NC: 2229	○		
Push bar						
JBC1307	<input type="checkbox"/>	Push bar (dia 22 mm) in conjunction with telescopic backposts	NC: 2108	51,18		
Lateral support (in pair, dartex)						
JBC1445	<input type="checkbox"/>	Lateral support with extended arm, multi-adjustable pad - depth, height, width adjustable	NC: 2171, 2174, 2175, 2176, 2177, 2178, 2179, 2192, 2193, 2194	385,78		1445
Seat lifter / seat tilt						
JBC1092	<input type="checkbox"/>	Powered "fixed pivot" Tilt 0° to 20°	NC: 1401, 2054	◆		
JBC1093	<input type="checkbox"/>	Powered Tilt (0°- 30°) with CoG shift (max user weight 130 kg if 1450 or 1494 selected)	NC: 1401	432,23		
JBC2052	<input type="checkbox"/>	Powered Tilt (0°- 50°) with CoG shift (max user weight 136 kg)	NC 1401, 2201, 2171	432,23		
JBC1094	<input type="checkbox"/>	300 mm seat lifter with powered tilt (0°-30°) with CoG shift (max user weight 130 kg) - 120A Power module de puissance and 60Ah batteries	NC: 1494, 2220, 2860	2 099,53		
JBB2053	<input type="checkbox"/>	300 mm seat lifter with powered tilt (300 mm, 45°) with CoG shift (max user weight 136 kg)	NC 1494, 2201, 2220, 1910, 1912, 2171	2 099,53		
Seat height setting						
JBC2857	<input type="checkbox"/>	435 mm		◆		
JBC2858	<input type="checkbox"/>	460 mm	NC: 2054	○		
JBC2859	<input type="checkbox"/>	485 mm	NC: 2054	○		Folding backrest
Seat tilt option (only if 1093 or 1094 selected)						
JBX2054	<input type="checkbox"/>	5° Fixed Anterior Tilt, Assist mount	NC: 1092, 2858, 2859	488,15		0977
Backrest recliner						
JBC0977	<input type="checkbox"/>	Powered recliner de 0° à 30°		◆		
LEGRESTS / FOOTRESTS						
Angle adjustable Centre mounted legrests with calf pads and angle adjustable footplates						
BE CAREFUL: ATTENTION : a conflict might happen between footplates and front wheels - choose wide chassis						
JBC0556	<input type="checkbox"/>	Centre mount legrest, angle settable (from 1,5° à 63°) Length: 280 to 385mm	NC: 0517, 1244	○		
JBC0589	<input type="checkbox"/>	LNx Power centre mount legrest, length compensating range of 90° - closed angle, adjustable at 83°/90°/97°. Delivered at 83° with narrow chassis / 90° with wide chassis	NC 2105, 1244	1 536,49		
Footplates						
JBC2365	<input type="checkbox"/>	Angle & width adjustable footplates S (127 W x 190 mm D)		○		
JBC0559	<input type="checkbox"/>	Angle & width adjustable footplates M (140 W x 240 mm D)		◆		
JBC0516	<input type="checkbox"/>	Angle & width adjustable footplates L (150 W x 290 mm D)		143,13		
JBC0517	<input type="checkbox"/>	Angle adjustable foot platform M (305 W x 275 mm D)	NC: 0556	143,13		
Footrest hanger type / Footrests (pair)						
JBC0533	<input type="checkbox"/>	Hanger Vari A (angle adjustable, from 0° to 80°) Storm®4 type		◆		
JBC0531	<input type="checkbox"/>	Hanger ADE, powered angle adjustment, from 0° to 80°, with calf pads	NC: 0522	879,62		
JBC0504	<input type="checkbox"/>	Angle Adjustable Footplate pair		◆		0513
JBC0513	<input type="checkbox"/>	Angle and depth adjustable Footplate pair		122,27		

LINX REMOTES					
LINX PRIMARY REMOTES with proportional Joystick + BRACKETS					
JBC2203	<input type="checkbox"/>	Remote LINX REM211 : Driving and control of the actuators	NC: 2837, 1437, 2231, 2232, 2229, 2233, 2230, 2247, 2257, 2240, 2270, 2258, 0088	◆	 REM211
JBC2204	<input type="checkbox"/>	Remote LINX REM216 : Driving, control of actuators and lighting	NC: 2231, 2232, 2229, 2233, 2230, 2247, 2257, 2240, 2270, 2258	○	 REM216
JBC2205	<input type="checkbox"/>	Remote LINX REM400 : 3.5 "color touch screen and bluetooth - Driving, control of actuators and lights, mouse emulation	NC: 0048, 0088, 0089, 2220	1 208,53	 REM400 Bluetooth
JBC2206	<input type="checkbox"/>	Screen control LINX REM500 : 3.5 " color touch screen and bluetooth - Driving, control of actuators and lighting, mouse emulation	NC: 0048, 0088, 0089, 2220, 2270	1 777,25	 REM500 Bluetooth
REM400 Option					
JBC2270	<input type="checkbox"/>	Assignable Toggle Switch Module REM400 (default set: ON/OFF and speed dial)	NC: 2203, 2204, 2206	340,28	 2270
Remote mounting position (REM211/216/400)					
JBC1207	<input type="checkbox"/>	Reversible right fixation, no retractable	NC: 2206, 2285, 2283, 2287, 2207, 2265, 2275, 1404	○	
JBC1208	<input type="checkbox"/>	Reversible left fixation, no retractable	NC: 2206, 2286, 2284, 2288, 2208, 2266, 2276, 1405	○	
JBC1707	<input type="checkbox"/>	Retractable on right + height adjustable, consolidated	NC: 2206, 2285, 2283, 2287, 2207, 2265, 2275, 1404	◆	
JBC1708	<input type="checkbox"/>	Retractable on left + height adjustable, consolidated	NC: 2206, 2286, 2284, 2288, 2208, 2266, 2276, 1405	○	
JBC1709	<input type="checkbox"/>	Maxx resolve , swing away in/out - RH	NC 2206, 2285, 2283, 2287, 2207, 2265, 2275, 1404	236,97	
JBC1710	<input type="checkbox"/>	Maxx resolve , swing away in/out - LH	NC 2206, 2286, 2284, 2288, 2208, 2266, 2276, 1405	236,97	
JBC2209	<input type="checkbox"/>	Swing away RH, multi-adjustable, for REM500	NC: 2203, 2204, 2205, 2285, 2283, 2287, 2207, 2265, 2275, 1415, 2217, 1404	○	
JBC2210	<input type="checkbox"/>	Swing away LH, multi-adjustable for REM500	NC: 2203, 2204, 2205, 2286, 2284, 2288, 2208, 2266, 2276, 1339, 2218, 1405	○	
PW-4005	<input type="checkbox"/>	Option 2209/2210 with mounting rod for REM500 extended by 200 mm		Special manufacturing Only on demand	
JBC2213	<input type="checkbox"/>	Central mounting, removable right	NC: 2285, 2283, 2287, 2207, 2265, 2275, 1415, 2217, 1404, 1405	787,68	2209 2210
JBC2214	<input type="checkbox"/>	Central mounting, removable left	NC: 2286, 2284, 2288, 2208, 2266, 2276, 1339, 2218, 1404, 1405	787,68	
JBC2227	<input type="checkbox"/>	Fixation in right for third person(moving the manipulator)	NC: 2206, 1287, 2220, 2128, 2108, 2219, 1221, 1312	33,85	
JBC2228	<input type="checkbox"/>	Fixation in left for third person(moving the manipulator)	NC: 2206, 1286, 2220, 2128, 2108, 2219, 1222, 1363	33,85	
JBX2239	<input type="checkbox"/>	Custom Installation, thank you specify your request:		On demand	
Dual LINX remote (User + third person)					
JBC2220	<input type="checkbox"/>	Dual Control LINX (REM050 - use driving profile 2 of the REM211/216 - speed limited to 6km/h)	NC: 1094, 2273, 2108, 2205, 2206, 1221, 1222, 2227, 2228	677,02	 REM050
JBC2219	<input type="checkbox"/>	Dual Compact LINX control - 3 driving profiles dedicated and actuators control	NC: 2108, 1221, 1222, 2227, 2228	1 354,05	 2219
JBC2245	<input type="checkbox"/>	Dual intuitive LINX control - dedicated driving profile	NC: 2108, 2259, 2260	1 354,05	
JBC2259	<input type="checkbox"/>	Bracket on the right - only with REM050 and Compact	NC: 1287, 2291, 2245, 1312	○	 2245
JBC2260	<input type="checkbox"/>	Bracket on the left - only with REM050 and Compact	NC: 1286, 2292, 2245, 1363	○	
JBC1221	<input type="checkbox"/>	Bracket on the right, removable - only with intuitive LINX control	NC: 1287, 2291, 2220, 2219, 2227, 1312	○	
JBC1222	<input type="checkbox"/>	Bracket on the left, removable - only with intuitive LINX control	NC: 1286, 2292, 2220, 2219, 2228, 1363	○	
If multiple joysticks need to be mounted on the swing-away center mount (2213/2214), select option 2215					

Mo-Vis special controls - refer to the order sheet			
Compact Proportional Joysticks - Only with REM400 and REM500			
JBC2231	<input type="checkbox"/>	LINX proportional Compact Joystick (deflection force needed: 160 g)	NC: 2203, 2204 1 371,56
JBC2232	<input type="checkbox"/>	LINX proportional Compact Low Force joystick (deflection force: 112 g)	NC: 2203, 2204 1 509,00
JBC2207	<input type="checkbox"/>	Mounted on the right hand side	NC: 1207, 1707, 2209, 2213, 2217, 1404 ○
JBC2208	<input type="checkbox"/>	Mounted on the left hand side	NC: 1208, 1708, 2210, 2214, 2218, 1405 ○
JBC2265	<input type="checkbox"/>	Centre Mount, swing-away to right hand	NC: 1207, 1707, 2209, 2213, 2217, 1404, 1405, 1415 787,68
JBC2266	<input type="checkbox"/>	Centre Mount, swing-away to left hand	NC: 1208, 1708, 2210, 2214, 2218, 1404, 1405, 1339 787,68
JBX2215	<input type="checkbox"/>	Custom Installation, thank you specify your request:	On demand
CHIN CONTROL + BRACKETS			
JBC2229	<input type="checkbox"/>	Proportional Chin Joystick (ASL138) + egg switch	NC: 1495, 2203, 2204, 2230, 2247, 2233, 2257, 2240, 2179, 2128 3 011,37
JBC1289	<input type="checkbox"/>	Swing Away Bracket to the right hand, side manual (ASL628) (ONLY WITH ELAN 2125)	NC: 2171, 1350, 1432, 1427 ○
JBC1288	<input type="checkbox"/>	Swing Away Bracket to the left hand, side manual (ASL628) (ONLY WITH ELAN 2125)	NC: 2171, 1350, 1432, 1427 ○
JBC1287	<input type="checkbox"/>	Swing Away Bracket to the right hand, powered	NC: 2227, 2259, 1221, 2291, 1312, 1415 1 615,17
JBC1286	<input type="checkbox"/>	Swing Away Bracket to the left hand, powered	NC: 2228, 2260, 1222, 2292, 1363, 1339 1 615,17
HEAD CONTROL ATOM Technology			
JBC2230	<input type="checkbox"/>	Head Control with ultrasonic proximity sensors, ATOM ASL104, with standard wings and egg switch	NC: 2203, 2204, 2229, 2233, 2257, 2240, 2175, 2171, 2197, 1350, 1432, 1427, Elan headrest 5 648,34
JBC2247	<input type="checkbox"/>	Head Control with ultrasonic proximity sensors PROTON ASL104P, with PROTON wings and egg switch	NC: 2203, 2204, 2229, 2233, 2257, 2240, 2175, 2171, 2197, 1350, 1432, 1427, Elan headrest 5 648,34
FOUR-SWITCH PROXIMITY ARRAY (with ATOM Technology)			
JBC2257	<input type="checkbox"/>	Four-Switch Proximity Array (ASL106)	NC: 2203, 2204, 2229, 2230, 2247, 2233, 2240, 2128 7 048,34
JBC2275	<input type="checkbox"/>	Centre Mount, swing-away to right hand, Nucleus	NC: 1207, 1707, 2209, 2213, 2217, 1404, 1405, 1415 ○
JBC2276	<input type="checkbox"/>	Centre Mount, swing-away to left hand, Nucleus	NC: 1208, 1708, 2210, 2214, 2218, 1404, 1405, 1339 ○
JBX2269	<input type="checkbox"/>	Custom Installation, thank you specify your request:	On demand
LINX - PROPORTIONAL REMOTES WITH TPI / INPUTS & BRACKETS			
JBC2233	<input type="checkbox"/>	MEC Proportional Joystick (ASL130)	NC: 2203, 2204, 2229, 2230, 2247, 2257, 2128 5 648,34
JBC2240	<input type="checkbox"/>	Proportional Heavy Duty Remote Joystick ASL133	NC: 2203, 2204, 2229, 2230, 2247, 2257, 2128 3 317,54
JBC2285	<input type="checkbox"/>	Tray Mount right hand (100 x 150 mm)	NC: 1207, 1707, 2209, 2213, 2217, 1404, 1405, 1415 787,68
JBC2286	<input type="checkbox"/>	Tray Mount left hand (100 x 150 mm)	NC: 1208, 1708, 2210, 2214, 2218, 1404, 1405, 1339 787,68
JBC2283	<input type="checkbox"/>	Centre Mount, swing-away to right hand, Nucleus	NC: 1207, 1707, 2209, 2213, 2217, 1404, 1405, 1415 ○
JBC2284	<input type="checkbox"/>	Centre Mount, swing-away to left hand, Nucleus	NC: 1208, 1708, 2210, 2214, 2218, 1404, 1405, 1339 ○
JBC2287	<input type="checkbox"/>	Centre Mount on tray ASL603 (100x150 mm), swing-away to right hand	NC: 1207, 1707, 2209, 2213, 2217, 1404, 1405, 1415 787,68
JBC2288	<input type="checkbox"/>	Centre Mount on tray ASL603 (100x150 mm), swing-away to left hand	NC: 1208, 1708, 2210, 2214, 2218, 1404, 1405, 1339 787,68
JBX2289	<input type="checkbox"/>	Custom Installation, thank you specify your request:	On demand
Alternative seating control			
JBC2251	<input type="checkbox"/>	10-Way Switch, delivered with double output Jack cable 2252	530,81
JBC2217	<input type="checkbox"/>	Bracket right hand, mounted for user	NC: 1415, 2207, 2287, 2283, 2275, 2213, 2209, 2265, 1404 ○
JBC2218	<input type="checkbox"/>	Bracket left hand, mounted for user	NC: 1339, 2208, 2288, 2284, 2286, 2276, 2214, 2210, 2266, 1405 ○
JBC2291	<input type="checkbox"/>	Bracket right hand, mounted for attendant	NC: 2128, 2259, 1221, 1287, 2108 ○
JBC2292	<input type="checkbox"/>	Bracket left hand, mounted for attendant	NC: 2128, 2260, 1222, 1288, 2108 ○
JBC2225	<input type="checkbox"/>	Without mounting	○



2231
2232



1288 1286
1289 1287



2230



2247



2233



2251


LiNX accessories			
JBC2253	<input type="checkbox"/>	USB Charger Port (2 sockets)	472,99
JBC2281	<input type="checkbox"/>	Right hand mount	○
JBC2282	<input type="checkbox"/>	Left hand mount	○
Remote Stop Switch			
JBC2258	<input type="checkbox"/>	Remote Stop Switch (ASL504)	NC: 2203, 2204 831,28
INPUT200 Module			
JBC2273	<input type="checkbox"/>	IN200 Module (Jack port for external power button + control inputs via DB9) (Needed to have an external switch ON/OFF with REM110/2XX)	NC: 2220 400,00
Further LiNX accessories			
JBC2300	<input type="checkbox"/>	To be enclosed only	○
JBX2301	<input type="checkbox"/>	To be connected and programmed	On demand
Buddy Buttons (63 mm diam. - delivered not mounted - option 2252 required if no REM400/500)			
JBC1685	<input type="checkbox"/>	Red Buddy Button	149,76
JBC1686	<input type="checkbox"/>	Yellow Buddy Button	149,76
JBC1687	<input type="checkbox"/>	Green Buddy Button	149,76
JBC1690	<input type="checkbox"/>	Blue Buddy Button	149,79
Egg switch (option 2252 required if no REM400)			
JBC2254	<input type="checkbox"/>	Egg switch, black	118,48
Piko Buttons (30 mm diam. - delivered not mounted - option 2252 required if no REM400/500)			
JBC1711	<input type="checkbox"/>	Red Piko Button	149,76
JBC1712	<input type="checkbox"/>	Yellow Piko Button	149,76
JBC1713	<input type="checkbox"/>	Green Piko Button	149,76
JBC1714	<input type="checkbox"/>	Orange Piko Button	149,76
JBC1715	<input type="checkbox"/>	Blue Piko Button	149,76
JBC1716	<input type="checkbox"/>	Black Piko Button	149,76
Bodypoint Joysticks knobs - delivered not mounted			
JBC2721	<input type="checkbox"/>	3 inch U-Shaped, Joystick Handle - 76 mm width - PC101A	100,00
JBC2722	<input type="checkbox"/>	4 inch U-Shaped, Joystick Handle - 100 mm width - PC102A	100,00
JBC2723	<input type="checkbox"/>	Domed Rubber, Joystick Handle - 66 mm diameter - PC107A	100,00
JBC2724	<input type="checkbox"/>	Mushroom Grooved, Joystick Handle - 42 mm diameter - PC110A	100,00
DB9 / 5 jacks adaptor			
JBH1681	<input type="checkbox"/>	DB9 / 5 jacks adaptor	172,51
WHEELBASE DETAILS			
Colours			
JBC2871	<input type="checkbox"/>	Black/Anthracite Shroud	○
JBC2872	<input type="checkbox"/>	Silver Shroud	○
JBC2873	<input type="checkbox"/>	Bengal Red Shroud	○
JBC2874	<input type="checkbox"/>	Mercury Blue Shroud	○
JBC2875	<input type="checkbox"/>	Midnight Purple Shroud	○
Rim insert colour			
JBC2882	<input type="checkbox"/>	Black rim inserts	◆
Forks			
JBC2632	<input type="checkbox"/>	Double sided fork	◆
Castors			
JBC0835	<input type="checkbox"/>	9" Castor, pneumatic	◆
JBC0836	<input type="checkbox"/>	9" Castor, puncture proof solid tyre	○
JBC0838	<input type="checkbox"/>	9" Castor, puncture protected	○
JBC0828	<input type="checkbox"/>	8" Castor, puncture proof solid tyre	NC: 1223 168,72
Castor lock			
JBC1490	<input type="checkbox"/>	Système de verrouillage des fourches avant	218,01
Drive wheels			
JBC0704	<input type="checkbox"/>	DW 14", Pneumatic	◆
JBC0705	<input type="checkbox"/>	DW 14", Solid inlay	71,09
JBC0706	<input type="checkbox"/>	DW 14", Puncture protected	71,09
CTC SUSPENSIONS			
CTC - Control-Traction-Comfort			
JBC2870	<input type="checkbox"/>	CTC-Suspensions	◆
Customized suspension settings			
JBC1910	<input type="checkbox"/>	Suspension up to 70 kg User Weight	NC : 1094 ○
JBC1910	<input type="checkbox"/>	Suspension up to 90 kg User Weight	NC : 1094 ○
JBC1911	<input type="checkbox"/>	Suspension up to 110 kg User Weight	○
JBC1915	<input type="checkbox"/>	Suspension up to 136 kg User Weight	○




2253



1681



PERFORMANCES			
Motors type / Speed options			
JBC1282	<input type="checkbox"/>	OPS Drive 6 km/h	◆
JBC1283	<input type="checkbox"/>	OPS Drive 10 km/h	○
JBC1223	<input type="checkbox"/>	10 km/h OPS Drive motors , programmable up to 12 km/h - 73,5 Ah batteries and 120A power module included	NC: 0828, 2860, 1259, 1260, 0016, 0088, 0089 1 132,70
Batteries			
JBC1259	<input type="checkbox"/>	60 Ah GEL batteries	NC: 1223 ◆
JBC1260	<input type="checkbox"/>	73,5 Ah GEL batteries	NC: 1223, 1450 396,21
GYROSCOPE			
G-Trac			
JBC1215	<input type="checkbox"/>	G-Trac module (Directional path control while driving)	1 090,05
Charger			
JBC1343	<input type="checkbox"/>	8A Opticharge Charger	◆
JBC1313	<input type="checkbox"/>	10A Opticharge Charger	159,24
JBC1344	<input type="checkbox"/>	8A Opticharge Charger (UK)	○
JBC1314	<input type="checkbox"/>	10A Opticharge Charger (UK)	159,24
POSITIONING OPTIONS			
<i>Think about Bodypoint products ! Hip belts, harnesses, ...</i>			
OPTIONS			
Anti-tippers			
JBC1205	<input type="checkbox"/>	Anti-tippers	◆
Light			
JBC1437	<input type="checkbox"/>	LED Light system with Indicators - 30 Lux headlights - Indicators, position lights, warning lights (Choose REM216, REM400 or REM500)	NC: 2203 492,89
JBC2837	<input type="checkbox"/>	LED Light system extra bright with indicators - 60 Lux headlights - Indicators, position lights, warning lights (Choose REM216, REM400 or REM500)	NC: 2203 663,51
JBC1254	<input type="checkbox"/>	Without light system	◆
Kerb rider			
JBC1244	<input type="checkbox"/>	Kerb rider	NC: 0522, 2830, 0556, 0589 291,00
Preparation for docking station			
JBC1450	<input type="checkbox"/>	Preparation for DAHL-Docking station (Adequate headrest is compulsory)	NC: 1260 330,81
Transportation kit 4 or 6-point tie downs			
JBC1494	<input type="checkbox"/>	4-Point tie-down (Tested version for using wheelchair as a vehicle seat according to ISO 7176-19)	NC: 1094 ◆
JBC1401	<input type="checkbox"/>	6-Point tie-down (Tested version for using wheelchair as a vehicle seat according to ISO 7176-19)) required for variants with combined Lift & Tilt module	NC: 1092, 1093 ○
Tie down points			
JBC2894	<input type="checkbox"/>	Easily accessible front tie-down points, additionally mounted for 4- or 6- point-tie-down	104,27
Lap belts			
JBC1329	<input type="checkbox"/>	Lap belt with auto lock - standard mount on backrest	◆
JBC2113	<input type="checkbox"/>	Lap belt with auto lock - flexible mount in side rails	57,82
Bodypoint positioning belts (hardware included)			
JBC2701	<input type="checkbox"/>	Bodypoint Evoflex Pelvic Stabilizer, Rehab Latch - Size L	NC: 2121, 2122, 2132, thigh wedges 156,40
JBC2702	<input type="checkbox"/>	Bodypoint Evoflex Pelvic Stabilizer, Rehab Latch - Size M	NC: 2123, 2124, thigh wedges 156,40
JBC2703	<input type="checkbox"/>	Bodypoint 2-Point Hip Belt, Ctr-Pull, Push Butt, Cinch-Mount - Size L	NC: 2121, 2122, 2132, thigh wedges 133,65
JBC2704	<input type="checkbox"/>	Bodypoint 2-Point Hip Belt, Ctr-Pull, Push Butt, Cinch-Mount - Size M	NC: 2123, 2124, thigh wedges 133,65
JBC2705	<input type="checkbox"/>	Bodypoint 2-Point Hip Belt, Dual-Pull, Side-Release Butt. Cinch-Mount - Size L	NC: 2121, 2122, 2132, thigh wedges 115,64
JBC2706	<input type="checkbox"/>	Bodypoint 2-Point Hip Belt, Dual-Pull, Side-Release Butt. Cinch-Mount - Size M	NC: 2123, 2124, thigh wedges 116,59
Rearview mirror			
JBC1415	<input type="checkbox"/>	Rear view mirror right hand	NC: 1287, 2217, 2285, 2209, 2213, 2265, 2275, 2283, 2287 70,14
JBC1339	<input type="checkbox"/>	Rear view mirror left hand	NC: 1286, 2218, 2286, 2210, 2214, 2266, 2276, 2284, 2288 70,14



1244



1329



2701, 2702



2703, 2704



2705, 2706

ACCESSORIES			
Bag hooks (Max load: 6kg)			
JBC2128	<input type="checkbox"/>	Bag hooks	NC: 2173, 2227, 2228, 2229, 2233, 2240, 2257, 2291, 2292 150,71
Caneholder			
JBC1312	<input type="checkbox"/>	Caneholder right hand	NC: 1287, 2227, 2259, 1221 68,25
JBC1363	<input type="checkbox"/>	Caneholder left hand	NC: 1286, 2228, 2260, 1222 68,25
Fender (black)			
JBC1416	<input type="checkbox"/>	Fender for castors	132,70
JBC1417	<input type="checkbox"/>	Fender for drive wheels	164,93
Tray			
JBC1404	<input type="checkbox"/>	Tray, swing-away right hand	NC: 1207, 1707, 2209, 2275, 2276, 2287, 2288, 2283, 2284, 2285, 2286, 2265, 2266, 2207, 2213, 2214, 2217 503,32
JBC1405	<input type="checkbox"/>	Tray, swing-away left hand	NC: 1208, 1708, 2210, 2275, 2276, 2287, 2288, 2283, 2284, 2285, 2286, 2265, 2266, 2208, 2213, 2214, 2218 503,32
Tool kit			
JBC1333	<input type="checkbox"/>	Tool kit	33,18
Ramps			
1654128	<input type="checkbox"/>	Basic ramp 2 telescopic parts in aluminum and non-slip coating. Folded dimensions: 1210 x 194 mm. 8.8 kg per pair - maximum capacity: 270 kg	298,58
1654129	<input type="checkbox"/>	Quick2go Compact 3-part aluminum telescopic ramp with non-slip coating Folded dimensions: 870 x 237 mm 13.6 kg per pair - maximum capacity: 260 kg	559,24
1654130	<input type="checkbox"/>	Aluminium folding mono ramp Folded dimensions: 1824 x 714 mm 13.9 kg - maximum capacity: 300 kg	317,54



2128



1416



1417



1404



1654128



1654129



1654130