

Please contact Invacare EU Export Customer Services on :
 Tel : +33 247 626980 ; Email : serviceclient_export@invacare.com
 Or visit our website : www.invacare.eu.com



Vicair® Backrests

CE

Date :

Purchase Order :

Customer Code :

Dealer's Stamp :



Description

Vicair O2 backrests are made up of Smartcells.

They can be used in institutions or at home whenever skin temperature or humidity are a problem for the user.

Breathable, lightweight, maintenance-free backrests.

Backrests washable at 60°, Smartcells included. No tumble dryer.

	Euros
Backrest type	
Backrest <i>Vicair® Liberty</i> - Comfair cover - User max weight : 150 kg	<input type="checkbox"/> 504,04 €
Backrest <i>Vicair® Anatomic</i> - Air Exchange cover - User max weight : 150 kg	<input type="checkbox"/> 758,20 €
Backrest <i>Vicair® Multifunction O2</i> - Comfair cover - User max weight : 150 kg	<input type="checkbox"/> 640,48 €
Backrest <i>Vicair® Flex</i> - Air Exchange cover - User max weight : 135 kg	<input type="checkbox"/> 776,36 €

Vicair® Liberty

User max weight : 150 kg

Delivered with a tension adjustable upholstery and a comfair cover



: STANDARD

: SPECIAL + 180 € HT

NO SPECIAL SIZES WILL BE RETURNED OR EXCHANGED

Backrest width	Backrest height	
	450 mm	
360 - 400 mm	LBS/1	<input type="checkbox"/>
400 - 430 mm	LBS/2	<input type="checkbox"/>
440 - 480 mm	LBS/3	<input type="checkbox"/>

Vicair® Anatomic

User max weight : 150 kg
Delivered with a tension adjustable upholstery and an Air Exchange cover



: STANDARD

: SPECIAL + 180 € HT

NO SPECIAL SIZES WILL BE RETURNED OR EXCHANGED

Backrest height	Backrest width				
	300 mm	350 mm	400 mm	450 mm	500 mm
320 mm	AABS/AX/3032 <input type="checkbox"/>	AABS/AX/3532 <input type="checkbox"/>	AABS/AX/4032 <input type="checkbox"/>	AABS/AX/4532 <input type="checkbox"/>	AABS/AX/5032
400 mm	AABS/AX/3040 <input type="checkbox"/>	AABS/AX/3540 <input type="checkbox"/>	AABS/AX/4040 <input type="checkbox"/>	AABS/AX/4540 <input type="checkbox"/>	AABS/AX/5040
480 mm	AABS/AX/3048 <input type="checkbox"/>	AABS/AX/3548 <input type="checkbox"/>	AABS/AX/4048 <input type="checkbox"/>	AABS/AX/4548 <input type="checkbox"/>	AABS/AX/5048
560 mm	AABS/AX/3056 <input type="checkbox"/>	AABS/AX/3556 <input type="checkbox"/>	AABS/AX/4056 <input type="checkbox"/>	AABS/AX/4556 <input type="checkbox"/>	AABS/AX/5056

Options for Vicair® Multifonction O2 backrest

Reference	Quantity	Wheelchair width	Backrest height	Euros
Backrest straps adjustable in tension				
SB/0240		360 - 410 mm	360-400 mm	161,33 €
SB/0340		430 - 500 mm	360-400 mm	161,33 €
SB/0248		360 - 410 mm	430 - 500 mm	161,33 €
SB/0348		430 - 500 mm	430 - 500 mm	161,33 €
SB/0256		360 - 410 mm	520 - 580 mm	161,33 €
SB/0356		430 - 500 mm	520 - 580 mm	161,33 €
Connector				
BC/3645		360 mm	450 mm	83,25 €
BC/3754		370 mm	540 mm	83,25 €
BC/4054		400 mm	540 mm	83,25 €
BC/4145		410 mm	450 mm	83,25 €
BC/4554		450 mm	540 mm	83,25 €
BC/4645		460 mm	450 mm	83,25 €
BC/5054		500 mm	540 mm	83,25 €



Vicair® Multifonction O2

User max weight : 150 kg
Delivered with a comfair cover



: STANDARD

: SPECIAL + 180 € HT


NO SPECIAL SIZES WILL BE RETURNED OR EXCHANGED

Backrest height	Backrest width					
	360 mm	370 mm	400 mm	410 mm	430 mm	450 mm
360 mm	OMFB/CC/3636 <input type="checkbox"/>	OMFB/CC/3736 <input type="checkbox"/>	OMFB/CC/4036 <input type="checkbox"/>	OMFB/CC/4136 <input type="checkbox"/>	OMFB/CC/4336 <input type="checkbox"/>	OMFB/CC/4536 <input type="checkbox"/>
380 mm	OMFB/CC/3638 <input type="checkbox"/>	OMFB/CC/3738 <input type="checkbox"/>	OMFB/CC/4038 <input type="checkbox"/>	OMFB/CC/4138 <input type="checkbox"/>	OMFB/CC/4338 <input type="checkbox"/>	OMFB/CC/4538 <input type="checkbox"/>
400 mm	OMFB/CC/3640 <input type="checkbox"/>	OMFB/CC/3740 <input type="checkbox"/>	OMFB/CC/4040 <input type="checkbox"/>	OMFB/CC/4140 <input type="checkbox"/>	OMFB/CC/4340 <input type="checkbox"/>	OMFB/CC/4540 <input type="checkbox"/>
430 mm	OMFB/CC/3643 <input type="checkbox"/>	OMFB/CC/3743 <input type="checkbox"/>	OMFB/CC/4043 <input type="checkbox"/>	OMFB/CC/4143 <input type="checkbox"/>	OMFB/CC/4343 <input type="checkbox"/>	OMFB/CC/4543 <input type="checkbox"/>
450 mm	OMFB/CC/3645 <input type="checkbox"/>	OMFB/CC/3745 <input type="checkbox"/>	OMFB/CC/4045 <input type="checkbox"/>	OMFB/CC/4145 <input type="checkbox"/>	OMFB/CC/4345 <input type="checkbox"/>	OMFB/CC/4545 <input type="checkbox"/>
480 mm	OMFB/CC/3648 <input type="checkbox"/>	OMFB/CC/3748 <input type="checkbox"/>	OMFB/CC/4048 <input type="checkbox"/>	OMFB/CC/4148 <input type="checkbox"/>	OMFB/CC/4348 <input type="checkbox"/>	OMFB/CC/4548 <input type="checkbox"/>
500 mm	OMFB/CC/3650 <input type="checkbox"/>	OMFB/CC/3750 <input type="checkbox"/>	OMFB/CC/4050 <input type="checkbox"/>	OMFB/CC/4150 <input type="checkbox"/>	OMFB/CC/4350 <input type="checkbox"/>	OMFB/CC/4550 <input type="checkbox"/>
520 mm	OMFB/CC/3652 <input type="checkbox"/>	OMFB/CC/3752 <input type="checkbox"/>	OMFB/CC/4052 <input type="checkbox"/>	OMFB/CC/4152 <input type="checkbox"/>	OMFB/CC/4352 <input type="checkbox"/>	OMFB/CC/4552 <input type="checkbox"/>
540 mm	OMFB/CC/3654 <input type="checkbox"/>	OMFB/CC/3754 <input type="checkbox"/>	OMFB/CC/4054 <input type="checkbox"/>	OMFB/CC/4154 <input type="checkbox"/>	OMFB/CC/4354 <input type="checkbox"/>	OMFB/CC/4554 <input type="checkbox"/>
580 mm	OMFB/CC/3658 <input type="checkbox"/>	OMFB/CC/3758 <input type="checkbox"/>	OMFB/CC/4058 <input type="checkbox"/>	OMFB/CC/4158 <input type="checkbox"/>	OMFB/CC/4358 <input type="checkbox"/>	OMFB/CC/4558 <input type="checkbox"/>
600 mm	OMFB/CC/3660 <input type="checkbox"/>	OMFB/CC/3760 <input type="checkbox"/>	OMFB/CC/4060 <input type="checkbox"/>	OMFB/CC/4160 <input type="checkbox"/>	OMFB/CC/4360 <input type="checkbox"/>	OMFB/CC/4560 <input type="checkbox"/>

Backrest height	Backrest width					
	460 mm	480 mm	500 mm	540 mm	580 mm	600 mm
360 mm	OMFB/CC/4636 <input type="checkbox"/>	OMFB/CC/4836 <input type="checkbox"/>	OMFB/CC/5036 <input type="checkbox"/>	OMFB/CC/5436 <input type="checkbox"/>	OMFB/CC/5836 <input type="checkbox"/>	OMFB/CC/6036 <input type="checkbox"/>
380 mm	OMFB/CC/4638 <input type="checkbox"/>	OMFB/CC/4838 <input type="checkbox"/>	OMFB/CC/5038 <input type="checkbox"/>	OMFB/CC/5438 <input type="checkbox"/>	OMFB/CC/5838 <input type="checkbox"/>	OMFB/CC/6038 <input type="checkbox"/>
400 mm	OMFB/CC/4640 <input type="checkbox"/>	OMFB/CC/4840 <input type="checkbox"/>	OMFB/CC/5040 <input type="checkbox"/>	OMFB/CC/5440 <input type="checkbox"/>	OMFB/CC/5840 <input type="checkbox"/>	OMFB/CC/6040 <input type="checkbox"/>
430 mm	OMFB/CC/4643 <input type="checkbox"/>	OMFB/CC/4843 <input type="checkbox"/>	OMFB/CC/5043 <input type="checkbox"/>	OMFB/CC/5443 <input type="checkbox"/>	OMFB/CC/5843 <input type="checkbox"/>	OMFB/CC/6043 <input type="checkbox"/>
450 mm	OMFB/CC/4645 <input type="checkbox"/>	OMFB/CC/4845 <input type="checkbox"/>	OMFB/CC/5045 <input type="checkbox"/>	OMFB/CC/5445 <input type="checkbox"/>	OMFB/CC/5845 <input type="checkbox"/>	OMFB/CC/6045 <input type="checkbox"/>
480 mm	OMFB/CC/4648 <input type="checkbox"/>	OMFB/CC/4848 <input type="checkbox"/>	OMFB/CC/5048 <input type="checkbox"/>	OMFB/CC/5448 <input type="checkbox"/>	OMFB/CC/5848 <input type="checkbox"/>	OMFB/CC/6048 <input type="checkbox"/>
500 mm	OMFB/CC/4650 <input type="checkbox"/>	OMFB/CC/4850 <input type="checkbox"/>	OMFB/CC/5050 <input type="checkbox"/>	OMFB/CC/5450 <input type="checkbox"/>	OMFB/CC/5850 <input type="checkbox"/>	OMFB/CC/6050 <input type="checkbox"/>
520 mm	OMFB/CC/4652 <input type="checkbox"/>	OMFB/CC/4852 <input type="checkbox"/>	OMFB/CC/5052 <input type="checkbox"/>	OMFB/CC/5452 <input type="checkbox"/>	OMFB/CC/5852 <input type="checkbox"/>	OMFB/CC/6052 <input type="checkbox"/>
540 mm	OMFB/CC/4654 <input type="checkbox"/>	OMFB/CC/4854 <input type="checkbox"/>	OMFB/CC/5054 <input type="checkbox"/>	OMFB/CC/5454 <input type="checkbox"/>	OMFB/CC/5854 <input type="checkbox"/>	OMFB/CC/6054 <input type="checkbox"/>
580 mm	OMFB/CC/4658 <input type="checkbox"/>	OMFB/CC/4858 <input type="checkbox"/>	OMFB/CC/5058 <input type="checkbox"/>	OMFB/CC/5458 <input type="checkbox"/>	OMFB/CC/5858 <input type="checkbox"/>	OMFB/CC/6058 <input type="checkbox"/>
600 mm	OMFB/CC/4660 <input type="checkbox"/>	OMFB/CC/4860 <input type="checkbox"/>	OMFB/CC/5060 <input type="checkbox"/>	OMFB/CC/5460 <input type="checkbox"/>	OMFB/CC/5860 <input type="checkbox"/>	OMFB/CC/6060 <input type="checkbox"/>

Options for Vicair® Multifonction O2 backrest

Reference	Quantity	Wheelchair width	Backrest height	Euros
Sangles de dossier à tension réglable				
SB/0240		360 - 410 mm	360-400 mm	161,33 €
SB/0340		430 - 500 mm	360-400 mm	161,33 €
SB/0248		360 - 410 mm	430 - 500 mm	161,33 €
SB/0348		430 - 500 mm	430 - 500 mm	161,33 €
SB/0256		360 - 410 mm	520 - 580 mm	161,33 €
SB/0356		430 - 500 mm	520 - 580 mm	161,33 €
Connector				
BC/3645		360 mm	450 mm	83,25 €
BC/3754		370 mm	540 mm	83,25 €
BC/4054		400 mm	540 mm	83,25 €
BC/4145		410 mm	450 mm	83,25 €
BC/4554		450 mm	540 mm	83,25 €
BC/4645		460 mm	450 mm	83,25 €
BC/5054		500 mm	540 mm	83,25 €



Vicair® Flex

User max weight : 135 kg

Delivered with an Air Exchange cover
Delivered without lateral wedges - see bellow



: STANDARD

: SPECIAL + 180 € HT

NO SPECIAL SIZES WILL BE RETURNED OR EXCHANGED

Backrest height	Backrest width									
	410 mm		430 mm		450 mm		470 mm		490 mm	
550 mm	AFB/AX/4155	<input type="checkbox"/>	AFB/AX/4355	<input type="checkbox"/>	AFB/AX/4555	<input type="checkbox"/>	AFB/AX/4755	<input type="checkbox"/>	AFB/AX/4955	
560 mm	AFB/AX/4156	<input type="checkbox"/>	AFB/AX/4356	<input type="checkbox"/>	AFB/AX/4556	<input type="checkbox"/>	AFB/AX/4756	<input type="checkbox"/>	AFB/AX/4956	
570 mm	AFB/AX/4157	<input type="checkbox"/>	AFB/AX/4357	<input type="checkbox"/>	AFB/AX/4557	<input type="checkbox"/>	AFB/AX/4757	<input type="checkbox"/>	AFB/AX/4957	
580 mm	AFB/AX/4158	<input type="checkbox"/>	AFB/AX/4358	<input type="checkbox"/>	AFB/AX/4558	<input type="checkbox"/>	AFB/AX/4758	<input type="checkbox"/>	AFB/AX/4958	
590 mm	AFB/AX/4159	<input type="checkbox"/>	AFB/AX/4359	<input type="checkbox"/>	AFB/AX/4559	<input type="checkbox"/>	AFB/AX/4759	<input type="checkbox"/>	AFB/AX/4959	
600 mm	AFB/AX/4160	<input type="checkbox"/>	AFB/AX/4360	<input type="checkbox"/>	AFB/AX/4560	<input type="checkbox"/>	AFB/AX/4760	<input type="checkbox"/>	AFB/AX/4960	

		ORDER WITH THE Vicair® Flex O2 backrest (2 are required)	Euros	 <div style="background-color: #0056b3; color: white; padding: 5px; text-align: center; font-weight: bold;">DO NOT FORGET !</div>
00600026		Cale latérale pour dossier Vicair® Flex, l'unité	19,43 €	