

Please contact Invacare EU Export Customer Services on :-
 Tel : +33 247 626980 ; Email : serviceclient_export@invacare.com
 Or visit our website : www.invacare.eu.com



Invacare® Action³ NG RC (Rocking Chair)

Manual folding aluminum wheelchair with mechanical seat inclination at 25°



Tie down hook without supplement



Description:

- Manual Wheelchair Action3NG Rocking Chair 6 wheels with central drive wheels for better access to handrails
- Mechanical seat tilt at 25° offering a resting and lockable position
- Articulated rear wheel supports fitted with 5" wheels to facilitate 2-wheeling
- New cable pull brake system

- Comfort PACK:

Transform the Action3NG RC into a real light and folding 6-wheel comfort chair. This pack includes: a 510 mm high reclining backrest with rigid and removable backrest shell + a Laguna backrest cushion + a pair of legrests with adjustable paddles + a neckrest.

- Weight: from 17.6 kg.
- Maximum user weight: 125 kg.
- 2-year warranty period excluding wear parts

Date :

Purchase Order :

Customer Code :

Distributor Stamp:



Invacare Unique Customization Service
 Please specify the quote or special production number:

Please make your selection with a cross in the box ◆ Standard feature ○ Free of charge option

CODE		DESCRIPTION	NC : Non Compatible NC : 9999 = not compatible with the reference 9999	Euros
CET0031	<input type="checkbox"/>	Invacare® Action ³ NG RC - Fixed Backrest	NC : Comfort Pack	1059,70
CET0036	<input type="checkbox"/>	Invacare® Action ³ NG RC - Folding Backrest	NC : Comfort Pack	1144,36
CET0041	<input type="checkbox"/>	Invacare® Action ³ NG RC - Reclining Backrest		1144,36

COMFORT PACK

⚠ If you check the Pack, please do not check the options individually

CET0050	<input type="checkbox"/>	COMFORT PACK: Reclining backrest (0442) + rigid and removable back shell allowing the chair to be folded + Laguna back cushion (0490) + pair of legrests (0520 + 0570) with adjustable footrests (0610 + 0630) + neck support (0905)	NC : 0180, 0220, 0930, 0935, 0936, 0940, 0945, backrest raiser, 1345	293,68	
---------	--------------------------	--	--	--------	--

PROPULSION TYPE

CET0100	<input type="checkbox"/>	SELF PROPULSION		◆
---------	--------------------------	-----------------	--	---

SEAT

SEAT WIDTH

CET0180	<input type="checkbox"/>	380 mm	NC : 0442, 0545+0595, 0852, 0855, 1345	○
CET0190	<input type="checkbox"/>	405 mm	NC : 0545+0595, 1345	○
CET0200	<input type="checkbox"/>	430 mm	NC : 0853	◆
CET0210	<input type="checkbox"/>	455 mm	NC : 0853	○
CET0220	<input type="checkbox"/>	480 mm	NC : 0442, 0853, 0854	○
CET0230	<input type="checkbox"/>	505 mm	NC : 0853, 0854, 0855, 0856	○

SEAT DEPTH











CET0240	<input type="checkbox"/>	400 mm	NC : 0879	◆
CET0250	<input type="checkbox"/>	450 mm	NC : 0853, 0878	○
CET0252	<input type="checkbox"/>	Adjustable from 450 to 400 mm Delivered at 430 mm (or 450 mm if choice of a seat cushion)	NC : 0330, 0350	30,33

















SEAT HEIGHT

CET0270	<input type="checkbox"/>	485 mm - Only with 24" drive wheels		○
CET0280	<input type="checkbox"/>	485 mm - Only with 22" drive wheels		◆






SEAT UPHOLSTERY TYPE








CET0330	<input type="checkbox"/>	NYLON WITHOUT LOOP BANDS SEAT UPHOLSTERY		◆
CET0340	<input type="checkbox"/>	NYLON WITH LOOP BANDS SEAT UPHOLSTERY		○
CET0350	<input type="checkbox"/>	PADDED NYLON SEAT UPHOLSTERY		30,33

BACKREST					
DE225974	<input type="checkbox"/>	Backrest extension - height 230 mm - special demand	NC : 0395, 0396, 0442	On Request	
BACKREST TYPE					
CET0380	<input type="checkbox"/>	FIXED 0° BACKREST 2 HEIGHTS 400/430 MM (DELIV. 430 MM) - FIXED PUSH HANDLES	NC : 0471, 0477, 0490, 0491, 0945	52,13	
CET0390	<input type="checkbox"/>	FIXED 0° BACKREST 510 MM HEIGHT - FIXED PUSH HANDLES	NC : 0471, 0477, 0490, 0491, 0945	86,26	
CET0395	<input type="checkbox"/>	FIXED 7° BACKREST - HEIGHT ADJUST 380 TO 460 MM (DELIVERED 380 MM)	NC : 0474, 0475, 0477, 0478, 0479, 0481, 0490, 0491, 0905, 0906, 0907, 0940, 1451	295,73	
CET0396	<input type="checkbox"/>	FIXED 7° BACKREST - HEIGHT ADJUST 380 TO 460 MM (DELIVERED 380 MM)	NC : 0474, 0475, 0477, 0478, 0479, 0481, 0490, 0491, 0905, 0906, 0907, 0940, 1451	295,73	
CET0410	<input type="checkbox"/>	FIXED 7° BACKREST - 2 HEIGHTS 400/430 MM (DELIV. 430 MM)	NC : 0471, 0477, 0490, 0491, 0945	◆	0396
CET0420	<input type="checkbox"/>	FIXED 7° BACKREST - 510 MM HEIGHT	NC : 0471, 0477, 0490, 0491, 0945	○	
CET0431	<input type="checkbox"/>	ANGLE ADJUSTABLE AND FOLD DOWN (-15° to + 15°) FIXED 7°, HEIGHT 350MM / 14" WITH FIXED SHORT PUSHHANDLES	NC : 0471, 0474, 0475, 0478, 0479, 0480, 0481, 0490, 0491, 0882, 0905, 0906, 0907, 0940, 1345, 1451	456,87	
CET0432	<input type="checkbox"/>	ANGLE ADJUSTABLE AND FOLD DOWN (-15° to + 15°) FIXED 7°, HEIGHT 425MM / 17" WITH FIXED LONG PUSHHANDLES	NC : 0471, 0474, 0475, 0478, 0479, 0480, 0481, 0490, 0491, 0882	456,87	
CET0442	<input type="checkbox"/>	RECLINING (GAS SPRING) 0/30° LAGUNA SHELL	NC : 0471, 0474, 0475, 0477, 0478, 0479, 0480, 0481, 0882, 0940, 0945, 1345, 1451	○	0431 / 0432
CET0445	<input type="checkbox"/>	RECLINING (GAS SPRING) 0/30° BACKREST INCL. BACKRACE & PASSIVE REAR WHEEL POS. ONLY	NC : 0471, 0477, 0490, 0491, 0940, 0945	◆	
CET0450	<input type="checkbox"/>	RECLINING (GAS SPRING) 0/30° BACKREST INCL. BACKRACE & PASSIVE REAR WHEEL POS. ONLY	NC : 0471, 0477, 0490, 0491, 0940, 0945	○	
CET0455	<input type="checkbox"/>	FOLDING 7° BACKREST	NC : 0471, 0477, 0490, 0491, 0945	◆	
CET0460	<input type="checkbox"/>	FOLDING 7° BACKREST	NC : 0471, 0477, 0480, 0481, 0490, 0491, 0945	○	
BACKREST UPHOLSTERY TYPE					
CET0471	<input type="checkbox"/>	STANDARD NYLON SLING TYPE (JEMIMA)	NC : 0882, 0905, 0906, 0907, 0882	○	 0471
CET0474	<input type="checkbox"/>	LUMBAR SUPPORT (+1 STRAP) BI MATERIAL PADDED COVER INCL. BACK POCKET		33,08	
CET0475	<input type="checkbox"/>	LUMBAR SUPPORT (+1 STRAP) PADDED SHAPED COVER		◆	
CET0477	<input type="checkbox"/>	CONTOUR ADJUSTABLE (3+1 STRAPS) BI MATERIAL PADDED COVER INCL. BACK POCKET		○	0474 / 0475
CET0478	<input type="checkbox"/>	CONTOUR ADJUSTABLE (3+1 STRAPS) BI MATERIAL PADDED COVER INCL. BACK POCKET	NC : 0940, 0945	66,16	
CET0479	<input type="checkbox"/>	CONTOUR ADJUSTABLE (3+1 STRAPS) PADDED SHAPED COVER	NC : 0940, 0945	33,08	
CET0480	<input type="checkbox"/>	CONTOUR ADJUSTABLE (7+1 STRAPS) PADDED SHAPED COVER	NC : 0940, 0945	138,39	
CET0481	<input type="checkbox"/>	CONTOUR ADJUSTABLE (7+1 STRAPS) BI MATERIAL PADDED COVER INCL. BACK POCKET	NC : 0940, 0945	189,57	
CET0490	<input type="checkbox"/>	COMFORT BACKREST LAGUNA BLACK PU TR26	NC : 0940, 0945, 1451	33,08	
CET0491	<input type="checkbox"/>	COMFORT BACKREST PASSAD 2 BLACK PU TR26	NC : 0940, 0945, 1451	33,08	

HANGERS/FOOTPLATES					
HANGERS RH TYPE					
CET0510	<input type="checkbox"/>	80° STRAIGHT RH SWING IN/SWING OUT HANGER		◆	 0510 / 0560
CET0520	<input type="checkbox"/>	ELEVATING LEGREST (0° TO 75°) RH SWING IN/SWING OUT HANGER (INCLUDING CALFPAD)	NC : 0611, 0930, 0935, 0936	73,82	
CET0545	<input type="checkbox"/>	AMPUTEE LEGREST RH	NC : 0600, 0610, 0611, 0930, 0936	140,28	
HANGERS LH TYPE					
CET0560	<input type="checkbox"/>	80° STRAIGHT LH SWING IN/SWING OUT HANGER		◆	 0520 / 0570  0545 / 0595  0610 / 0630  0610 / 0630  0611
CET0570	<input type="checkbox"/>	ELEVATING LEGREST (0° TO 75°) LH SWING IN/SWING OUT HANGER (INCLUDING CALFPAD)	NC : 0611, 0930, 0935, 0936	73,82	
CET0595	<input type="checkbox"/>	AMPUTEE LEGREST LH	NC : 0611, 0620, 0630, 0930, 0936	140,28	
FOOTPLATES RH TYPE					
CET0600	<input type="checkbox"/>	FLIP UP RH FOOTPLATE - (INCLUDING HEEL STRAP)		◆	 0610 / 0630  0610 / 0630
CET0610	<input type="checkbox"/>	FLIP UP DEPTH & ANGLE AJUSTABLE RH FOOTPLATE - (INCLUDING HEEL STRAP)		26,43	
CET0611	<input type="checkbox"/>	FLIP UP ONE PIECE FOOTPLATE - DEPTH & ANGLE ADJUSTABLE	NC : 0620, 0630, 0935, 0936	234,12	
FOOTPLATES LH TYPE					
CET0620	<input type="checkbox"/>	FLIP UP LH FOOTPLATE - (INCLUDING HEEL STRAP)		◆	 0610 / 0630
CET0630	<input type="checkbox"/>	FLIP UP DEPTH & ANGLE AJUSTABLE LH FOOTPLATE - (INCLUDING HEEL STRAP)		26,43	
ARMRESTS					
ARMRESTS RH FORM IN BLACK COLOR					
CET0660	<input type="checkbox"/>	SWING AWAY DETACHABLE RH (N°2) - DESK	NC : 0772, 0780, 0790, 1480, 1483	◆	 0660 / 0760  0672 / 0772  0680 / 0780
CET0670	<input type="checkbox"/>	SWING AWAY DETACHABLE RH (N°2) - FULL LENGTH	NC : 0772, 0780, 0790	○	
CET0672	<input type="checkbox"/>	FOLDABLE AND REMOVABLE, HEIGHT ADJUSTABLE FROM 170 TO 295 MM - SHORT (330 MM) NON-ROTATING NARROW CHANNEL WITH CLOTHES GUARD AND ERGONOMIC SUPPORT HANDLE	NC : 0760, 0770, 1480, 1483	113,17	
CET0680	<input type="checkbox"/>	SWING AWAY DETACHABLE RH (N°3) - DESK	NC : 0760, 0770, 1480, 1483	○	
CET0690	<input type="checkbox"/>	SWING AWAY DETACHABLE RH (N°3) - FULL LENGTH	NC : 0760, 0770, 1483	○	
ARMRESTS LH FORM IN BLACK COLOR					
CET0760	<input type="checkbox"/>	SWING AWAY DETACHABLE LH (N°2) - DESK	NC : 1480, 1484	◆	 0680 / 0780
CET0770	<input type="checkbox"/>	SWING AWAY DETACHABLE LH (N°2) - FULL LENGTH		○	
CET0772	<input type="checkbox"/>	FOLDABLE AND REMOVABLE, HEIGHT ADJUSTABLE FROM 170 TO 295 MM - SHORT (330 MM) NON-ROTATING NARROW CHANNEL WITH CLOTHES GUARD AND ERGONOMIC SUPPORT HANDLE	NC : 1480, 1484	113,17	
CET0780	<input type="checkbox"/>	SWING AWAY DETACHABLE LH (N°3) - DESK	NC : 1480, 1484	○	
CET0790	<input type="checkbox"/>	SWING AWAY DETACHABLE LH (N°3) - FULL LENGTH	NC : 1484	○	
SEAT CUSHION TYPE					
Cushion					
CET0849	<input type="checkbox"/>	BASIC 60 MM FOAM CUSHION - NYLON & ANTI-SLIP COVER		33,08	 0849  0853 / 0854 0855 / 0856  0871  0873  0876
CET0853	<input type="checkbox"/>	CLASSIC VISCO CUSHION 375X 400 MM -	NC : 0878, 0879	76,78	
CET0854	<input type="checkbox"/>	CLASSIC VISCO CUSHION 405 X 400 MM -	NC : 0878, 0879	65,40	
CET0855	<input type="checkbox"/>	CLASSIC VISCO CUSHION 430 X 430 MM -	NC : 0878, 0879	65,40	
CET0856	<input type="checkbox"/>	CLASSIC VISCO CUSHION 455 X 400 MM -	NC : 0878, 0879	76,78	
CET0871	<input type="checkbox"/>	MATRX CONTOUR NG VISCO CUSHION		76,78	
CET0873	<input type="checkbox"/>	MATRX FLO-TECH IMAGE CUSHION		246,45	
CET0876	<input type="checkbox"/>	MATRX LIBRA CUSHION		293,84	

SEAT CUSHION DEPTH			
CET0878	<input type="checkbox"/>	FOR 400 MM SEAT DEPTH	○
CET0879	<input type="checkbox"/>	FOR 450 MM SEAT DEPTH	○
OTHER SEATING OPTIONS			
CET0852	<input type="checkbox"/>	SEAT RIGIDIZER (Mandatory: Choose a seat cushion)	61,61
CET0882	<input type="checkbox"/>	LATERAL POSITIONING PADS (PAIR)	237,91
CET0905	<input type="checkbox"/>	NECKREST BLACK PU TR26 (INCLUDING BACKBRACE EXCEPT FOR LAGUNA)	NC : 0906, 0907, 0940, 0945 60,10
CET0906	<input type="checkbox"/>	HEADREST BLACK PU TR26 (INCLUDING BACKBRACE EXCEPT FOR LAGUNA)	NC : 0907, 0940, 0945 199,05
CET0907	<input type="checkbox"/>	HEADREST WITH CHEEK SUPPORT BLACK PU TR26 (INCLUDING BACKBRACE EXCEPT FOR LAGUNA) -	NC : 0940, 0945 217,06
CET0930	<input type="checkbox"/>	ADJUSTABLE CALF STRAP	10,43
CET0935	<input type="checkbox"/>	LONGER FOOTREST TUBE (UL= 450-530 MM)	NC : 0936 17,06
CET0936	<input type="checkbox"/>	SHORTER FOOTREST SUPPORT (PAIR) (UL= 230-430 MM)	83,41
CET0940	<input type="checkbox"/>	BACKBRACE	NC : 0945 ○
CET0945	<input type="checkbox"/>	FOLDABLE BACKBRACE	NC : 1451 105,21
COLOURS			
CET0961	<input type="checkbox"/>	SLATE GREY (RAL7024 FINE TEXTURE)	○
CET0966	<input type="checkbox"/>	MATT BLACK	○
CET0967	<input type="checkbox"/>	BLUE POP	○
CET0969	<input type="checkbox"/>	RED MATT	○
CET0974	<input type="checkbox"/>	NAVY BLUE	○
CET0991	<input type="checkbox"/>	SPECIAL COLOUR	On Request
CASTER HOUSING TYPE			
CET0995	<input type="checkbox"/>	STANDARD	◆
FRONT WHEELS			
CET1035	<input type="checkbox"/>	150 X 30 MM (6" X 1.1/4") - BLACK SOLID TYRE MEDIUM HARD	○
CET1050	<input type="checkbox"/>	150 X 30 MM (6" X 1.1/4") - BLACK SOLID TYRE	◆
CET1056	<input type="checkbox"/>	140 X 40 MM (5" 1/2 X 1" 3/4) - BLACK SOLID TYRE MEDIUM HARD	○
REAR WHEELS			
REAR WHEEL SIZE			
CET1066	<input type="checkbox"/>	22" - 560 mm	NC : 1260 ◆
CET1068	<input type="checkbox"/>	24" - 600 mm	NC : 1261 ○
REAR WHEEL TYPE			
CET1071	<input type="checkbox"/>	STANDARD (BLACK HUB, COLORLESS RIM & ZINC PLATTED SPOKES)	◆
CET1072	<input type="checkbox"/>	REINFORCED (COLORLESS HUB, CLEAR ANODIZED RIM & STAINLESS STEEL SPOKES)	○
TYRE TYPE			
CET1082	<input type="checkbox"/>	TYRES SOLID BLACK 35 MM (1"3/8)	◆
CET1084	<input type="checkbox"/>	PNEUMATIC PROFILED BLACK 35 MM (1"3/8)	○
CET1088	<input type="checkbox"/>	PNEUMATIC LOW PROFILE BLACK 25 MM (1")	○
HANDRIM TYPE			
CET1140	<input type="checkbox"/>	ALUMINIUM PRE-ANODIZED HANDRIM	◆
CET1150	<input type="checkbox"/>	HANDRIM COATED IN BLACK ANTI-SLIP PLASTIC	127,01
REAR WHEELS AXLE TYPE			
CET1180	<input type="checkbox"/>	QUICK RELEASE AXLE	◆
REAR WHEELS POSITION			
CET1195	<input type="checkbox"/>	ROCKING CHAIR REAR WHEELS POSITION - 'PIVOT POSITION +62,5MM & DRIVE WHEELS + 90MM FRONTWARDS(/BACKREST CANE AXLE)	◆
Pump			
CET1230	<input type="checkbox"/>	PUMP AND SUPPORT	10,43
CHASSIS OPTIONS TYPE			
CET1241	<input type="checkbox"/>	FRONT WHEELS EXTENSION (+ 50 MM OUTWARD)	○
CET1260	<input type="checkbox"/>	SPOKE GUARDS PAIR 600 MM (24") BLACK	NC : 1261 165,88
CET1261	<input type="checkbox"/>	SPOKE GUARDS PAIR CLEAR	165,88
BRAKES TYPE			
CET1272	<input type="checkbox"/>	ROCKING CHAIR PULL TO LOCK BRAKES	◆
SAFETY OPTIONS TYPE			
CET1345	<input type="checkbox"/>	TRANSPORTATION BRACKETS	NC : 0050, 0180, 0190, 0431, 0442 ○
CET1360	<input type="checkbox"/>	POSTURE BELT - PLASTIC BUCKLE	31,28
CET1380	<input type="checkbox"/>	REFLECTORS KIT	38,86



OPTIONS					
CET1451	<input type="checkbox"/>	DRIP STAND SUPPORT WITH DRIPSTAND (WITH BACKBRACE 0940 ONLY)		101,42	
OTHERS OPTIONS					
CET1480	<input type="checkbox"/>	ACRYLIC TRAY	NC : 1483, 1484, 1485	72,83	 1480
CET1483	<input type="checkbox"/>	HALF TABLE TRAY, CLEAR, FLIP UP, RH	NC : 1484	72,83	 1483 / 1484
CET1484	<input type="checkbox"/>	HALF TABLE TRAY, CLEAR, FLIP UP, LH		72,83	
CET1485	<input type="checkbox"/>	COMFORT PADDING FOR HALF TABLE TRAY		90,05	 1485
ACCESSORIES (delivered separtly)					
AP1493219	<input type="checkbox"/>	GUTTER WITH INDEPENDENT SIDE ROTATION, ADJUSTABLE IN HEIGHT AND DEPTH, RIGHT	Only compatible with armrest 0680, 0690	113,17	
AP1493220	<input type="checkbox"/>	GUTTER WITH INDEPENDENT SIDE ROTATION, ADJUSTABLE IN HEIGHT AND DEPTH, LEFT	Only compatible with armrest 0780, 0790	113,17	
RAMPS					
1440530	<input type="checkbox"/>	Fiberglass Folding Mono Ramp Folded dimensions: 2000 x 230 mm 16.3 kg - maximum capacity: 300 kg		1 787,68	 1440530
1654128	<input type="checkbox"/>	Basic ramp 2 telescopic parts in aluminum and non-slip coating. Folded dimensions: 1210 x 194 mm 8.8 kg per pair - maximum capacity: 270 kg		402,84	 1654128
1654129	<input type="checkbox"/>	Quick2go Compact 3-part aluminum telescopic ramp with non-slip coating Folded dimensions: 870 x 237 mm 13.6 kg per pair - maximum capacity: 260 kg		805,69	 1654129
1654130	<input type="checkbox"/>	Aluminium folding mono ramp Folded dimensions: 1824 x 714 mm 13.9 kg - maximum capacity: 300 kg		426,54	 1654130