

Invacare® Aviva® RX40 Modulite AA1

Please contact Invacare EU Export Customer Services on :-
Tel : +33 247 626980 ; Email : serviceclient_export@invacare.com
 Or visit our website : www.invacare.eu.com



Invacare® Aviva® RX40 Modulite AA1

Rear drive electric wheelchair



Date :

User name :

Customer Code :

Dealer stamp:



Descriptive :

- Compactness and manoeuvrability thanks to:
 - Narrow base from 560 mm
 - Reduced wheelbase
 - Front wheels: 8" or 9"
- Seat height from 435 mm
- Adjustable CTC suspensions system
- 340W 4 pole motors, as standard
- Max. user weight : 136 kg
- Warranty : 2 years except batteries and wear parts

As standard :

- 120 A Power Module
- 73 Ah batteries
- LED lights system
- Fender for castors and drive wheels
- Single sided fork
- Metallic colours on frame, rims and backrest



Customization Service Invacare Unique

Please indicate your quote number or special manufacturing number :

Indicative Public Rate - Use the online configurator on Invacare Pro to generate quotes or orders free from incompatibilities.

- Please make your selection with a cross in the box Standard configuration Free of charge



CODE	DESCRIPTION	NC : Non Compatible NC : 9999 : non compatible with the reference 9999	EUROS
JBF0024	<input type="checkbox"/> AVIVA RX 40 AA1 includes 120A Power Module, 73Ah Batteries - Max user weight up to 136 kg	NC : 1259	6 260,66

CHASSIS AVIVA RX

JBF2810	<input type="checkbox"/> Chassis Narrow (560 mm/22")		◆
JBF2830	<input type="checkbox"/> Chassis Wide (635 mm/25")	NC : 1244	333,65

SEATING TYPE

SEAT FRAME AND SEAT PLATE / SLING SEAT

JBF2111	<input type="checkbox"/> Telescopic Seat Frame and Plate with Side Rails width 380 to 530 mm Additional 50 mm by arms		◆	 2111
JBF2112	<input type="checkbox"/> Telescopic Seat Frame + Sling Seat with Side Rails width 380 to 530 mm; + 30 mm seat height Additional 50 mm by arms		120,38	 2112


SEAT WIDTH SETTING FOR ADJUSTABLE SEAT FRAME

JBF2121	<input type="checkbox"/> 380 mm Seat Plate	NC : 2701, 2703, 2705	○
JBF2122	<input type="checkbox"/> 430 mm Seat Plate	NC : 2701, 2703, 2705,	◆
JBF2123	<input type="checkbox"/> 480 mm Seat Plate	NC : 2702, 2704, 2706	○
JBF2124	<input type="checkbox"/> 530 mm Seat Plate	NC : 2174, 2175, 2176, 2177, 2178, 2143, 2702, 2704, 2706, 2106	120,38


BODYFIT KIT

JBF2106	<input type="checkbox"/> Body fit Kit Outrigging Backrest Brackets and Pivot Point (outrig: 1 inch/2,54 cm per side)	NC : 2124, 2192, 2194	○
---------	--	-----------------------	---

SEAT DEPTH SETTING

JBF2132	<input type="checkbox"/> 410 mm	NC : 2196, 2197, 2198, Bodypoint	○	 2143
JBF2134	<input type="checkbox"/> 460 mm		◆	
JBF2136	<input type="checkbox"/> 510 mm	NC : 2143	○	

SEAT CUSHIONS

JBF2142	<input type="checkbox"/> Matrx Flo-tech Cushion With Seat Width 530: Flo-tech Contour		◆	 2147 2144
JBF2143	<input type="checkbox"/> Matrx Flo-tech Contour Visco; (2-way stretch material)	NC : 2136, 2124	84,36	
JBF2147	<input type="checkbox"/> Matrx Libra Cushion, 90 mm thick Extended lead time: + 4 days		293,84	
JBF2144	<input type="checkbox"/> Matrx Vi Cushion (Mesh fabric)		293,84	

BACKREST SUPPORT			
JBF2162	<input type="checkbox"/>	Backposts tall (540 mm)	○
JBF2163	<input type="checkbox"/>	Backposts short (480 mm)	◆ NC : 2052, 2053, 2173
PUSH HANDLES			
JBF2107	<input type="checkbox"/>	Push Handles	◆
JBF2108	<input type="checkbox"/>	Backposts without push handles	◆ NC : 1307, 2219, 2220, 2227, 2228, 2245, 2291, 2292 203,79
BACKREST UPHOLSTERY / CUSHION			
JBF2171	<input type="checkbox"/>	Tension Adjustable Upholstery nylon overlay tall = 540 mm / 8 straps; short = 480 mm / 7 straps measured from seat plate to top of upholstery	◆ NC : 2052, 2053, 2152, 1445, 2155, 2230, 2247,1288, 1289
JBF2179	<input type="checkbox"/>	Flex3 Tension Adjustable Upholstery height 540 mm (seat plate to top of upholstery)	◆ NC : 2151,2192, 2193, 2194, 2229, 2155, 2230, 2247 196,21
JBF2173	<input type="checkbox"/>	Flex3 adjustable Backrest Plates with Laguna Backrest cushion Flex3 Backrest plate width and height adjustable 560 mm - 790 mm	◆ NC : 2163, 2128 164,93
JBF2174	<input type="checkbox"/>	Matrx Posture Back, height 400 mm (Mesh fabric)	◆ NC : 1445, 2124 798,10
JBF2175	<input type="checkbox"/>	Matrx Posture Back, height 500 mm (Mesh fabric)	◆ NC : 1445, 2124 798,10
JBF2176	<input type="checkbox"/>	Matrx Elite Back , height 500 mm (Mesh fabric)	◆ NC : 1445, 2124 717,54
JBF2177	<input type="checkbox"/>	Matrx Elite TR Back, height 500 mm (Mesh fabric)	◆ NC : 1445, 2124 717,54
JBF2178	<input type="checkbox"/>	Matrx Elite Deep Back, height 500 mm (Mesh fabric)	◆ NC : 1445, 2124 717,54
<i>Find the trunk supports and all the accessories on the Matrx measurement sheet!</i>			
UPHOLSTERY COLOUR			
JBF2151	<input type="checkbox"/>	Black Fabric Upholstery	◆ NC : 2179
JBF2152	<input type="checkbox"/>	Black Dartex Upholstery	◆ NC : 2171 71,09
JBF2155	<input type="checkbox"/>	Black Spacer Fabric Upholstery	◆ NC : 2171, 2179 100,47
ARMREST (Pair)			
JBF2191	<input type="checkbox"/>	T-Arm detachable, Standard Adjustment range from seat plate: 245 - 315 mm	◆ 2191
JBF2181	<input type="checkbox"/>	T-Arm detachable, Extended height Adjustment range from seat plate: 295 - 365 mm	◆ 60,66
JBF2198	<input type="checkbox"/>	Padded Armrest with integrated cloth guard	◆ NC : 2132, 2195, 2196, 2197, Hip support 247,39
JBF2183	<input type="checkbox"/>	Inrigged Armrests Reduces SW by 25 mm each side	◆ NC : Hip support 120,38
JBF2193	<input type="checkbox"/>	Flip-up Armrest Up to 150 kg max user weight	◆ NC : 1445, 2179 128,91
JBF2192	<input type="checkbox"/>	Following Armrest Height adjustable from 230 - 300 mm	◆ NC : 1445, 2179, 2106 372,51
JBF2194	<input type="checkbox"/>	Following Armrest Height adjustable from 300 - 360 mm	◆ NC : 1445, 2179, 2106 372,51
ARMPAD (Pair)			
JBF2195	<input type="checkbox"/>	Short Armpad (325 mm)	◆ NC : 2198
JBF2196	<input type="checkbox"/>	Long Armpad (375 mm)	◆ NC : 2132, 2198 78,67
JBF2197	<input type="checkbox"/>	Long Ergonomic Armpad (397 mm)	◆ NC : 2132, 2198, 2230, 2247 113,74
HIP SUPPORTS			
JBF2184	<input type="checkbox"/>	Hip Support LH, pad size 140 x 100 mm	◆ NC : 2198, 2183, Bodypoint 290,05
JBF2186	<input type="checkbox"/>	Hip Support LH, pad size 230 x 100 mm	◆ NC : 2198, 2183, Bodypoint 290,05
JBF2188	<input type="checkbox"/>	Hip Support LH, pad size 330 x 100 mm	◆ NC : 2198, 2183, Bodypoint 290,05
JBF2185	<input type="checkbox"/>	Hip Support RH, pad size 140 x 100 mm	◆ NC : 2198, 2183, Bodypoint 290,05
JBF2187	<input type="checkbox"/>	Hip Support RH, pad size 230 x 100 mm	◆ NC : 2198, 2183, Bodypoint 290,05
JBF2189	<input type="checkbox"/>	Hip Support RH, pad size 330 x 100 mm	◆ NC : 2198, 2183, Bodypoint 290,05
MOUNTING HARDWARE FOR HIP SUPPORTS			
JBF2164	<input type="checkbox"/>	Mounting hardware for hip supports (6,1" / 155 mm high)	◆
JBF2165	<input type="checkbox"/>	Mounting hardware for hip supports (8,1" / 206 mm high)	○
HEADREST / NECKREST (Dartex)			
JBF1432	<input type="checkbox"/>	Headrest sideways adjustable	◆ NC : 2230, 2247, 1288, 1289 237,91
JBF1427	<input type="checkbox"/>	Headrest with cheek support	◆ NC : 2230, 2247, 1288, 1289 313,74
JBF2324	<input type="checkbox"/>	Elan Standard Pad 255 mm / 10" wide w/standard cover (ESP26)	◆ NC : 2230, 2247 383,89
JBF2325	<input type="checkbox"/>	Elan Occipital Pad 230x180 mm / 9"x7" w/standard cover (EOP23)	◆ NC : 2230, 2247 427,49
JBF2327	<input type="checkbox"/>	Elan 4 Point Headrest Pad 280x255 mm / 11"x10" w/standard	◆ NC : 2230, 2247 559,24
JBF1495	<input type="checkbox"/>	Non Invacare Headrest - no mounting hardware With Backbrace/Pushbar dia. 22mm in conjunction with telescopic seat frame/backposts	○ NC : 2229



2171



2173



2191



2198



Hip support



1432







1427



2325



2327

PUSH BAR			
JBF1307	<input type="checkbox"/>	Push bar (dia 22 mm) in conjunction with telescopic backposts	NC : 2108 43,60
LATERAL SUPPORT (in pairs; Dartex)			
JBF1445	<input type="checkbox"/>	Lateral Support with extended arm, multi-adjustable pad	NC : 2171, 2174, 2175, 2176, 2177, 2178, 2179, 2192, 2193, 2194 335,55
	1445		
SEAT LIFTER / SEAT TILT			
JBF1091	<input type="checkbox"/>	Manually settable Seat Tilt	NC : 1401,2054 ◆
JBF1092	<input type="checkbox"/>	Powered "fixed pivot" Tilt 20°	NC : 1401,2054, 2201 412,32
JBF1093	<input type="checkbox"/>	Powered tilt (0°- 30°) with CoG shift	NC : 1401,2054, 2201 787,68
JBF2052	<input type="checkbox"/>	Powered tilt (0°-50°) with CoG shift	NC : 1401,2105, 0011, 0013, 2201,(2171/0975+2273),2161, 2163, 2171 787,68
JBF1094	<input type="checkbox"/>	300mm seat lifter with powered tilt 0°- 30° and CoG shift, (max. user weight 136 kg)	NC : 1494, 2201, 2220, 2860 1 895,73
JBF2053	<input type="checkbox"/>	300mm seat lifter with powered tilt 0°- 45° and CoG shift, (max. user weight 136 kg)	NC : 1494,(2054+0556/0589), 2105,2201,2220,(2171/0975+2273),1910,1 912,2161 ,2163 ,2171 1 895,73
NEW			
NEW			
SEAT HEIGHT SETTING Measured without seat cushion at 0°			
JBF2857	<input type="checkbox"/>	Seat-to-Floor Height 435 mm	◆
JBF2858	<input type="checkbox"/>	Seat-to-Floor Height 460 mm	○
JBF2859	<input type="checkbox"/>	Seat-to-Floor Height 485 mm	○
SEAT TILT OPTION (only if option 1093 or 1094 has been selected)			
JBX2054	<input type="checkbox"/>	5° Fixed Anterior Tilt, Assist mount	NC : 1091, 1092, 2858, 2859 424,64
BACKREST RECLINER			
JBF0975	<input type="checkbox"/>	Manual Settable Recliner (in 3.75° steps) 90° - 120°	◆
JBF0977	<input type="checkbox"/>	Powered Recliner 30°	NC : 2201 709,00
	0975 0977		
LEGRESTS / FOOTRESTS			
CENTRE MOUNTED LEGRESTS			
JBF0556	<input type="checkbox"/>	Centre mount legrest, angle settable Length: 280 - 385 mm	NC : 0517, 1244 563,03
JBF0589	<input type="checkbox"/>	LNX Power centre mount legrest, length compensating Length: 340 - 410 mm	NC : 2201, 1244 1 712,80
			
FOOTPLATES / FOOT PLATFORM			
JBF2365	<input type="checkbox"/>	Angle & width adjustable footplates S (127 W x 190 mm D / 5"x7.5")	○
JBF0559	<input type="checkbox"/>	Angle & width adjustable footplates M (140 W x 240 mm D / 5.5"x9.5")	◆
JBF0516	<input type="checkbox"/>	Angle & width adjustable footplates L (150 W x 290 mm D / 6"x11.5")	124,17
JBF0517	<input type="checkbox"/>	Angle adjustable foot platform M (305 W x 275 mm D / 12"x10.75")	NC : 0556 124,17
FOOTREST HANGER TYPE / PAIRS			
JBF0526	<input type="checkbox"/>	Standard hanger 80° pair Lower leg length: 350-450 mm	NC : 0504 ◆
JBF0503	<input type="checkbox"/>	Hanger Vari F pair Lower leg length: 290 - 460 mm Angle adjustment: 70 - 0° with tools	○
JBF0533	<input type="checkbox"/>	Hanger Vari A pair Lower leg length: 290 - 460 mm Angle adjustment: 70 - 0° with handwheel and calf pad	NC : 0512 271,09
JBF0531	<input type="checkbox"/>	Hanger ADE pair Lower leg length: 290 - 460 mm Powered Angle adjustment: 80 - 0° with calf pad	NC : 0512, 2201 1 507,11
	0533 0513		
FOOTPLATE TYPE / PAIRS			
JBF0512	<input type="checkbox"/>	Fixed Footplate pair	NC : 0501, 0533, 0531 ◆
JBF0504	<input type="checkbox"/>	Angle Adjustable Footplate pair	NC : 0501, 0526 ○
JBF0513	<input type="checkbox"/>	Angle and depth adjustable Footplate pair	NC : 0501 106,16

REMOTES LINX

LINX PRIMARY REMOTES with proportional Joystick + BRACKETS


JBF2204	<input type="checkbox"/>	Remote LiNX DLX-REM216 = Drive, Actuators & Lights	NC : 2231, 2232, 2229, 2233, 2230, 2247, 2257, 2240, 2270, 2258	○
JBF2205	<input type="checkbox"/>	Rehab Remote LiNX, touch-screen user interface DLX-REM400	NC : 2220	1 137,44
JBF2206	<input type="checkbox"/>	Rehab Remote LiNX without joystick for alternative access users DLX-REM500 Requires a user input/alternative joystick: 2231, 2232, 2229, 2230, 2247, 2233	NC : 2220, 2270	1 712,80


REM400 TOGGLE OPTION

JBF2270	<input type="checkbox"/>	Assignable Toggle Switch Module f. REM400 (DLX-SW400TGL)	NC : 2201, 2203, 2204, 2206	340,28
---------	--------------------------	--	-----------------------------	--------

PRIMARY REMOTE AND DISPLAY MOUNTING POSITION

JBF1207	<input type="checkbox"/>	Standard Bracket RH	NC : 2206, 2285, 2283, 2287, 2207, 2265, 2275, 1404	○
JBF1208	<input type="checkbox"/>	Standard Bracket LH	NC : 2206, 2286, 2284, 2288, 2208, 2266, 2276, 1405	○
JBF1707	<input type="checkbox"/>	Swing Away Bracket RH	NC : 2206, 2285, 2283, 2287, 2207, 2265, 2275, 1404	◆
JBF1708	<input type="checkbox"/>	Swing Away Bracket LH	NC : 2206, 2286, 2284, 2288, 2208, 2266, 2276, 1405	○
JBF1709	<input type="checkbox"/>	Maxx resolve , swing away in/out - RH	NC 2206, 2285, 2283, 2287, 2207, 2265, 2275, 1404	○
JBF1710	<input type="checkbox"/>	Maxx resolve , swing away in/out - LH	NC 2206, 2286, 2284, 2288, 2208, 2266, 2276, 1405	○
JBF2209	<input type="checkbox"/>	Swing away RH, multi-adjustable	NC : 2201, 2203, 2204, 2205, 2285, 2283, 2287, 2207, 2265, 2275, 1415, 2217, 1404	○
JBF2210	<input type="checkbox"/>	Swing away LH, multi-adjustable	NC : 2201, 2203, 2204, 2205, 2286, 2284, 2288, 2208, 2266, 2276, 1339, 2218, 1405	○
PW-4005	<input type="checkbox"/>	Option 2209/2210 with fixing rod for REM500 extended by 200 mm		On demand only
JBF2213	<input type="checkbox"/>	Centre Mount, swing-away to RH, Nucleus	NC : 2285, 2283, 2287, 2207, 2265, 2275, 1415, 2217, 1404, 1405	685,31
JBF2214	<input type="checkbox"/>	Centre Mount, swing-away to LH, Nucleus	NC : 2286, 2284, 2288, 2208, 2266, 2276, 1339, 2218, 1404, 1405	685,31
JBF2227	<input type="checkbox"/>	Bracket RH, mounted for Attendant	NC : 2206, 1287, 2220, 2128, 2108, 2219, 1221, 1312	160,19
JBF2228	<input type="checkbox"/>	Bracket LH, mounted for Attendant	NC : 2206, 1286, 2220, 2128, 2108, 2219, 1222, 1363	160,19
JBX2239	<input type="checkbox"/>	Individual mounting option per request (Special)		On demand


DUAL CONTROL LINX + BRACKETS

JBF2220	<input type="checkbox"/>	Dual Control LiNX (DLX-REM050 as secondary remote)	NC : 1094, 2273, 2108, 2205, 2206, 1221, 1222, (2201+1283/1223/1224), 2227, 2228	677,02
JBF2219	<input type="checkbox"/>	Compact Dual Control LiNX (DLX-ACU200)	NC : 2201, 2108, 1221, 1222, 2227, 2228	1 091,94
JBF2245	<input type="checkbox"/>	Invacare LiNX IDC Dual control	NC : 2201, 2108, 2259, 2260	1 563,98
JBF2259	<input type="checkbox"/>	Bracket RH, Attendant	NC : 1287, 2291, 2245, 1312	○
JBF2260	<input type="checkbox"/>	Bracket LH, Attendant	NC : 1286, 2292, 2245, 1363	○
JBF1221	<input type="checkbox"/>	Bracket RH, detachable	NC : 1287, 2291, 2220, 2219, 2227, 1312	○
JBF1222	<input type="checkbox"/>	Bracket LH, detachable	NC : 1286, 2292, 2220, 2219, 2228, 1363	○



If several joysticks are to be mounted on the retractable support for mounting in the central position (2213/2214), select option 2215

Mo-Vis special controls - refer to the order sheet



LiNX - COMPACT REMOTES + BRACKETS REQUIRES PRIMARY REMOTE (DLX-REM400 or DLX-REM500)			
JBF2231	<input type="checkbox"/>	Proportional Compact Remote DLX-CR400	NC : 2201, 2203, 2204 1 191,47
JBF2232	<input type="checkbox"/>	Proportional Compact Remote Low Force DLX-CR-400LF	NC : 2201, 2203, 2204 1 312,80
JBF2207	<input type="checkbox"/>	RH Mount	NC : 1207, 1707, 2209, 2213, 2217, 1404 ○
JBF2208	<input type="checkbox"/>	LH Mount	NC : 1208, 1708, 2210, 2214, 2218, 1405 ○
JBF2265	<input type="checkbox"/>	Centre Mount, swing-away to RH (Nucleus)	NC : 1207, 1707, 2209, 2213, 2217, 1404, 1405, 1415 717,54
JBF2266	<input type="checkbox"/>	Centre Mount, swing-away to LH (Nucleus)	NC : 1208, 1708, 2210, 2214, 2218, 1404, 1405, 1339 717,54
JBX2215	<input type="checkbox"/>	Individual mounting option per request (Special)	On demand



2231
2232

CHIN CONTROL + BRACKETS REQUIRES PRIMARY REMOTE (DLX-REM400 or DLX-REM500)			
JBF2229	<input type="checkbox"/>	Proportional Chin Joystick (ASL138) SELECTED HEADREST ALWAYS WITH STD MOUNTING HARDWARE	NC : 1495, 2201, 2203, 2204, 2230, 2247, 2233, 2257, 2240, 2179, 2128 3 011,37
JBF1289	<input type="checkbox"/>	Swing Away Bracket RH, side manual (ASL628) Requires Elan Headrest	NC : 2171, 1350, 1432, 1427, 1496 ○
JBF1288	<input type="checkbox"/>	Swing Away Backrest LH, side manual (ASL628) Requires Elan Headrest	NC : 2171, 1350, 1432, 1427, 1496 ○
JBF1287	<input type="checkbox"/>	Swing Away Bracket RH, powered	NC : 2227, 2259, 1221, 2291, 1312, 1415 1 445,50
JBF1286	<input type="checkbox"/>	Swing Away Bracket LH, powered	NC : 2228, 2260, 1222, 2292, 1363, 1339 1 445,50



1288 1286
1289 1287

HEAD CONTROL ATOM Technology			
JBF2230	<input type="checkbox"/>	Head Control with ultrasonic proximity sensors (ATOM, ASL104) with standard wings M3	NC : 2201, 2203, 2204, 2229, 2233, 2092, 2257, 2240, 2175, 2171, 2197, 1350, 1432, 1427, Elan headrest 5 648,34
JBF2247	<input type="checkbox"/>	Head Control with ultrasonic proximity sensors (PROTON, ASL104P) with PROTON wings	NC : 2201, 2203, 2204, 2229, 2233, 2092, 2257, 2240, 2175, 2171, 2197, 1350, 1432, 1427, Elan headrest 5 648,34



2230



2247

FOUR-SWITCH PROXIMITY ARRAY (with ATOM Technology)			
JBF2257	<input type="checkbox"/>	Four-Switch Proximity Array (ASL106)	NC : 2201, 2203, 2204, 2229, 2230, 2247, 2233, 2240, 2128 6 129,86
JBF2275	<input type="checkbox"/>	Centre Mount, swing-away to RH, Nucleus	NC : 1207, 1707, 2209, 2213, 2217, 1404, 1405, 1415 ○
JBF2276	<input type="checkbox"/>	Centre Mount, swing-away to LH, Nucleus	NC : 1208, 1708, 2210, 2214, 2218, 1404, 1405, 1339 ○
JBX2269	<input type="checkbox"/>	Individual mounting option per request (Special)	On demand

LiNX - PROPORTIONAL REMOTES WITH TPI / INPUTS & BRACKETS			
JBF2233	<input type="checkbox"/>	MEC Proportional Joystick (Micro Extremity Control ASL130)	NC : 2201, 2203, 2204, 2229, 2230, 2247, 2257, 2128 3 366,82
JBF2240	<input type="checkbox"/>	Proportional Heavy Duty Remote Joystick w mode switch (ASL133)	NC : 2201, 2203, 2204, 2229, 2230, 2247, 2257, 2128 2 709,95
JBF2285	<input type="checkbox"/>	Tray Mount RH (100x150 mm)	NC : 1207, 1707, 2209, 2213, 2217, 1404, 1405, 1415 717,54
JBF2286	<input type="checkbox"/>	Tray Mount LH (100x150 mm)	NC : 1208, 1708, 2210, 2214, 2218, 1404, 1405, 1339 717,54
JBF2283	<input type="checkbox"/>	Centre Mount, swing-away to RH, Nucleus	NC : 1207, 1707, 2209, 2213, 2217, 1404, 1405, 1415 ○
JBF2284	<input type="checkbox"/>	Centre Mount, swing-away to LH, Nucleus	NC : 1208, 1708, 2210, 2214, 2218, 1404, 1405, 1339 ○
JBF2287	<input type="checkbox"/>	Centre Mount, swing-away to RH, Nucleus	NC : 1207, 1707, 2209, 2213, 2217, 1404, 1405, 1415 717,54
JBF2288	<input type="checkbox"/>	Centre Mount, swing-away to LH, Nucleus	NC : 1208, 1708, 2210, 2214, 2218, 1404, 1405, 1339 717,54
JBX2289	<input type="checkbox"/>	Individual mounting option per request (Special)	On demand



2233

LiNX 10-WAY SWITCH			
JBF2251	<input type="checkbox"/>	10-Way Switch DLX-SW10-A for direct Powered Seating Access	530,81
JBF2217	<input type="checkbox"/>	Bracket RH, mounted for user	NC : 1415, 2207, 2287, 2283, 2275, 2213, 2209, 2265, 1404 ○
JBF2218	<input type="checkbox"/>	Bracket LH, mounted for user	NC : 1339, 2208, 2288, 2284, 2286, 2276, 2214, 2210, 2266, 1405 ○
JBF2291	<input type="checkbox"/>	Bracket RH, mounted for attendant	NC : 2128, 2259, 1221, 1287, 2108 ○
JBF2292	<input type="checkbox"/>	Bracket LH, mounted for attendant	NC : 2128, 2260, 1222, 1288, 2108 ○
JBF2225	<input type="checkbox"/>	Without mounting	○




2251

LiNX ACCESSORIES			
JBF2253	<input type="checkbox"/>	USB Charger Port DLX-USB02-A	NC : 2706 236,02
JBF2281	<input type="checkbox"/>	RH Mount	○
JBF2282	<input type="checkbox"/>	LH Mount	○




2253

Remote Stop Switch				
JBF2258	<input type="checkbox"/>	Remote Stop Switch (ASL504)	NC : 2201, 2203, 2204	831,28
INPUT200 MODULE				
JBF2273	<input type="checkbox"/>	IN200 Module (Jack port for external power button + control inputs via DB9)	NC : 2220	349,76
FURTHER LINUX COMPONENTS / ACCESSORIES				
JBF2300	<input type="checkbox"/>	To be enclosed only		<input type="radio"/>
JBX2301	<input type="checkbox"/>	To be connected and programmed (Special)		On demand
BUDDY BUTTONS				
JBF1685	<input type="checkbox"/>	Red Buddy Button		130,81
JBF1686	<input type="checkbox"/>	Yellow Buddy Button		130,81
JBF1687	<input type="checkbox"/>	Green Buddy Button		130,81
JBF1690	<input type="checkbox"/>	Blue Buddy Button		130,81
EGG SWITCH				
JBF2254	<input type="checkbox"/>	Egg Switch, black		103,32
PIKO BUTTONS				
JBF1711	<input type="checkbox"/>	Red Piko Button		130,81
JBF1712	<input type="checkbox"/>	Yellow Piko Button		130,81
JBF1713	<input type="checkbox"/>	Green Piko Button		130,81
JBF1714	<input type="checkbox"/>	Orange Piko Button		130,81
JBF1715	<input type="checkbox"/>	Blue Piko Button		130,81
JBF1716	<input type="checkbox"/>	Black Piko Button		130,81
BODYPOINT JOYSTICK KNOBS				
JBF2721	<input type="checkbox"/>	3 inch U-Shaped, Joystick Handle, Bodypoint PC101A		100,00
JBF2722	<input type="checkbox"/>	4 inch U-Shaped, Joystick Handle, Bodypoint PC102A		100,00
JBF2723	<input type="checkbox"/>	Domed Rubber, Joystick Handle, Bodypoint PC107A		100,00
JBF2724	<input type="checkbox"/>	Mushroom Grooved, Joystick Handle, Bodypoint PC110A		100,00
SWITCH ADAPTER				
JBH1681	<input type="checkbox"/>	5:1 Switch Adapter (9-pin sub D to 5 jack ports)		151,66
WHEELBASE DETAILS				
COLOURS				
JBF2871	<input type="checkbox"/>	Mid range - Black/Anthracite Shroud		-284,36
JBF2872	<input type="checkbox"/>	Mid range - Silver Shroud		-284,36
JBF2873	<input type="checkbox"/>	Mid range - Bengal Red Shroud		-284,36
JBF2874	<input type="checkbox"/>	Mid range - Mercury Blue Shroud		-284,36
JBF2875	<input type="checkbox"/>	Mid range - Midnight Purple Shroud		-284,36
JBX0299	<input type="checkbox"/>	Premium - Individual Shroud Colour (includes coloured spreader bars on Modulite back)		781,99
JBF2865	<input type="checkbox"/>	Premium - Racing Green Shroud RAL6035		<input type="radio"/>
JBF2866	<input type="checkbox"/>	Premium - Deep Ocean Blue Satin Shroud RAL5026		<input type="radio"/>
JBF2867	<input type="checkbox"/>	Premium - Frosty Blue Shroud RAL5025		<input type="radio"/>
JBF2868	<input type="checkbox"/>	Premium - Gold Shroud RAL1035		<input type="radio"/>
RIM INSERT COLOURS				
JBF2882	<input type="checkbox"/>	Mid range - Black Rim Inserts		-80,57
JBF2883	<input type="checkbox"/>	Mid range - Silver Rim Inserts		-80,57
JBF2884	<input type="checkbox"/>	Mid range - Bengal Red Rim Inserts		-80,57
JBF2885	<input type="checkbox"/>	Mid range - Mercury Blue Rim Inserts		-80,57
JBF2886	<input type="checkbox"/>	Mid range - Midnight Purple Rim Inserts		-80,57
JBF2887	<input type="checkbox"/>	Premium - Individual Rim Insert Colour		207,58
JBF2888	<input type="checkbox"/>	Premium - Racing Green Rim Inserts RAL6035		<input type="radio"/>
JBF2889	<input type="checkbox"/>	Premium - Deep Ocean Blue Satin Rim Inserts RAL5026		<input type="radio"/>
JBF2890	<input type="checkbox"/>	Premium - Frosty Blue Rim Inserts RAL5025		<input type="radio"/>
JBF2891	<input type="checkbox"/>	Premium - Gold Rim Inserts RAL1035		<input type="radio"/>



FORKS			
JBF2631	<input type="checkbox"/>	Single sided fork	◆
JBF2632	<input type="checkbox"/>	Double sided fork	○
CASTORS			
JBF0835	<input type="checkbox"/>	9" (225 mm) x 2.80 (70 mm) Castor, pneumatic	◆
JBF0836	<input type="checkbox"/>	9" (225 mm) x 2.80 (70 mm) Castor, puncture proof solid tyre	○
JBF0838	<input type="checkbox"/>	9" (225 mm) x 2.80 (70 mm) Castor, puncture protected	61,61
JBF0828	<input type="checkbox"/>	8" (200 mm) x 2.50-4 (65 mm) Castor, puncture proof solid tyre	NC : 1223 149,76
CASTOR LOCK			
JBF1490	<input type="checkbox"/>	Castor Lock	NC : (2631+1416) 218,01
DRIVE WHEELS			
JBF0704	<input type="checkbox"/>	DW 14" (355 mm) x 3" (75 mm), Pneumatic	◆
JBF0705	<input type="checkbox"/>	DW 14" (355 mm) x 3" (75 mm), Solid inlay	238,86
JBF0706	<input type="checkbox"/>	DW 14" (355 mm) x 3" (75 mm), Puncture protected	61,61
SUSPENSIONS			
CTC SUSPENSION			
JBF2870	<input type="checkbox"/>	CTC Suspension Control - Traction - Comfort	◆
CUSTOMIZED SUSPENSION SETTINGS for RX20/RX40			
JBF1910	<input type="checkbox"/>	Soft (suggested for up to 70 kg User Weight)	NC : 1094 ○
JBF1912	<input type="checkbox"/>	Medium (suggested for up to 90 kg User Weight)	NC : 1094 ○
JBF1911	<input type="checkbox"/>	Firm (suggested for up to 110 kg User Weight)	○
JBF1915	<input type="checkbox"/>	Very firm (suggested for up to 136 kg User Weight)	○
4-Pole MOTOR TYPE / SPEED OPTIONS			
Motors			
JBF1282	<input type="checkbox"/>	OPS Drive 6 km/h	○
JBF1283	<input type="checkbox"/>	OPS Drive 10 km/h	◆
JBF1223	<input type="checkbox"/>	OPS Drive 10 km/h Setting for Ultra High Speed Motor Always combined with 73,5Ah Batteries	NC : 0828, 1259, 1260 ○
BATTERY			
JBF1259	<input type="checkbox"/>	60 Ah Gel	NC : 0024, 1223 ○
JBF1260	<input type="checkbox"/>	73,5 Ah Gel	NC : 0024, 1223, 1450 ◆
GYROSCOPE			
G-Trac			
JBF1215	<input type="checkbox"/>	G-Trac Module	1 034,12
CHARGER			
JBF1313	<input type="checkbox"/>	Opti Charge Charger 10A (IP44)	◆
SP1606545	<input type="checkbox"/>	Opticharge Charger 10A (UK)	○
OPTIONS			
ANTI-TIPPERS			
JBF1205	<input type="checkbox"/>	Anti-tipper	◆
LIGHT			
JBF1437	<input type="checkbox"/>	LED Light system with Indicators 30 Lux headlights	NC : 2201, 2203 ◆
JBF2837	<input type="checkbox"/>	LED Light system extra bright with indicators 60 Lux headlights	NC : 2201, 2203 402,84
KERB RIDER			
JBF1244	<input type="checkbox"/>	Kerb Rider	NC : 0522, 2830, 0556, 0589 291,00
PREPARATION FOR DOCKING STATION			
JBF1450	<input type="checkbox"/>	Preparation for DAHL-Docking station (Adequate headrest is compulsory)	NC : 1260 288,15
TRANSPORTATION KIT 4-POINT TIE DOWNS			
JBF1493	<input type="checkbox"/>	4-Point tie-down (For wheelchair transportation without user)	NC : 2894 ◆
JBF1494	<input type="checkbox"/>	4-Point tie-down (Tested version for using wheelchair as a vehicle seat according to ISO 7176-19)	NC : 1094 ○
JBF1401	<input type="checkbox"/>	6-Point tie-down (Tested version for using wheelchair as a vehicle seat according to ISO 7176-19) required for variants with combined Lift & Tilt module	NC : 1091, 1092, 1093 ○



TIE DOWN POINTS			
JBF2894	<input type="checkbox"/>	Easily accessible front tie-down points, additionally mounted for 4- or 6- point-tie-down	NC : 1493 91,94
LAP BELTS			
JBF1329	<input type="checkbox"/>	Lap belt with Auto Lock Standard mount on backrest	◆
JBF2113	<input type="checkbox"/>	Lap belt with Auto Lock Flexible mount in side rails	NC : 2121, 2122, 2132, 2253, thigh wedges 50,24
JBF2701	<input type="checkbox"/>	BP Evoflex Pelvic Stabilizer, Rehab Latch Size L	NC : 2123, 2124, 2253, thigh wedges 156,40
JBF2702	<input type="checkbox"/>	Ceinture Bodypoint Evoflex, Loquet Rehab, taille M	NC : 2121, 2122, 2132, 2253, thigh wedges 156,40
JBF2703	<input type="checkbox"/>	BP 2-Point Hip Belt, Ctr-Pull, Push Butt, Cinch-Mount Size L	NC : 2123, 2124, 2253, thigh wedges 133,65
JBF2704	<input type="checkbox"/>	BP 2-Point Hip Belt, Ctr-Pull, Push Butt, Cinch-Mount Size M	NC : 2121, 2122, 2132, 2253, thigh wedges 133,65
JBF2705	<input type="checkbox"/>	BP 2-Point Hip Belt, Dual-Pull, Side-Release Butt. Cinch-Mount Size L	NC : 2123, 2124, 2253, thigh wedges 116,59
JBF2706	<input type="checkbox"/>	BP 2-Point Hip Belt, Dual-Pull, Side-Release Butt. Cinch-Mount Size M	116,59
REARVIEW MIRROR			
JBF1415	<input type="checkbox"/>	Rear view mirror RH	NC : 1287, 2217, 2285, 2209, 2213, 2265, 2275, 2283, 2287 70,14
JBF1339	<input type="checkbox"/>	Rear view mirror LH	NC : 1286, 2218, 2286, 2210, 2214, 2266, 2276, 2284, 2288 70,14
ACCESSORIES			
BAG HOOKS			
JBF2128	<input type="checkbox"/>	Bag Hooks on Modulite Seat	NC : 2105, 2173, 2227, 2228, 2229, 2233, 2240, 2257, 2291, 2292 149,76
CANEHOLDER			
JBF1312	<input type="checkbox"/>	Cane holder RH	NC : 1287, 2227, 2259, 1221 68,25
JBF1363	<input type="checkbox"/>	Cane holder LH	NC : 1286, 2228, 2260, 1222 68,25
FENDER CASTORS (black)			
JBF1416	<input type="checkbox"/>	Fender for Castors	◆
JBF1417	<input type="checkbox"/>	Fender for Drive wheels	◆
TRAY			
JBF1404	<input type="checkbox"/>	Tray, Swing Away RH	NC : 1207, 1707, 2209, 2275, 2276, 2287, 2288, 2283, 2284, 2285, 2286, 2265, 2266, 2207, 2213, 2214, 2217 502,37
JBF1405	<input type="checkbox"/>	Tray, Swing Away LH	NC : 1208, 1708, 2210, 2275, 2276, 2287, 2288, 2283, 2284, 2285, 2286, 2265, 2266, 2208, 2213, 2214, 2218 502,37
TOOLKIT			
JBF1333	<input type="checkbox"/>	Toolkit	29,38
Ramps			
1440530	<input type="checkbox"/>	Fiberglass Folding Mono Ramp Folded dimensions: 2000 x 230 mm 16.3 kg - maximum capacity: 300 kg	1 787,68
1654128	<input type="checkbox"/>	Basic ramp 2 telescopic parts in aluminum and non-slip coating. Folded dimensions: 1210 x 194 mm. 8.8 kg per pair - maximum capacity: 270 kg	298,58
1654129	<input type="checkbox"/>	Quick2go Compact 3-part aluminum telescopic ramp with non-slip coating Folded dimensions: 870 x 237 mm 13.6 kg per pair - maximum capacity: 260 kg	559,24
1654130	<input type="checkbox"/>	Aluminium folding mono ramp Folded dimensions: 1824 x 714 mm 13.9 kg - maximum capacity: 300 kg	317,54



1329



2701, 2702



2703, 2704



2705, 2706



2128



1416



1417



1404


1405



1440530



1654128



1654129



1654130