

Please contact Invacare EU Export Customer Services on :-
Tel : +33 247 626980 ; Email : serviceclient_export@invacare.com
 Or visit our website : www.invacare.eu.com



Invacare® TDX® SP2^{NB}* AA2

Mixt Power wheelchair 6 wheels



Date :

User Name :

Customer Code:

Dealer stamp :



Descriptive :

- Weight : from 125kg
- Max user weight : 150 kg
- Warranty: 2 years except batteries and wear parts
- New manipulator supports







Customization Service Invacare Unique

Please indicate your quote number or special manufacturing number :

Indicative Public Rate - Use the online configurator on Invacare Pro to generate quotes or orders free from incompatibilities.

please make your selection with a cross in the box Standard configuration Free of charge

CODE	DESCRIPTION	NC : Non Compatible (nc : 9999) not compatible with the reference 9999	EUROS	
ARM0016	<input type="checkbox"/> Invacare® TDX® SP2^{NB} AA2 <input type="checkbox"/> Power Module : 120 Ah Motors : 640W, 4 poles - Autonomy : +/- 26 km (50Ah)		5 260,66	
MODULITE MODULAR SEAT				
Seat type				
ARM2111	<input type="checkbox"/> Rigid Modulite Seat , width and depth adjustable, width adjustable armrests, (+25 mm per side) Width : 380 to 530 mm, adjustable in steps of 50 mm Depth : 410 to 510 mm STEPLESS ADJUSTABLE		◆	 2111
ARM2112	<input type="checkbox"/> Flexible Modulite Seat , tension, width and depth adjustable, width adjustable armrests, (+25 mm per side) - + 30 mm seat height Width : 380 to 530 mm, adjustable in steps of 50 mm Depth : 410 to 510 mm STEPLESS ADJUSTABLE		138,39	 2112
Seat width (Factory preset)				
	330mm (take seat width 380 mm (2121) + Inside curved armrest (2183))	NC : 2143, 2138+2142/2147/2144		
ARM2121	<input type="checkbox"/> 380 mm	NC : 2143, 2138+2142/2147/2144, 2701, 2703, 2705	○	
ARM2122	<input type="checkbox"/> 430 mm	NC : 2138/2142/2147, 2701, 2703, 2705	◆	
ARM2123	<input type="checkbox"/> 480 mm	NC : 2138+2142/2147, 2702, 2704, 2706	○	
ARM2124	<input type="checkbox"/> 530 mm	NC : Matrx backrests, 2143, 2702, 2704, 2706	138,39	
Seat width (Factory preset)				
ARM2129	<input type="checkbox"/> Standard Depth Package (SD range 410 - 510 mm)	NC : 2138	◆	
ARM2130	<input type="checkbox"/> Extended Depth Package (SD range 510 - 560 mm)	NC : 2132, 2134	246,45	
Seat Depth (Factory preset)				
ARM2132	<input type="checkbox"/> 410 mm	NC : 2196, 2197, 2198, 0556+wedge-thight, Bodypoint belt	○	
ARM2134	<input type="checkbox"/> 460 mm	NC : 0556+wedge-thight	◆	
ARM2136	<input type="checkbox"/> 510 mm	NC : 2143, 0556+wedge-thight	○	
ARM2138	<input type="checkbox"/> 560 mm (only with seat width 530 mm)	NC : 2143	138,39	
Seat cushion				
ARM2142	<input type="checkbox"/> Seat cushion Flo-tech Lite (for width from 380 to 480 mm, height 75 mm, max weight 127 kg) / Contour (for width 530 mm, height 100 mm, max weight 152 kg)		◆	 2143
ARM2143	<input type="checkbox"/> Seat cushion Flo-tech Contour Visco 430 x 430 mm (hauteur 90 mm, max weight 100 kg)	NC : 2155	76,78	
ARM2147	<input type="checkbox"/> Seat cushion Matrx Libra , (height 90mm, max weight 136kg)	NC : 2155	298,84	
ARM2144	<input type="checkbox"/> Seat cushion Matrx Vi (micro ventilated cover)	NC : 2155	298,84	
Backposts				
ARM2162	<input type="checkbox"/> Height 540 mm		○	
ARM2163	<input type="checkbox"/> Height 480 mm	NC : 2052, 2053, 2173	○	2147 2144

Pusch handles			
ARM2107	<input type="checkbox"/>	Pusch handles	◆
ARM2108	<input type="checkbox"/>	Without pusch handles - only for Flex 3 backrests	NC : 1307, 1332, 2220, 2219, 2245, 2227, 2228 233,18
Backrest support			
ARM2171	<input type="checkbox"/>	Tension adjustable backrest,bi-material padded incl. Back pocket	◆ NC : 1288, 1289, 1445, 2052, 2053, 2152, 2155, Elan headrest
ARM2179	<input type="checkbox"/>	Flex3 Tension Adjustable, delivered with Lateral back cushion, Dartex coating (extra charge)	○ NC : 2151,2153,2155,2192 2193,2194,1445,1446,2229, Elan headrest 226,54
ARM2173	<input type="checkbox"/>	Rigid backrest Flex 3 width and height adjustable (560 to 790 mm) with Laguna backrest cushion	○ NC : 2128
ARM2174	<input type="checkbox"/>	Matrx Posture Back , height 400 mm - incl. Back pocket	798,10
ARM2175	<input type="checkbox"/>	Matrx Posture Back , height 500 mm - incl. Back pocket	798,10
ARM2176	<input type="checkbox"/>	Matrx Elite , height 500 mm - incl. Back pocket	717,54
ARM2177	<input type="checkbox"/>	Matrx Elite TR , height 500 mm - incl. Back pocket	717,54
ARM2178	<input type="checkbox"/>	Matrx Elite Deep , height 500 mm - incl. Back pocket	717,54
COMMON OPTIONS FOR MODULITE SEATING			
Backrest cushion and / or seat upholstery (depending on configuration)			
ARM2151	<input type="checkbox"/>	Nylon noir	◆
ARM2152	<input type="checkbox"/>	Dartex noir	71,09
ARM2155	<input type="checkbox"/>	Mesh black	100,47
Armrest			
ARM2191	<input type="checkbox"/>	Height adjustable armrest 290 to 360 mm, in depth and removable, by pair	◆
ARM2181	<input type="checkbox"/>	Height adjustable armrest 340 to 400 mm, in depth and removable, by pair	NC : 2195, 2196, 2197, wedge-thight 284,36
ARM2198	<input type="checkbox"/>	Enveloping armrest, Dartex coating, by pair	70,14
ARM2183	<input type="checkbox"/>	Inside curved armrest, up to 50 mm width, 25 mm per side	NC : wedge-thight 137,44
ARM2193	<input type="checkbox"/>	Lifting armrest, ajustable height 230 - 360 mm	149,76
ARM2192	<input type="checkbox"/>	Lifting and parallel armrest, ajustable height 230 - 300 mm	NC : 1445 372,51
ARM2194	<input type="checkbox"/>	Lifting and parallel armrest, ajustable height 300 - 360 mm	NC : 1445 372,51
Armpad			
ARM2195	<input type="checkbox"/>	Standard armpad, length 325 mm, by pair	◆
ARM2196	<input type="checkbox"/>	Long armpad, length 375 mm, by pair	91,00
ARM2197	<input type="checkbox"/>	Ergonomic long armpad, length 397 mm, by pair	NC : 2230, 2247 129,86
Hemiplegic gutter			
	<input type="checkbox"/>	Hemiplegic gutter in special manufacturing	On demand only
	<input type="checkbox"/>	Hemi concave gutter with flat or curved horn palmar support and 360° right or left reversible rotator in 18° steps	On demand only
Seat accessories			
ARM2184	<input type="checkbox"/>	Left wedge-thight, 140x100 mm	NC : Bodypoint 332,70
ARM2186	<input type="checkbox"/>	Left wedge-thight, 230x100 mm	NC : Bodypoint 332,70
ARM2188	<input type="checkbox"/>	Left wedge-thight, 330x100 mm	NC : Bodypoint 332,70
ARM2185	<input type="checkbox"/>	Right wedge-thight 140x100 mm	NC : Bodypoint 332,70
ARM2187	<input type="checkbox"/>	Right wedge-thight 230x100 mm	NC : Bodypoint 332,70
ARM2189	<input type="checkbox"/>	Right wedge-thight 330x100 mm	NC : Bodypoint 332,70
Wedge-thight support height			
ARM2164	<input type="checkbox"/>	Wedge-thight support 155 mm	◆
ARM2165	<input type="checkbox"/>	Wedge-thight support 206 mm	○
Headrest and accessories			
ARM1350	<input type="checkbox"/>	Neckrest depth adjustable, Dartex coating	◆ NC : 2229, 2230, 2247
ARM1432	<input type="checkbox"/>	Neckrest depth and width adjustable	○ NC : 2229, 2230, 2247
ARM1427	<input type="checkbox"/>	Multi adjuastable neckrest Kontour with side earflaps, dartex coating	○ NC : 2229, 2230, 2247 361,14
ARM2324	<input type="checkbox"/>	Headrest Elan Standard 10" - Black cover	NC : 2230, 2247 383,89
ARM2325	<input type="checkbox"/>	Headrest Elan Occipital 9" - Black cover	NC : 2230, 2247 427,49
ARM2327	<input type="checkbox"/>	Headrest Elan 4 points 11" - Black cover	NC : 2230, 2247 559,24
ARM1307	<input type="checkbox"/>	Push bar (dia 22 mm) in conjunction with telescopic backposts	51,18
ARM1445	<input type="checkbox"/>	Lateral support with extended arm, Dartex upholstery, pair	NC : Matrx backrests 385,78



2171



2173




2191



2198



Hemi gutter



Concave gutter hemi



1432



1427



1445

SEAT ADJUSTMENTS FOR MODULITE SEAT				
Seat lifter / Seat tilt				
ARM1092	<input type="checkbox"/>	Powered tilt 0° à 20°	NC : 2054	○
ARM1095	<input type="checkbox"/>	Powered "fixed pivot" Tilt 20°, heavy duty	NC : 2054	○
ARM1093	<input type="checkbox"/>	Powered tilt with CoG shift 0° à 30°	NC : 0012, 0071, 0072, 0073, 0074, 2110, 2201, 1924, (1922/1923/1924/1496+1450/1494)	◆
ARM2052	<input type="checkbox"/>	Powered tilt with CoG shift 0° à 50°	NC : 0012, 2110, 0354, 0364, 2201, 1922/1496+1450/1494), 2161, 2163, 2171	○
ARM1094	<input type="checkbox"/>	Electric with compensation from 0° to 30° + Lift 300 mm - Electrically lifting seat (Max weight 150 kg) from 470 to 770 mm	NC : 2110, 2201, 1924, (1922/1923/1924+1350/1432/1427+1450/1494)	1 895,73
ARM2053	<input type="checkbox"/>	Electric with compensation from 0° to 45° + Lift 300 mm - Electrically lifting seat (Max weight 136 kg) from 470 to 770 mm	NC : 2110, 0354, 0364, (2054+0556/0589), 2201, 2202, (1922+1350/1432/1427/1496+1450/1494), 2161, 2163, 2171, 0012	1 895,73
Height floor-plate for electric from 0° to 20°				
ARM0354	<input type="checkbox"/>	450 mm		○
ARM0364	<input type="checkbox"/>	475 mm		○
Seat Tilt Option (only if option 1093 or 1094 has been selected)				
ARM2054	<input type="checkbox"/>	5° Fixed Anterior Tilt, Assist mount (will reduce max tilt angle by 5°)		488,15
Backrest recliner				
ARM0977	<input type="checkbox"/>	Electric from 0° to 30°		◆
FOOTREST / LEGRESTS				
Legrest / Footrest (pair) - Centre mounted legrests (incl calf pads)				
ARM0556	<input type="checkbox"/>	Centre mount legrest, angle settable	NC : 1094+2054, 0517	563,03
ARM0589	<input type="checkbox"/>	LNX Power centre mount legrest, length compensating	NC : 1094+2054	1 969,67
Footplates (pair)				
ARM2365	<input type="checkbox"/>	Angle & width adjustable footplates S (127 W x 190 mm D / 5"x7.5")		○
ARM0559	<input type="checkbox"/>	Angle & width adjustable footplates M (140 W x 240 mm D / 5.5"x9.5")		◆
ARM0516	<input type="checkbox"/>	Angle & width adjustable footplates L (150 W x 290 mm D / 6"x11.5")		143,13
ARM0517	<input type="checkbox"/>	Angle adjustable foot platform M (305 W x 275 mm D / 12"x10.75")		143,13
Footrest Hanger Type / Pairs				
ARM0533	<input type="checkbox"/>	Hanger Vari A pair		◆
ARM0531	<input type="checkbox"/>	Hanger ADElectric 0° - 80° pair		1 010,43
Footplate type / Pairs				
ARM0504	<input type="checkbox"/>	Angle Adjustable Footplate pair		◆
ARM0513	<input type="checkbox"/>	Angle and depth adjustable Footplate pair		107,11
REMOTE LINX				
Main control unit only for Electronic LINX				
ARM2203	<input type="checkbox"/>	Remote LINX REM211 : Driving and control of the cylinders	NC : 2229, 2231, 2232, 2230, 2247, 2257, 2233, 2240, 2270, 2219, 2245	◆
ARM2204	<input type="checkbox"/>	Remote LINX REM216 : Driving, control of cylinders and lighting	NC : 2229, 2231, 2232, 2230, 2247, 2257, 2233, 2240, 2270, 2219, 2245	○
ARM2205	<input type="checkbox"/>	Remote LINX REM400 : 3.5 "color touch screen and bluetooth - Driving, control of jacks and lights, mouse emulation	NC : 2220	1 309,00
ARM2206	<input type="checkbox"/>	Screen control LINX REM500 : 3.5 " color touch screen and bluetooth - Driving, cylinder and lighting control, mouse emulation	NC : 2220, 2270	1 969,67
REM400 option				
ARM2270	<input type="checkbox"/>	"Assignable Toggle Switch Module for REM400 (DLX-SW400TGL) as default set to left: ON/OFF, right speed dial"		390,52

NEW

NEW



0977



0533



0531

LINX



REM211



REM216



REM400

Bluetooth




REM500






Bluetooth















2270


Remote mounting position (REM211/216/400)				
ARM1207	<input type="checkbox"/>	Reversible right fixation, no retractable	NC : 1404	○
ARM1208	<input type="checkbox"/>	Reversible left fixation, no retractable	NC : 1405	○
ARM1707	<input type="checkbox"/>	Retractable on right + height adjustable, consolidated	NC : 1404	◆
ARM1708	<input type="checkbox"/>	Retractable on left + height adjustable, consolidated	NC : 1405	○
ARM1709	<input type="checkbox"/>	Maxx resolve , swing away in/out - RH	NC 1404, (2231/2232+2207/2213), (2233/2240+2235/2213/2241), (2257+2275)	○
ARM1710	<input type="checkbox"/>	Maxx resolve , swing away in/out - LH	NC 1405, (2231/2232+2208/2214), (2233/2240+2236/2214/2242), (2257+2276)	○
ARM2213	<input type="checkbox"/>	Montage central, escamotable à droite	NC : 1404, 1405, 1415	787,68
ARM2214	<input type="checkbox"/>	Montage central, escamotable à gauche	NC : 1404,1405, 1339	787,68
ARM2227	<input type="checkbox"/>	Fixation in right for third person(moving the manipulator)	NC : 2219, 2220, 2108, 1287, 2128	145,97
ARM2228	<input type="checkbox"/>	Fixation in left for third person(moving the manipulator)	NC : 2219, 2220, 2108, 1286, 2128	145,97
AVZ2239	<input type="checkbox"/>	Custom Installation, thank you specify your request:		On demand only
Mounting the LINX REM500 Control Screen				
ARM2209	<input type="checkbox"/>	Swing away RH, multi-adjustable	NC : 1404, 1415	◆
ARM2210	<input type="checkbox"/>	Swing away LH, multi-adjustable	NC : 1405, 1339	○
PW-4005	<input type="checkbox"/>	Option 2209/2210 avec tige de fixation pour REM500 rallongée de 200 mm		On demand only
ARM2213	<input type="checkbox"/>	Centre Mount, swing-away to RH, Nucleus	NC : 1404, 1405, 1415	749,76
ARM2214	<input type="checkbox"/>	Centre Mount, swing-away to LH, Nucleus	NC : 1404,1405, 1339	749,76
AVZ2239	<input type="checkbox"/>	Custom Installation, thank you specify your request:		On demand only
Dual LiNX remote (User + third person)				
ARM2220	<input type="checkbox"/>	Dual Control LINX (REM050 - use driving profile 2 of the REM211/216 - speed limited to 6km/h)	NC : 1221, 1222, 2227, 2228	677,02
ARM2219	<input type="checkbox"/>	Dual Compact LINX control- 3 driving profiles dedicated and cylinder control	NC : 1221, 1222, 2227, 2228	1 255,92
ARM2245	<input type="checkbox"/>	Dual intuitive LINX control- dedicated driving profile	NC : 1207, 1208, 2227, 2228	1 563,98
ARM1207	<input type="checkbox"/>	Fixing on the right - only with REM050 and Compact		◆
ARM1208	<input type="checkbox"/>	Fixing on the left - only with REM050 and Compact		○
ARM1221	<input type="checkbox"/>	Right fixations, removable - only with intuitive LiNX control		◆
ARM1222	<input type="checkbox"/>	Left fixations, removable - only with intuitive LiNX control		○
If multiple joysticks are to be mounted on the center mount mount (2213/2214), select option 2215				
Mo-Vis special controls - refer to the order sheet				
				
Compact Proportional Joysticks - Only with REM400 and REM500				
ARM2231	<input type="checkbox"/>	LiNX Compact proportional joystick (deflection force: 160 g)		1 309,00
ARM2232	<input type="checkbox"/>	LiNX Compact Proportional Low Force joystick (deflection force: 112 g)		1 509,00
ARM2207	<input type="checkbox"/>	Fixing on the right	NC : 1404	◆
ARM2208	<input type="checkbox"/>	Fixing on the left - only with REM050 and Compact	NC : 1405	○
ARM2213	<input type="checkbox"/>	Central fixing, retractable on the right	NC : 1404, 1405, 1415	825,59
ARM2214	<input type="checkbox"/>	Central fixing, retractable on the left	NC : 1404, 1405, 1339	825,59
AVZ2215	<input type="checkbox"/>	Custom Installation, thank you specify your request:		On demand only
Chin control - Only with REM400 and REM500				
ARM2229	<input type="checkbox"/>	Proportional Chin Joystick (ASL138) + egg switch		3 463,51
ARM1289	<input type="checkbox"/>	Swing Away Bracket RH, side manual (ASL628) (ONLY IN COMBINATION WITH HEADREST 2125)	NC : 1350, 1432, 1427, 2322	◆
ARM1288	<input type="checkbox"/>	Swing Away Bracket LH, side manual (ASL628) (ONLY IN COMBINATION WITH HEADREST 2125)	NC : 1350, 1432, 1427, 2322	○
ARM1287	<input type="checkbox"/>	Swing Away Bracket RH, powered	NC : 2125,2227,1404, 1415, 1312	1 662,56
ARM1286	<input type="checkbox"/>	Swing Away Bracket LH, powered	NC : 2125,2227,1405, 1339, 1363	1 662,56
Additional options LINX				
ARM2230	<input type="checkbox"/>	Head Control with ultrasonic proximity sensors (ATOM, ASL104) with standard wings M3	NC : 2233, 2092, 2323, 2324, 2322, 2325, 2326, 2327, 2257, 2240	6 494,79
ARM2247	<input type="checkbox"/>	Head Control with ultrasonic proximity sensors (PROTON, ASL104P) with PROTON wings	NC : 2233, 2092, 2323, 2324, 2322, 2325, 2326, 2327, 2257, 2240	6 494,79
Four-Switch Proximity Array (with ATOM technology)				
ARM2257	<input type="checkbox"/>	Four-Switch Proximity Array (ASL106)	NC : 2128, 2233, 2240	7 048,34
ARM2275	<input type="checkbox"/>	Centre Mount, swing-away to RH, Nucleus (incl. Eclipse Tray ASL619, 360x180 mm)		○
ARM2276	<input type="checkbox"/>	Centre Mount, swing-away to LH, Nucleus (incl. Eclipse Tray ASL619, 360x180 mm)		○
ARV2215	<input type="checkbox"/>	Individual mounting option per request (Special) - REQUIRES ADDITIONAL INFORMATION / SPECIFICATION		On demand only
Wireless Accessories for ATOM				
ARM2250	<input type="checkbox"/>	Wireless Mouse Emulator (ASL558)		1 730,81









NEW



Micro extremity control					
ARM2233	<input type="checkbox"/>	MEC Proportional Joystick (Micro Extremity Control ASL130)	NC : 2128, 2240	3 872,04	 2250
ARM2235	<input type="checkbox"/>	Tray Mount RH (100x150 mm)		○	 2233
ARM2236	<input type="checkbox"/>	Tray Mount LH (100x150 mm)		○	
ARM2213	<input type="checkbox"/>	Centre Mount, swing-away to RH, Nucleus	NC : 1404, 1405, 2310, 2311	○	
ARM2214	<input type="checkbox"/>	Centre Mount, swing-away to LH, Nucleus	NC : 1404, 1405, 2310, 2311	○	
ARM2241	<input type="checkbox"/>	Centre Mount, swing-away to RH, Nucleus (incl. Tray 100x150 mm)	NC : 1404, 1405, 2310, 2311	825,59	
ARM2242	<input type="checkbox"/>	Centre Mount, swing-away to LH, Nucleus (incl. Tray 100x150 mm)		825,59	
AVZ2215	<input type="checkbox"/>	Individual Mounting option per request (Special)		On demand only	
Heavy Duty Remote Joystick					
ARM2240	<input type="checkbox"/>	Proportional Heavy Duty Remote Joystick with mode switch (ASL133)	NC : 2128	3 115,64	 2240
ARM2235	<input type="checkbox"/>	Tray Mount RH (ASL603, 100x150 mm)		○	
ARM2236	<input type="checkbox"/>	Tray Mount LH (ASL603, 100x150 mm)		○	
ARM2213	<input type="checkbox"/>	Centre Mount, swing-away to RH, Nucleus		○	
ARM2214	<input type="checkbox"/>	Centre Mount, swing-away to LH, Nucleus		○	
ARM2241	<input type="checkbox"/>	Centre Mount, swing-away to RH, Nucleus (incl. Tray ASL603, 100x150 mm)		825,59	
ARM2242	<input type="checkbox"/>	Centre Mount, swing-away to LH, Nucleus (incl. Tray ASL603, 100x150 mm)		825,59	
ARV2215	<input type="checkbox"/>	Individual mounting option per request (Special) - REQUIRES ADDITIONAL INFORMATION / SPECIFICATION		On demand only	
Additional options LINX					
ARM2251	<input type="checkbox"/>	10-Way Switch DLX-SW10-A for direct Powered Seating Access (includes loom to connect + additional jack for mode switch)	NC : 2209, 2213	610,43	 2251
ARM2217	<input type="checkbox"/>	Bracket RH, mounted for user	NC : 2209, 2213, 1415	○	
ARM2218	<input type="checkbox"/>	Bracket LH, mounted for user	NC : 2210, 2214	○	
ARM2227	<input type="checkbox"/>	Bracket RH, mounted for attendant	NC : 1287, 2128	○	
ARM2228	<input type="checkbox"/>	Bracket LH, mounted for attendant	NC : 1286, 2128	○	
ARM2225	<input type="checkbox"/>	Without mounting		○	
ARM2252	<input type="checkbox"/>	Loom providing jack sockets for "Drive" and "Mode" (includes connection for 10-Way Switch)		99,53	
Accessories LINX					
ARM2253	<input type="checkbox"/>	USB Charger Port DLX-USB02-A	NC : 2110, Belt bodypoint	271,09	 2253
ARM2207	<input type="checkbox"/>	Fixing on the right	NC : 1404	○	
ARM2208	<input type="checkbox"/>	Fixing on the left	NC : 1405	○	
Others accessories and contactors					
ARM2300	<input type="checkbox"/>	To be included with the armchair		○	
AVZ2301	<input type="checkbox"/>	To connect and program (Special)		On demand only	
Round and flat switch (diameter 63 mm - delivered unassembled - take option 2252 obligatorily if no REM400 or REM500)					
ARM1685	<input type="checkbox"/>	Red Buddy Button		149,76	
ARM1686	<input type="checkbox"/>	Yellow Buddy Button		149,76	
ARM1687	<input type="checkbox"/>	Green Buddy Button		149,76	
ARM1690	<input type="checkbox"/>	Blue Buddy Button		149,76	
Egg switch (option 2252 required if no REM400)					
ARM2254	<input type="checkbox"/>	Egg switch, black		149,76	
Mini contactors round and flat (diameter 30 mm - delivered unassembled - to take option 2252 obligatorily if not REM400 or REM500)					
ARM1711	<input type="checkbox"/>	Mini contactor Red		149,76	
ARM1712	<input type="checkbox"/>	Mini contactor Yellow		149,76	
ARM1713	<input type="checkbox"/>	Mini contactor Green		149,76	
ARM1714	<input type="checkbox"/>	Mini contactor Orange		149,76	
ARM1715	<input type="checkbox"/>	Mini contactor Blue		149,76	
ARM1716	<input type="checkbox"/>	Mini contactor Black		149,76	
Remote Stop Switch					
ARM2258	<input type="checkbox"/>	Remote Stop Switch (ASL504)		955,45	 2258
Bodypoint					
ARM2721	<input type="checkbox"/>	3 inch U-Shaped, Joystick Handle, Bodypoint PC101A		100,00	 2721 2722
ARM2722	<input type="checkbox"/>	4 inch U-Shaped, Joystick Handle, Bodypoint PC102A		100,00	 2723
ARM2723	<input type="checkbox"/>	Domed Rubber, Joystick Handle, Bodypoint PC107A		100,00	
ARM2724	<input type="checkbox"/>	Mushroom Grooved, Joystick Handle, Bodypoint PC110A		100,00	 2724

DRIVE UNIT OPTIONS				
Shroud colours				
ARP2640	<input type="checkbox"/>	Obsidian black		○
ARP2641	<input type="checkbox"/>	Ruby red		○
ARP2642	<input type="checkbox"/>	Purple Passion		○
ARP2643	<input type="checkbox"/>	Peacock blue		○
ARP2644	<input type="checkbox"/>	Artic blue		○
Rim insert colours				
ARP2650	<input type="checkbox"/>	Obsidian black		○
ARP2651	<input type="checkbox"/>	Ruby red		○
ARP2652	<input type="checkbox"/>	Purple Passion		○
ARP2653	<input type="checkbox"/>	Peacock blue		○
ARP2654	<input type="checkbox"/>	Artic blue		○
Performance				
Forks				
ARM2631	<input type="checkbox"/>	Single sided fork (new) incl. black castor		456,87
ARM2632	<input type="checkbox"/>	Double sided fork		◆
Centre / Drive wheels				
ARO0704	<input type="checkbox"/>	14"x3" Black Tires, Pneumatic		◆
ARO0705	<input type="checkbox"/>	14"x3" Black Tires, Solid tire		71,09
ARO0706	<input type="checkbox"/>	14"x3" Black Tires Puncture Protect		○
Motor type / Speed Options				
ARM1282	<input type="checkbox"/>	OPS Drive 6 km/h (4-pole)		◆
ARM1283	<input type="checkbox"/>	OPS Drive 10 km/h (4-pole)		○
Battery				
ARM1257	<input type="checkbox"/>	50 Ah Gel		◆
Charger				
ARM1313	<input type="checkbox"/>	OptiCharge Charger 10A		◆
GYROSCOPE				
G-Trac				
ARM1215	<input type="checkbox"/>	G-Trac modul (Directional control of the trajectory while driving)		1 188,63
POSITIONNING OPTIONS				
<i>For Bodypoint accessories, please refer to the Bodypoint specific pricelist.</i>				
OPTIONS				
Lights				
ARM1367	<input type="checkbox"/>	Standard security light system equipment Storm*3 type - Blinkers, position lights, warning (check a LiNX REM216, REM400 or REM500 manipulator)		721,33
ARM1437	<input type="checkbox"/>	LED Security light system equipment Storm*3 type - Blinkers, position lights, warning (check a LiNX REM216, REM400 or REM500 manipulator)		785,78
ARM1254	<input type="checkbox"/>	Without light system		◆
Transportation Kit				
ARM1450	<input type="checkbox"/>	Preparation for DAHL-Docking station, (Adequate headrest is compulsory) IN COMBINATION WITH 30°TILT OR TILT/LIFTMODULE (1093/1094) MAX USER WEIGHT IS LIMITED TO 136 KG!		738,39
Taxi hanger				
ARM1494	<input type="checkbox"/>	Accroche-taxis conformes à la norme ISO7176-19 : 2001 pour le transport des personnes		◆
Fixation belt				
ARM1329	<input type="checkbox"/>	Fixation Belt with Auto Lock	NC : Belt bodypoint	◆
ARM2113	<input type="checkbox"/>	Fixation beltwith auto lock with adjustable attachment points on the seat	NC : Belt bodypoint	57,82
ARM1332	<input type="checkbox"/>	H-Belt		311,85



Ceintures de positionnement Bodypoint (fixations incluses)				
ARM2701	<input type="checkbox"/>	Evoflex Pelvic Stabilizer, Rehab Latch Size L (padded length 620 mm)	156,40	 2701, 2702
ARM2702	<input type="checkbox"/>	Evoflex Pelvic Stabilizer, Rehab Latch Size M (padded length 460 mm)	156,40	
ARM2703	<input type="checkbox"/>	2-Point Hip Belt, Ctr-Pull, Push Butt, Cinch-Mount Size L (padded length 620 mm)	133,65	 2703, 2704
ARM2704	<input type="checkbox"/>	2-Point Hip Belt, Ctr-Pull, Push Butt, Cinch-Mount Size M (padded length 460 mm)	133,65	
ARM2705	<input type="checkbox"/>	2-Point Hip Belt, Dual-Pull, Side-Release Butt. Cinch-Mount Size L (padded length 620 mm)	125,12	 2705, 2706
ARM2706	<input type="checkbox"/>	2-Point Hip Belt, Dual-Pull, Side-Release Butt. Cinch-Mount Size M (padded length 460 mm)	116,59	
Rearview mirror				
ARM1415	<input type="checkbox"/>	Right	79,62	 2128
ARM1339	<input type="checkbox"/>	Left	79,62	
Back Hook				
ARM2128	<input type="checkbox"/>	Bag hooks (on Modulite Seat) (max load up to 6 kg = impact on max user weight)	172,51	
Caneholder				
ARM1312	<input type="checkbox"/>	Right	77,73	 1404 1405
ARM1363	<input type="checkbox"/>	Left	77,73	
Swing away tray				
ARM1404	<input type="checkbox"/>	Right	579,15	 1440530
ARM1405	<input type="checkbox"/>	Left	579,15	
RAMPS				
1440530	<input type="checkbox"/>	Fiberglass Folding Mono Ramp Folded dimensions: 2000 x 230 mm 16.3 kg - maximum capacity: 300 kg	1 787,68	 1440530
1654130	<input type="checkbox"/>	Aluminium folding mono ramp Folded dimensions: 1824 x 714 mm 13.9 kg - maximum capacity: 300 kg	426,54	 1654130