

Rea® Azalea® Assist Max

Please contact Invacare EU Export Customer Services on :-
Tel : +33 247 626980 ; Email : serviceclient_export@invacare.com
Or visit our website : www.invacare.eu.com



Rea® Azalea® Assist Max



Manual steel wheelchair with folding frame



Description:

- Seat tilt with maintenance of the center of gravity and the correct position of the leg rests: 0°/20° and of the backrest: 0°/30° by pneumatic jacks.
- Adjustable legrests from 0° to 80° and width-adjustable armrests.
- Coating: Black Dartex.
- Frame colour: Pearl gray (RAL 0515).
- Weight: from 54 kg.
- Maximum user weight: 180 kg.
- 2-year warranty period excluding wear parts



Date :

Purchase Order :





Customer Code :


Distributor Stamp :















Invacare Unique Customization Service
Please specify the quote or special production number:

- Please make your selection with a cross in the box ◆ Standard feature ○ Free of charge option

CODE	DESCRIPTION	NC : Non Compatible NC : 9999 = not compatible with the reference 9999	Euros
BSB0015	<input type="checkbox"/> Rea® Azalea® Assist Max		5 531,75
PROPULSION TYPE			
BSB0020	<input type="checkbox"/> TRANSIT: 16" WHEELS WITH HUB BRAKES	◆	
SEAT DIMENSIONS			
SEAT WIDTH			
BSB0050	<input type="checkbox"/> 550 MM	○	
BSB0060	<input type="checkbox"/> 610 MM	○	
SEAT WIDTH EXTENSION (PRE ADJUSTMENT)			
BSB0080	<input type="checkbox"/> + 100 MM (ONLY 16" REAR WHEELS)	○	
SEAT DEPTH			
BSB0090	<input type="checkbox"/> 530-600 MM	◆	
SEAT HEIGHT			
BSB0110	<input type="checkbox"/> 450 MM	◆	
SEAT TYPE			
BSB0120	<input type="checkbox"/> DEPTH ADJUSTABLE	◆	
SEAT CUSHION			
BSB0130	<input type="checkbox"/> MAX SEAT CUSHION - SEAT UPHOLSTERY MANDATORY	◆	
SEAT UPHOLSTERY			
BSB0155	<input type="checkbox"/> BLACK PU TR26 - MUTLI STRETCH PU COATED FABRIC	◆	
BACKREST			
BACKREST TYPE			
BSB0160	<input type="checkbox"/> BACKREST, TENSION ADJUSTABLE - PRE-ADJUSTED SPACE UPWARDS	◆	 0160
BACKREST COVER/ CUSHION			
BSB0170	<input type="checkbox"/> COVER, LATERAL - BACKREST UPHOLSTERY MANDATORY	◆	 0170
BSB0180	<input type="checkbox"/> CUSHION, LAGUNA (LATERAL SUPPORT) - BACKREST UPHOLSTERY MANDATORY	○	NC : 0415
BACKREST UPHOLSTERY			
BSB0215	<input type="checkbox"/> BLACK PU TR26 - MUTLI STRETCH PU COATED FABRIC	◆	 0180
PUSHHANDLES			
BSB0220	<input type="checkbox"/> PUSH HANDLES BRACED	◆	 0220
BSB0230	<input type="checkbox"/> HIGH PUSH BAR		50,24
SEAT TILT AND BACKREST REGULATION TYPE			
BSB0240	<input type="checkbox"/> ASSISTANT OPERATED GAS PISTON SEAT AND BACKREST TILT. - TILT LOCK MANDATORY	◆	
BSB0605	<input type="checkbox"/> TILT LOCK (LOCKING OF PRE-SET ANGLE)	◆	



LEGRESTS / FOOTRESTS					
LEGRESTS / HANGERS TYPE					
BSB0260	<input type="checkbox"/>	HANGER ANGLE ADJUSTABLE WITH KNEE PAD AND REINFORCED, SEPARATE CALF SUPPORT, PAIR		◆	
FOOTRESTS TYPE					
BSB0280	<input type="checkbox"/>	FOOTREST LOWER PART, DEPTH AND ANGLE ADJUSTABLE WITH SHORT TUBE AND FOOTBOARD CONVERTER, PAIR		○	
BSB0290	<input type="checkbox"/>	FOOTREST LOWER PART, DEPTH AND ANGLE ADJUSTABLE WITH LONG TUBE AND FOOTBOARD CONVERTER, PAIR		◆	
ARMRESTS (Height adjustable, Autolock attachment included)					
ARMRESTS LH TYPE					
BSB0300	<input type="checkbox"/>	REINFORCED, WIDE PAD, LH		◆	
ARMRESTS RH TYPE					
BSB0320	<input type="checkbox"/>	REINFORCED, WIDE PAD, RH		◆	
SEATING OPTIONS					
ARMREST OPTIONS					
BSB0340	<input type="checkbox"/>	SIDE SUPPORT COVER		70,14	
BSB0350	<input type="checkbox"/>	CUSHION TO SIDE SUPPORT COVER		15,17	
BACKREST OPTIONS					
BSB0370	<input type="checkbox"/>	HEADREST, SIDEWISE ADJUSTABLE	NC : 0400	○	0370
BSB0390	<input type="checkbox"/>	HEADREST WITH CHEEK SUPPORT, SIDEWISE ADJUSTABLE	NC : 0380, 0400	225,59	
BSB0380	<input type="checkbox"/>	COVER FOR HEADREST		57,82	
BSB0400	<input type="checkbox"/>	NECKREST		◆	0570
OTHERS BACKREST OPTIONS					
BSB0415	<input type="checkbox"/>	LATERAL POSITIONING PADS (WITH LOOP BAND BETWEEN COVER AND BACKREST UPHOLSTERY), PAIR		237,91	
BSB0420	<input type="checkbox"/>	HANDLES CLINIC KIT FOR HEAD-/NECKREST		30,33	
BSB0430	<input type="checkbox"/>	LUMBAR SUPPORT CUSHION		35,07	
BSB0440	<input type="checkbox"/>	WEDGES (ONE PAIR)		16,11	
CHASSIS					
CHASSIS COLOUR					
BSB0441	<input type="checkbox"/>	PEARL GREY		◆	 0441 0442 0443 0444 0445
BSB0442	<input type="checkbox"/>	AZURITE		○	
BSB0443	<input type="checkbox"/>	SAND		○	
BSB0444	<input type="checkbox"/>	ELECTRIC GREEN		○	
BSB0445	<input type="checkbox"/>	HAPPY RED		○	
CHASSIS SAFETY					
BSB0450	<input type="checkbox"/>	CHASSIS EXTENDER, CASTORS 50 MM FORWARD.		87,20	
CASTOR ATTACHMENT TYPE					
BSB0460	<input type="checkbox"/>	FIXED		◆	
FRONT CASTORS					
BSB0495	<input type="checkbox"/>	8"x2" - 200X45 BLACK SOLID TYRE		◆	
FRONT CASTORS					
REAR WHEELS SIZE					
BSB0512	<input type="checkbox"/>	16" / 405 MM - FIXED REAR WHEEL ATTACHMENT		◆	
REAR WHEELS TYPE					
BSB0524	<input type="checkbox"/>	DRUM BRAKE (22/24" : COLORLESS HUB, CLEAR ANODIZED RIM & STAINLESS STEEL SPOKES / 16" : BLACK PLASTIC HUB & RIM)		◆	
TYRE TYPE					
BSB0535	<input type="checkbox"/>	TYRES SOLID BLACK 1" 3/8		◆	
SAFETY					
BRAKE TYPE					
BSB0560	<input type="checkbox"/>	USER MANOUVERED TYRE BRAKES		◆	 0570 0590
SAFETY OPTIONS					
BSB0570	<input type="checkbox"/>	PELVIC BELT - PLASTIC BUCKLE		◆	
BSB0590	<input type="checkbox"/>	REFLECTORS KIT (WHEELS AND CHASSIS)		41,71	
OPTIONS					
<i>Think of Bodypoint positioning accessories: belts, harnesses, ankle supports.</i>					

OPTIONS					
BSB0600	<input type="checkbox"/>	TABLE WITH ELBOW SUPPORTS		453,08	 0600
RAMPS					
1440530	<input type="checkbox"/>	Fiberglass Folding Mono Ramp Folded dimensions: 2000 x 230 mm 16.3 kg - maximum capacity: 300 kg		1 787,68	 1440530
1654128	<input type="checkbox"/>	Basic ramp 2 telescopic parts in aluminum and non-slip coating. Folded dimensions: 1210 x 194 mm. 8.8 kg per pair - maximum capacity: 270 kg		402,84	 1654128
1654129	<input type="checkbox"/>	Quick2go Compact 3-part aluminum telescopic ramp with non-slip coating Folded dimensions: 870 x 237 mm 13.6 kg per pair - maximum capacity: 260 kg		805,69	 1654129
1654130	<input type="checkbox"/>	Aluminium folding mono ramp Folded dimensions: 1824 x 714 mm 13.9 kg - maximum capacity: 300 kg		426,54	 1654130