

# Invacare® Action®<sup>5</sup> Rigid

Please contact Invacare EU Export Customer Services on :-  
Tel : +33 247 626980 ; Email : serviceclient\_export@invacare.com  
Or visit our website : www.invacare.eu.com



## Invacare® Action®<sup>5</sup> Rigid

Aluminum manual wheelchair, rigid frame



### Description:

- Rigid frame
- Fixed, angle-adjustable or folding and angle-adjustable backrest
- Seat width up to 530 mm
- Max user weight: 100 kg (Only for seat widths from 305 to 330 mm) or 130 kg
- Complete weight: from 10.8 kg
- Transport weight: from 6.8 kg
- 2-year warranty period excluding wear parts



Date :

Purchase Order :

Customer Code :

Distributor Stamp:



Invacare Unique Customization Service




Please specify the quote or special production number:

Please make your selection with a cross in the box

◆ Standard feature

○ Free of charge option

| CODE   |                          | DESCRIPTION  | NC : Non Compatible<br>NC : 9999 = not compatible with the reference 9999   | Euros   |  |
|--|--------------------------|--|---|---------|--|
| SJE0110  | <input type="checkbox"/> | Invacare® Action® <sup>5</sup> Rigid- Fixed Backrest                         |   | 1616,11 |  |
| SJE0115  | <input type="checkbox"/> | Invacare® Action® <sup>5</sup> Rigid - Angle Adjustable Backrest             |   | 1725,12 |  |
| SJE0120  | <input type="checkbox"/> | Invacare® Action® <sup>5</sup> Rigid - Angle Adjustable and Folding Backrest |   | 1935,55 |  |
| <b>ALBER (Only Compatible with 24" wheels and 0° camber)</b> |                          |  |   |         |  |
| SJE0180  | <input type="checkbox"/> | BRACKET FOR TWION AND E-MOTION M25 WITH ALBER ANTI-TIPPERS                   | NC : 4050, 4150, 7302, 7304, 8160, 8500, 8550, 9000, 9100, 9200   | 579,15  |  |
| <b>FRAME TYPE</b>  |                          |  |   |         |  |
| SJE0200  | <input type="checkbox"/> | SWING AWAY FRAME   | NC : 3230, 3440, 3450   | ◆       |  |
| SJE0210  | <input type="checkbox"/> | FIXED FRONT END 80 DEGREE ANGLE FRAME  | NC : 3400, 3410, 3420, 3430   | ○       |  |
| <b>PROPULSION TYPE</b>                                       |                          |  |   |         |  |
| SJE0300  | <input type="checkbox"/> | Self Propulsion  |   | ◆       |  |
| <b>SEAT</b>  |                          |  |   |         |  |
| <b>SEAT WIDTH (SW)</b>                                       |                          |  |   |         |  |
| SJE1000  | <input type="checkbox"/> | 305 mm - Max user 100 Kg   | NC : 1150, 1160, 1190, 2430 à 2452, 2465, 2470, 2475, 2478 3040, 3140, 3400, 5006, 5007, 5008, 5009, 5010, 5020, 5040, 5042, 5044, 5090, 5600 | ○       |  |
| SJE1010  | <input type="checkbox"/> | 330 mm - max user 100 kg   | NC : 1150, 1160, 1190, 2482, 2484, 2488, 2490, 2492, 3040, 3140, 3400, 5006, 5007, 5008, 5009, 5010, 5020, 5040, 5042, 5044, 5090, 5600       | ○       |  |
| SJE1020  | <input type="checkbox"/> | 355 mm   | 2484, 2486, 2490, 2492, 3040, 3140, 5006, 5007, 5008, 5009, 5010, 5020, 5040, 5042, 5044, 5090, 5600  | ○       |  |
| SJE1030  | <input type="checkbox"/> | 380 mm   | NC : 2486, 2488, 2490, 2492, 5008   | ○       |  |
| SJE1040  | <input type="checkbox"/> | 405 mm   | NC : 2481, 2488, 2490, 2492   | ○       |  |
| SJE1050  | <input type="checkbox"/> | 430 mm   | NC : 2481, 2482, 2490, 2492   | ○       |  |
| SJE1060  | <input type="checkbox"/> | 455 mm   | NC : 2481, 2482, 2484, 2492   | ○       |  |
| SJE1070  | <input type="checkbox"/> | 480 mm   | NC : 2481, 2482, 2484, 2486, 5006, 5007, 5090   | ○       |  |
| SJE1075  | <input type="checkbox"/> | 505 mm   | NC : 2481, 2842, 2484, 2486, 2488, 5006, 5007, 5008, 5009, 5090   | ○       |  |
| SJE1078  | <input type="checkbox"/> | 530 mm   | NC : 1100, 1110, 1170, 2481, 2482, 2486, 2488, 2490, 5006, 5007, 5008, 5009, 5010, 5020, 5040, 5042, 5044, 5090                               | ○       |  |

| Seat depth (length of seat cover = seat depth - 25 mm)  |                          |   |   |        |
|---|--------------------------|---|---|--------|
| SJE1100   | <input type="checkbox"/> | 350 mm  | NC : 3040, 3140, 4050, 4150, 5006, 5007, 5008, 5009, 5010, 5020, 5040, 5042, 5044, 5090 | ○      |
| SJE1110   | <input type="checkbox"/> | 375 mm  | NC : 4050, 4150, 5006, 5007, 5008, 5009, 5010, 5020, 5040, 5042, 5044, 5090             | ○      |
| SJE1120   | <input type="checkbox"/> | 400 mm  | NC : 5008, 5052, 5054   | ◆      |
| SJE1130   | <input type="checkbox"/> | 425 mm  | NC : 5052, 5054   | ○      |
| SJE1140   | <input type="checkbox"/> | 450 mm  | NC : 5054   | ○      |
| SJE1150   | <input type="checkbox"/> | 475 mm  | NC : 5006, 5007, 5054, 5090   | ○      |
| SJE1160   | <input type="checkbox"/> | 500 mm  | NC : 5006, 5007, 5008, 5009, 5020, 5040, 5090   | ○      |
| SJE1170   | <input type="checkbox"/> | Adjustable 400 to 350 mm - Delivered at 375 mm  | NC : 4050, 4150, 5006, 5007, 5008, 5009, 5010, 5020, 5040, 5042, 5044, 5090             | ○      |
| SJE1180   | <input type="checkbox"/> | Adjustable 450 to 400 mm - Delivered at 425 mm  | NC : 5054   | ○      |
| SJE1190   | <input type="checkbox"/> | Adjustable 500 to 450 mm - Delivered at 475 mm  | NC : 5006, 5007   | ○      |
| SEAT HEIGHT IN FRONT (FSTF) OF THE CHAIR, MEASURED FROM FLOOR TO TOP OF SEAT RAIL                 |                          |   |   |        |
| SJE1220   | <input type="checkbox"/> | 410 mm  |   | ○      |
| SJE1230   | <input type="checkbox"/> | 435 mm  |   | ○      |
| SJE1240   | <input type="checkbox"/> | 460 mm  |   | ○      |
| SJE1250   | <input type="checkbox"/> | 485 mm  |   | ◆      |
| SJE1260   | <input type="checkbox"/> | 510 mm  | NC : 7000, 7040   | ○      |
| Rear seat height (must be ≤ front seat height; max - 50mm vs front seat height)                   |                          |   |   |        |
| SJE1310   | <input type="checkbox"/> | 385 mm  |   | ○      |
| SJE1320   | <input type="checkbox"/> | 410 mm  |   | ○      |
| SJE1330   | <input type="checkbox"/> | 435 mm  |   | ○      |
| SJE1340   | <input type="checkbox"/> | 460 mm  |   | ◆      |
| SJE1350   | <input type="checkbox"/> | 485 mm  | NC : 7200, 7220   | ○      |
| SEAT UPHOLSTERY TYPE  |                          |   |   |        |
| SJE1520   | <input type="checkbox"/> | TENSION ADJUSTABLE SEAT UPHOLSTERY & DEPTH ADJUSTABLE -50MM   |   | ◆      |
|  1520        |                          |   |   |        |
| BACKREST  |                          |   |   |        |
| BACKREST FIXED HEIGHT (UPHOLSTERY MOVES)  |                          |   |   |        |
| SJE2130   | <input type="checkbox"/> | FIXED 7°, HEIGHT 300 MM / 12" - HEIGHT 300 MM / 12"   | NC : 2300, 2310, 2400, 2410, 2420, 2505, 8160, 8200                                     | ○      |
| SJE2140   | <input type="checkbox"/> | FIXED 7°, HEIGHT 325 MM / 14" - HEIGHT 325-350 MM / 13"-14" SET AT 350MM / 14" (2 positions, 25mm / 1" steps through uph) | NC : 2300, 2310, 2400, 2410, 2420, 2505, 8160, 8200                                     | ○      |
| SJE2143   | <input type="checkbox"/> | FIXED 7°, HEIGHT 350 MM / 14" - HEIGHT 325-350 MM / 13"-14" SET AT 350MM / 14" (2 positions, 25mm / 1" steps through uph) | NC : 2300, 2310, 2400, 2410, 2420, 2505, 8160, 8200                                     | ○      |
| SJE2150   | <input type="checkbox"/> | FIXED 7°, HEIGHT 375 MM / 16" - HEIGHT 375-400 MM / 15"-16" SET AT 400MM / 16" (2 positions, 25mm / 1" steps through uph) | NC : 2300, 2310, 2400, 2410, 2420   | ○      |
| SJE2153   | <input type="checkbox"/> | FIXED 7°, HEIGHT 400 MM / 16" - HEIGHT 375-400 MM / 15"-16" SET AT 400MM / 16" (2 positions, 25mm / 1" steps through uph) | NC : 2300, 2310, 2400, 2410, 2420   | ◆      |
| SJE2160   | <input type="checkbox"/> | FIXED 7°, HEIGHT 425 MM / 18" - HEIGHT 425-450 MM / 17"-18" SET AT 450MM / 18" (2 positions, 25mm / 1" steps through uph) | NC : 2300, 2310, 2400, 2410, 2420   | ○      |
| SJE2163   | <input type="checkbox"/> | FIXED 7°, HEIGHT 450 MM / 18" - HEIGHT 425-450 MM / 17"-18" SET AT 450MM / 18" (2 positions, 25mm / 1" steps through uph) | NC : 2300, 2310, 2400, 2410, 2420   | ○      |
| SJE2170   | <input type="checkbox"/> | FIXED 7°, HEIGHT 475 MM / 20" - HEIGHT 475-500 MM / 19"-20" SET AT 500MM / 20" (2 positions, 25mm / 1" steps through uph) | NC : 2300, 2310, 2400, 2410, 2420   | ○      |
| SJE2173   | <input type="checkbox"/> | FIXED 7°, HEIGHT 500 MM / 20" - HEIGHT 475-500 MM / 19"-20" SET AT 500MM / 20" (2 positions, 25mm / 1" steps through uph) | NC : 2300, 2310, 2400, 2410, 2420   | ○      |
| OR  |                          |   |   |        |
| BACKREST HEIGHT ADJUSTABLE (BACKREST TUBE MOVES)  |                          |   |   |        |
| SJE2300   | <input type="checkbox"/> | HEIGHT ADJUSTABLE FROM 360-400MM / 14,5"-16"  | NC : 2505   | 103,32 |
| SJE2310   | <input type="checkbox"/> | HEIGHT ADJUSTABLE FROM 410-490MM / 16"-19,5"  |   | 103,32 |
|  2300 / 2310 |                          |   |   |        |
| PUSHHANDLES TYPE (TO SELECT WHEN CHOSEN HEIGHT ADJUSTABLE BACKREST)                               |                          |   |   |        |
| SJE2400   | <input type="checkbox"/> | WITHOUT PUSHHANDLES (7° degree bend)  | NC : 8160, 9100, 9200   | ◆      |
| SJE2410   | <input type="checkbox"/> | REARSET (REA TYPE) (HEIGHT ADJUSTABLE + 150 MM / 6") (7° degree bend)   | NC : 2505   | 212,32 |
| SJE2420   | <input type="checkbox"/> | INTEGRATED (HEIGHT ADJUSTABLE + 135 MM / 5") (0° degree bend)   | NC : Matrx Backrests  | 134,60 |
|  2410        |                          |   |   |        |


| Matrx backs - See table "Possible widths of Matrx backs depending on the width of the seat" at the bottom. |                          |   |   |        |
|--|--------------------------|---|---|--------|
| SJE2430  | <input type="checkbox"/> | MATRX ELITE E2 BACK WITH HARDWARE 160 MM BACK HEIGHT      | NC : 2505, 2510, 5500, 5600                         | 717,54 |
| SJE2432  | <input type="checkbox"/> | MATRX ELITE E2 BACK WITH HARDWARE 210 MM BACK HEIGHT      | NC : 2505, 2510, 5500, 5600                         | 717,54 |
| SJE2434  | <input type="checkbox"/> | MATRX ELITE E2 BACK WITH HARDWARE 260 MM BACK HEIGHT      | NC : 2505, 2510, 5500, 5600                         | 717,54 |
| SJE2436  | <input type="checkbox"/> | MATRX ELITE E2 BACK WITH HARDWARE 310 MM BACK HEIGHT      | NC : 2505, 2510, 5500, 5600                         | 717,54 |
| SJE2438  | <input type="checkbox"/> | MATRX ELITE E2 BACK WITH HARDWARE 360 MM BACK HEIGHT      | NC : 2505, 2510, 5500, 5600                         | 717,54 |
| SJE2460  | <input type="checkbox"/> | MATRX ELITE E2 BACK WITH HARDWARE 410 MM BACK HEIGHT      | NC : 2505, 2510, 5500, 5600                         | 717,54 |
| SJE2465  | <input type="checkbox"/> | MATRX ELITE E2 BACK WITH HARDWARE 460 MM BACK HEIGHT      | NC : 2505, 2510, 5500, 5600                         | 717,54 |
| SJEC2440   | <input type="checkbox"/> | MATRX ELITE E2 BACK WITH HARDWARE 510 MM BACK HEIGHT      | NC : 2505, 2510, 5500, 5600                         | 717,54 |
| SJE2442  | <input type="checkbox"/> | MATRX ELITE DEEP E2 BACK WITH HARDWARE 160 MM BACK HEIGHT | NC : 2505, 2510, 5500, 5600                         | 717,54 |
| SJE2444  | <input type="checkbox"/> | MATRX ELITE DEEP E2 BACK WITH HARDWARE 210 MM BACK HEIGHT | NC : 2505, 2510, 5500, 5600                         | 717,54 |
| SJE2446  | <input type="checkbox"/> | MATRX ELITE DEEP E2 BACK WITH HARDWARE 260 MM BACK HEIGHT | NC : 2505, 2510, 5500, 5600                         | 717,54 |
| SJE2448  | <input type="checkbox"/> | MATRX ELITE DEEP E2 BACK WITH HARDWARE 310 MM BACK HEIGHT | NC : 2505, 2510, 5500, 5600                         | 717,54 |
| SJE2452  | <input type="checkbox"/> | MATRX ELITE DEEP E2 BACK WITH HARDWARE 360 MM BACK HEIGHT | NC : 2505, 2510, 5500, 5600                         | 717,54 |
| SJE2470  | <input type="checkbox"/> | MATRX ELITE DEEP E2 BACK WITH HARDWARE 410 MM BACK HEIGHT | NC : 2505, 2510, 5500, 5600                         | 717,54 |
| SJE2475  | <input type="checkbox"/> | MATRX ELITE DEEP E2 BACK WITH HARDWARE 460 MM BACK HEIGHT | NC : 2505, 2510, 5500, 5600                         | 717,54 |
| SJE2478  | <input type="checkbox"/> | MATRX ELITE DEEP E2 BACK WITH HARDWARE 510 MM BACK HEIGHT | NC : 2505, 2510, 5500, 5600                         | 717,54 |
| <b>Matrx backrest width - see chart at end</b>   |                          |   |   |        |
| SJE2481  | <input type="checkbox"/> | 360 MM - INDICATIVE BUST WIDTH : 265 MM                   |   | ○      |
| SJE2482  | <input type="checkbox"/> | 380 MM - INDICATIVE BUST WIDTH : 290 MM                   |   | ○      |
| SJE2484  | <input type="checkbox"/> | 410 MM - INDICATIVE BUST WIDTH : 315 MM                   |   | ○      |
| SJE2486  | <input type="checkbox"/> | 430 MM - INDICATIVE BUST WIDTH : 340 MM                   |   | ○      |
| SJE2488  | <input type="checkbox"/> | 460 MM - INDICATIVE BUST WIDTH : 370 MM                   |   | ○      |
| SJE2490  | <input type="checkbox"/> | 480 MM - INDICATIVE BUST WIDTH : 390 MM                   |   | ○      |
| SJE2492  | <input type="checkbox"/> | 510 MM - INDICATIVE BUST WIDTH : 420 MM                   |   | ○      |
| <b>BACKREST UPHOLSTERY</b>   |                          |   |   |        |
| SJE2505  | <input type="checkbox"/> | FIXED BACKREST, NYLON & MESH PADDED COVER                 | NC : 5500, 5600                                     | ○      |
| SJE2510  | <input type="checkbox"/> | CONTOUR (TENSION) ADJUSTABLE STRAPS, NYLON & MESH COVER   |   | ◆      |
| <b>HANGERS/FOOTPLATES</b>  |                          |   |   |        |
| <b>HANGERS RH TYPE</b>   |                          |   |   |        |
| SJE3010  | <input type="checkbox"/> | 70° STRAIGHT RH   | NC : 3440, 3450                                     | ○      |
| SJE3020  | <input type="checkbox"/> | 80° STRAIGHT RH   | NC : 3440, 3450                                     | ◆      |
| SJE3030  | <input type="checkbox"/> | 90° STRAIGHT RH   | NC : 3200, 3440, 3450                               | ○      |
| SJE3040  | <input type="checkbox"/> | ELEVATING LEGREST (0° TO 75°) RH, CALF PAD INCLUDED       | NC : 3230, 3400, 3440, 3450, 5400                   | 73,82  |
| SJE3050  | <input type="checkbox"/> | AMPUTEE LEGREST RH  | NC : 3200, 3210, 3230, 5400, 8100, 8120, 9400       | 140,28 |
| <b>HANGERS LH TYPE</b>   |                          |   |   |        |
| SJE3110  | <input type="checkbox"/> | 70° STRAIGHT LH   | NC : 3440, 3450                                     | ○      |
| SJE3120  | <input type="checkbox"/> | 80° STRAIGHT LH   | NC : 3440, 3450                                     | ◆      |
| SJE3130  | <input type="checkbox"/> | 90° STRAIGHT LH   | NC : 3300, 3440, 3450                               | ○      |
| SJE3140  | <input type="checkbox"/> | ELEVATING LEGREST (0° TO 75°) LH, CALF PAD INCLUDED       | NC : 3230, 3400, 3440, 3450, 5400                   | 73,82  |
| SJE3150  | <input type="checkbox"/> | AMPUTEE LEGREST LH  | NC : 3230, 3300, 3310, 5200, 5400, 8100, 8120, 9400 | 140,28 |
| <b>FOOTPLATES RH TYPE</b>  |                          |   |   |        |
| SJE3200  | <input type="checkbox"/> | FLIP UP RH FOOTPLATE                                      | NC : 3410   | ◆      |
| SJE3210  | <input type="checkbox"/> | FLIP UP DEPTH & ANGLE ADJUSTABLE RH FOOTPLATE             |   | 26,43  |
| SJE3230  | <input type="checkbox"/> | ONE PIECE FOOTPLATE DEPTH & ANGLE ADJUSTABLE              | NC : 3400, 3410, 3420, 3430                         | 234,12 |




2420



Matrx Elite E2 /  
Elite Deep E2



2510




3010 / 31



3020 / 3120



3030 /  
3130



3040 / 3140










3050 / 3150















3200 / 3300




3210 / 3310






| FOOTPLATES LH TYPE   |                          |   |   |        |  |
|--|--------------------------|---|---|--------|--|
| SJE3300  | <input type="checkbox"/> | FLIP-UP LH FOOTPLATE  | NC : 3410   | ◆      |                   |
| SJE3310  | <input type="checkbox"/> | FLIP-UP DEPTH & ANGLE ADJUSTABLE LH FOOTPLATE   |   | 26,43  |  |
| FOOTREST TUBE (Given UL for adjustable footplate only. Add +15mm with fixed footplate) |                          |   |   |        | 3210 / 3310  |
| SJE3400  | <input type="checkbox"/> | SWING AWAY FRAME, HIGH MOUNTED TUBE, FOR UL 160 to 375 MM   | NC : 9400   | 134,60 |                   |
| SJE3410  | <input type="checkbox"/> | SWING AWAY FRAME, SHORT TUBE, FOR UL 285 TO 375 MM  |   | ○      |  |
| SJE3420  | <input type="checkbox"/> | SWING AWAY FRAME, STANDARD TUBE, FOR UL 295 to 420 MM   |   | ◆      |  |
| SJE3430  | <input type="checkbox"/> | SWING AWAY FRAME, LONG TUBE, FOR UL 400 TO 525 MM   |   | ○      |  |
| SJE3440  | <input type="checkbox"/> | FIXED FRAME, STANDARD TUBE, FOR UL 320 TO 460 MM  |   | ◆      |  |
| SJE3450  | <input type="checkbox"/> | FIXED FRAME, LONG TUBE, FOR UL 360 TO 500 MM  |   | ○      |  |
| ARMRESTS   |                          |   |   |        |  |
| MUDGUARDS / SIDE GUARDS (PAIR)   |                          |   |   |        |  |
| SJE3750  | <input type="checkbox"/> | SIDE GUARDS   | NC : 4010, 4020, 4030, 4040, 4110, 4120, 4130, 4140       | ○      |                   |
| SJE3800  | <input type="checkbox"/> | REMOVABLE MUDGUARD  | NC : 4010, 4020, 4030, 4040, 4110, 4120, 4130, 4140, 8160 | ○      |  |
| ARMRESTS RH FORM   |                          |   |   |        |  |
| SJE4010  | <input type="checkbox"/> | REMOVABLE RH, HEIGHT ADJUSTABLE (N°.1) T-ARM - DESK ARMPAD (280 MM), ADJUSTABLE BY 150 MM             |   | ◆      |                  |
| SJE4020  | <input type="checkbox"/> | REMOVABLE RH, HEIGHT ADJUSTABLE (N°.1) T-ARM - FULL LENGTH ARMPAD (380 MM), ADJUST BY 50 MM           |   | ○      |  |
| SJE4030  | <input type="checkbox"/> | SWING AWAY DETACHABLE HEIGHT ADJ RH ( N°3) - DESK ARMPAD (280 MM)                                     |   | 118,48 |                 |
| SJE4040  | <input type="checkbox"/> | SWING AWAY DETACHABLE HEIGHT ADJ RH ( N°3) - FULL LENGTH ARMPAD (380 MM)                              |   | 118,48 |  |
| SJE4050  | <input type="checkbox"/> | TUBULAR ARMREST RH, SWING AWAY PADDED TUBE - HEIGHT ADJUSTABLE 40 MM BY STEP OF 10 MM, PADDING 230 MM |   | 90,05  | <br>4050 / 4150 |
| ARMRESTS LH FORM   |                          |   |   |        |  |
| SJE4110  | <input type="checkbox"/> | REMOVABLE LH, HEIGHT ADJUSTABLE (N°.1) T-ARM - DESK ARMPAD (280 MM), ADJUSTABLE BY 150 MM             |   | ◆      |                 |
| SJE4120  | <input type="checkbox"/> | REMOVABLE LH, HEIGHT ADJUSTABLE (N°.1) T-ARM - FULL LENGTH ARMPAD (380 MM), ADJUST BY 50 MM           |   | ○      |  |
| SJE4130  | <input type="checkbox"/> | SWING AWAY DETACHABLE HEIGHT ADJ LH (N°3) - DESK ARMPAD (280 MM)                                      |   | 118,48 |                 |
| SJE4140  | <input type="checkbox"/> | SWING AWAY DETACHABLE HEIGHT ADJ LH (N°3) - FULL LENGTH ARMPAD (380 MM)                               |   | 118,48 |  |
| SJE4150  | <input type="checkbox"/> | TUBULAR ARMREST LH, SWING AWAY PADDED TUBE - HEIGHT ADJUSTABLE 40 MM BY STEP OF 10 MM, PADDING 230 MM |   | 90,05  | 4060 / 4160  |
| SEATING OPTIONS TYPE   |                          |   |   |        |  |
| SJE5000  | <input type="checkbox"/> | BASIC 60 MM / 2" FOAM CUSHION NYLON & ANTI-SLIP COVER   | NC : 5050, 5052, 5054                                     | 33,08  | <br>5000        |
| SJE5006  | <input type="checkbox"/> | CLASSIC VISCO CUSHION 375 x 400   | NC : 5050, 5052, 5054                                     | 76,78  | <br>5006 / 5007 |
| SJE5007  | <input type="checkbox"/> | CLASSIC VISCO CUSHION 405 x 400   | NC : 5050, 5052, 5054                                     | 65,40  |  |
| SJE5008  | <input type="checkbox"/> | CLASSIC VISCO CUSHION 430 x 430   | NC : 5050, 5052, 5054                                     | 65,40  | <br>5010        |
| SJE5009  | <input type="checkbox"/> | CLASSIC VISCO CUSHION 455 x 400   | NC : 5050, 5052, 5054                                     | 76,78  | <br>5020 5040   |
| SJE5010  | <input type="checkbox"/> | MATRX CONTOUR VISCO NG CUSHION  |   | 76,78  | <br>5044        |
| SJE5020  | <input type="checkbox"/> | MATRX FLO-TECH IMAGE CUSHION  | NC : 5054   | 246,45 |  |
| SJE5040  | <input type="checkbox"/> | MATRX FLO-TECH SOLUTION XTRA  | NC : 5054   | 360,19 |  |
| SJE5044  | <input type="checkbox"/> | MATRX LIBRA CUSHION   |   | 293,84 |  |

| MATRX CUSHION DEPTH  |                          |  |                       |                          |  |                  |
|--|--------------------------|--|-----------------------|--------------------------|--|------------------|
| SJE5050  | <input type="checkbox"/> | FOR 400MM SEAT DEPTH   |                       | <input type="radio"/>    |  |                  |
| SJE5052  | <input type="checkbox"/> | FOR 450MM SEAT DEPTH   |                       | <input type="radio"/>    |  |                  |
| SJE5054  | <input type="checkbox"/> | FOR 500MM SEAT DEPTH   | NC : 5090             | <input type="radio"/>    |  |                  |
| OTHER SEATING OPTIONS TYPE   |                          |  |                       |                          |  |                  |
| SJE5090  | <input type="checkbox"/> | SEAT RIGIDIZER   |                       | 61,61                    |  5400         |                  |
| SJE5400  | <input type="checkbox"/> | FOOTPLATE PADDING  |                       | 10,43                    | 5500<br>5600  |                  |
| SJE5500  | <input type="checkbox"/> | FOLDING BACKBRACE  | NC : 5650             | 105,21                   |  |                  |
| SJE5600  | <input type="checkbox"/> | FIXED BACKBRACE  | NC : 5650             | 105,21                   |  5650         |                  |
| SJE5650  | <input type="checkbox"/> | MATRX SOFT PAD HEADREST (SOFT PAD 250MM) WITH FIXED HARDWARE                         | (ONLY FOR MATRX BACK) | 441,71                   |  |                  |
| COLOURS  |                          |  |                       |                          |  |                  |
| Frame  |                          |  |                       |                          |  |                  |
| SJE6000  | <input type="checkbox"/> | PEARL WHITE  |                       | <input type="radio"/>    |               |                  |
| SJE6010  | <input type="checkbox"/> | ANTHRACITE BLACK   |                       | <input type="radio"/>    |  |                  |
| SJE6015  | <input type="checkbox"/> | NAVY BLUE  |                       | <input type="radio"/>    |  |                  |
| SJE6030  | <input type="checkbox"/> | DARK RED   |                       | <input type="radio"/>    |  |                  |
| SJE6040  | <input type="checkbox"/> | ELECTRIC GREEN   |                       | <input type="radio"/>    |  |                  |
| SJE6045  | <input type="checkbox"/> | DARK PURPLE  |                       | <input type="radio"/>    |  |                  |
| SJE6060  | <input type="checkbox"/> | PEARL GREY   |                       | <input type="radio"/>    |  |                  |
| SJE6070  | <input type="checkbox"/> | MATT BLACK   |                       | <input type="radio"/>    |  |                  |
| SJE6080  | <input type="checkbox"/> | INTENSE YELLOW   |                       | <input type="radio"/>    |  |                  |
| SJE6099  | <input type="checkbox"/> | SPECIAL COLOUR - ON DEMAND ONLY AND SPECIAL (SJSPEC) MANDATORY                       | RAL : _____           | On Demand                |  |                  |
| ACCENT COLOURS (rear wheel plate, fork, disks on castorhousing, QR axle cap) |                          |  |                       |                          |  |                  |
| SJE6100  | <input type="checkbox"/> | WITHOUT ACCENT - SILVER FORK & REARWHEEL SUPPORT                                     |                       | <input type="checkbox"/> |             |                  |
| FRONT WHEELS   |                          |  |                       |                          |  |                  |
| SJE7000  | <input type="checkbox"/> | 4" X 1.1/4" (100 X 30 MM) SOFTROLL   |                       | <input type="radio"/>    |             |                  |
| SJE7040  | <input type="checkbox"/> | 4" X 1.3/8" (100 X 35 MM) ALU SOFTROLL   |                       | 134,60                   |  |                  |
| SJE7055  | <input type="checkbox"/> | 5" X 1" (125 X 25 MM) SOLID  |                       | <input type="checkbox"/> |  |                  |
| SJE7070  | <input type="checkbox"/> | 5" X 1.3/8" (125 X 35 MM) ALU SOFTROLL   |                       | 134,60                   |  |                  |
| REAR WHEELS  |                          |  |                       |                          |  |                  |
| REAR WHEEL RIM TYPE ( 12mm QR)   |                          |  |                       |                          |  |                  |
| SJE7200  | <input type="checkbox"/> | 22" (560 MM) REINFORCED, CROSS SPOKED WHEEL  | NC : 7320, 7410       | <input type="radio"/>    |  7200       |                  |
| SJE7230  | <input type="checkbox"/> | 24" (610 MM) REINFORCED, CROSS SPOKED WHEEL  | NC : 7320             | <input type="radio"/>    |             |                  |
| SJE7240  | <input type="checkbox"/> | 24" (610 MM) LIGHTWEIGHT, RADIAL SPOKED, BLACK RIM & HUB - 6 POINTS HANDRIM          | NC : 7410, 8000, 8160 | <input type="checkbox"/> |  |                  |
|  |                          |  |                       |                          | 7240   |                  |
| TYRE TYPE  |                          |  |                       |                          |  |                  |
| SJE7302  | <input type="checkbox"/> | SOLID BLACK 1.3/8" (35 MM)   |                       | <input type="radio"/>    |             |                  |
| SJE7304  | <input type="checkbox"/> | PNEUMATIC TYRE BLACK 1.3/8" (35 MM) BLOCK PATTERN                                    |                       | <input type="radio"/>    |  |                  |
| SJE7315  | <input type="checkbox"/> | PNEUMATIC LOW PROFILE BLACK 1" (25 MM)   |                       | <input type="checkbox"/> |  |                  |
| SJE7320  | <input type="checkbox"/> | PNEUMATIC MAXXIS ALPHA PROTECT 1" (25 MM)  |                       | 83,41                    |  |                  |
|  |                          |  |                       |                          |  | 1" 1.3/8" 1.3/8" |
|  |                          |  |                       |                          |  | 7315 7304 7302   |
| HANDRIM TYPE   |                          |  |                       |                          |  |                  |
| SJE7400  | <input type="checkbox"/> | ALUMINIUM HANDRIM  |                       | <input type="checkbox"/> |             |                  |
| SJE7410  | <input type="checkbox"/> | STAINLESS STEEL  |                       | 119,43                   |  |                  |
| SJE7420  | <input type="checkbox"/> | HANDRIM COATED IN BLACK ANTI-SLIP  |                       | 127,01                   |  |                  |
|  |                          |  |                       |                          |  | 7320             |
| REAR WHEELS AXLE TYPE  |                          |  |                       |                          |  |                  |
| SJE7500  | <input type="checkbox"/> | QUICK RELEASE AXLE   |                       | <input type="checkbox"/> |  |                  |
| REAR WHEELS POSITION   |                          |  |                       |                          |  |                  |
| SJE7620  | <input type="checkbox"/> | MEDIUM ACTIVE WHEEL POSITION - From front of backrest to axle position + 2" (50 mm)  |                       | <input type="radio"/>    |             |                  |
| SJE7630  | <input type="checkbox"/> | STANDARD REAR WHEELS POSITION - From front of backrest to axle position + 1" (25 mm) |                       | <input type="checkbox"/> |  |                  |
| CAMBER ANGLE   |                          |  |                       |                          |  |                  |
| SJE7700  | <input type="checkbox"/> | 0°   |                       | <input type="checkbox"/> |             |                  |
| SJE7710  | <input type="checkbox"/> | 1°   |                       | <input type="radio"/>    |  |                  |
| SJE7720  | <input type="checkbox"/> | 2°   |                       | <input type="radio"/>    |  |                  |
| SJE7730  | <input type="checkbox"/> | 3°   |                       | <input type="radio"/>    |  |                  |
| SJE7740  | <input type="checkbox"/> | 4°   |                       | <input type="radio"/>    |  |                  |

**CHASSIS OPTIONS TYPE**

|         |                          |                       |  |        |   |
|---------|--------------------------|-----------------------|--|--------|---|
| SJE8000 | <input type="checkbox"/> | SPOKE PROTECTORS PAIR |  | 165,88 |  |
| SJE8030 | <input type="checkbox"/> | PUMP - HIGH PRESSURE  |  | 134,60 | 8000  |



**BRAKES TYPE**

|         |                          |  |  |   |   |   |
|---------|--------------------------|--|--|---|---|---|
| SJE8100 | <input type="checkbox"/> | PUSH TO LOCK BRAKES  |  |  |  |  |
| SJE8110 | <input type="checkbox"/> | PULL TO LOCK BRAKES  |  |  |   |   |
| SJE8120 | <input type="checkbox"/> | PUSH TO LOCK BRAKES WITH EXTENTION   |  | 10,43   | 8100  | 8120  |
| SJE8130 | <input type="checkbox"/> | PULL TO LOCK BRAKES WITH EXTENTION   |  | 10,43   | 8110  | 8130  |
| SJE8160 | <input type="checkbox"/> | ATTENDANT HUB BRAKES INCLUDES STANDARD USER PUSH TO LOCK BRAKE OR PULL AS APPLICABLE |  | 178,20  |  | 8160  |



**POSITIONING OPTIONS**

Think about Bodypoint positioning accessories: belts, harnesses, ankle supports. 

**SAFETY OPTIONS TYPE**

|         |                          |                              |           |        |   |
|---------|--------------------------|------------------------------|-----------|--------|---|
| SJE8200 | <input type="checkbox"/> | TRANSPORTATION KIT           |           | 24,64  |   |
| SJE8300 | <input type="checkbox"/> | BUCKLE BELT - PLASTIC BUCKLE |           | 31,28  |  |
| SJE8500 | <input type="checkbox"/> | REAR ANTI-TIPPER ACTIVE RH   | NC : 9200 | 134,60 |  |
| SJE8550 | <input type="checkbox"/> | REAR ANTI-TIPPER ACTIVE LH   | NC : 9100 | 134,60 | 8500  |
| SJE8600 | <input type="checkbox"/> | REFLECTORS KIT (WHEELS)      |           | 38,86  | 8300 8550   |

**OTHERS OPTIONS**

|         |                          |                   |  |        |   |
|---------|--------------------------|-------------------|--|--------|---|
| SJE9000 | <input type="checkbox"/> | CANE HOLDER       |  | 49,29  |   |
| SJE9100 | <input type="checkbox"/> | TIPPING AID (LH ) |  | 42,65  |  |
| SJE9200 | <input type="checkbox"/> | TIPPING AID (RH)  |  | 42,65  |  |
| SJE9300 | <input type="checkbox"/> | USER TOOLKIT      |  | 8,53   | 9100 9200   |
| SJE9400 | <input type="checkbox"/> | CASE HOLDER       |  | 126,07 | 9400  |

Possible widths of the Matrx backrests depending on the seat width





| Matrx Backrest Width | Seat width in mm |     |     |     |     |     |     |     |
|----------------------|------------------|-----|-----|-----|-----|-----|-----|-----|
|                      | (mm)             | 380 | 405 | 430 | 455 | 480 | 505 | 530 |
| 360                  |                  | ○   |     |     |     |     |     |     |
| 380                  |                  | ○   | ○   |     |     |     |     |     |
| 410                  |                  | ○   | ○   | ○   |     |     |     |     |
| 430                  |                  |     | ○   | ○   | ○   |     |     |     |
| 460                  |                  |     |     | ○   | ○   | ○   |     |     |
| 480                  |                  |     |     |     | ○   | ○   | ○   |     |
| 510                  |                  |     |     |     | +   | ○   | ○   | ○   |

Front and rear wheel diameters depending on the front and rear seat heights

| Caster size | Front wheel in function of FRONT seat height (FSTF) |     |     |     |     |     |
|-------------|---|-----|-----|-----|-----|-----|
|             | (MM)  | 410 | 435 | 460 | 485 | 510 |
| 4" (100mm)  |   | ○   | ○   | ○   | ○   |     |
| 5" (125mm)  |   | ○   | ○   | ○   | ○   | ○   |
| 6" (150mm)  |   |     | ○   | ○   | ○   | ○   |
| 7" (180mm)  |   |     |     | ○   | ○   | ○   |

| Wheel size  | Rear wheel in function of REAR seat height (RSTF) |     |     |     |     |     |
|-------------|---|-----|-----|-----|-----|-----|
|             | (MM)  | 385 | 410 | 435 | 460 | 485 |
| 22" (560mm) |   | ○   | ○   | ○   | ○   |     |
| 24" (610mm) |   | ○   | ○   | ○   | ○   | ○   |
| 25" (635mm) |   | ○   | ○   | ○   | ○   | ○   |

**RAMPS**

|         |                          |  |  |          |   |         |
|---------|--------------------------|--|--|----------|---|---------|
| 1440530 | <input type="checkbox"/> | Fiberglass Folding Mono Ramp<br>Folded dimensions: 2000 x 230 mm<br>16.3 kg - maximum capacity: 300 kg"  |  | 1 787,68 |  | 1440530 |
| 1654128 | <input type="checkbox"/> | Basic ramp 2 telescopic parts in aluminum and non-slip coating - Folded dimensions: 1210 x 194 mm<br>8.8 kg per pair - maximum capacity: 270 kg          |  | 402,84   |  | 1654128 |
| 1654129 | <input type="checkbox"/> | Quick2go Compact 3-part aluminum telescopic ramp with non-slip coating<br>Folded dimensions: 870 x 237 mm<br>13.6 kg per pair - maximum capacity: 260 kg |  | 805,69   |  | 1654129 |
| 1654130 | <input type="checkbox"/> | Aluminium folding mono ramp<br>Folded dimensions: 1824 x 714 mm<br>13.9 kg - maximum capacity: 300 kg  |  | 426,54   |  | 1654130 |