

Please contact Invacare EU Export Customer Services on :-  
 Tel : +33 247 626980 ; Email : serviceclient\_export@invacare.com  
 Or visit our website : www.invacare.eu.com



## Küschall Compact



Active aluminum manual wheelchair folding by brace



**Description :**

- Aluminum chassis with hydroformed tubes
- Customization kit with premium decals
- Available in **RETRACTABLE BRACKETS** and **FIXED BRACKETS**
- Rear frame protection as standard
- Max user weight: 130 kg
- Complete weight: from 10.5 kg (retractable) and 9.6 kg (fixed)
- Transport weight: from 7.8 kg (retractable) and 6.7 kg (fixed)
- Warranty: 2 years excluding wearing parts

Discover the new possibilities of the special fabrication **UNIQUE**. Push back the limits of the personalization with a wide range of possibilities. Create **UNIQUE** wheelchairs.

Discover our new tool to help calculate overall dimensions and find the visual configurator to make your configuration!

Date :


Purchase Order :

Customer Code :

Distributor Stamp :

We reserve the right to deliver a + or – tolerance of +/- 10 mm on all measurements We reserve the right to make technical changes without notice

Please make your selection with a cross in the box      ◆ Standard feature      ○ Free of charge option

CODE	DESCRIPTION	NC : Non Compatible NC : 9999 = not compatible with the reference 9999	Euros	 0120
DCA0100	<input type="checkbox"/> küschall® Compact® - Fixed backrest		2 695,73	
DCA0110	<input type="checkbox"/> küschall® Compact® - Angle adjustable backrest	NC : 2120	2 851,18	
DCA0120	<input type="checkbox"/> küschall® Compact® - Foldable and angle adjustable backrest	NC : 1615, 1620, 1625, 2120, 2180, 2430	2 904,27	


### SPECIAL CONSTRUCTION


DCA0000	<input type="checkbox"/> Myküschall special construction		On Request
UCA0001	<input type="checkbox"/> UNIQUE - Personalization		On Request



### POSITIONING PACKAGE

DCA0220	<input type="checkbox"/> <b>Posture and pressure relief package Libra Include :</b> Matrix Libra cushion (DCA2720) Matrix MX2 backrest (DCA2300 to DCA2315) Bodypoint Evoflex belt (DCA7810 to DCA7830) <b>Please select size of back and belt below in this order form!</b>	SW 360 mm only possible with SD 400/420 mm  (NC : 1300, 1305, 1310, 1315, 1350, 1355, 1400, 1405, 1415, 1425, 7230 )	1222,23	<div style="border: 1px solid red; padding: 5px; color: red; text-align: center;">Save 15% by selecting this PACK, i.e. €277,53</div>
DCA0230	<input type="checkbox"/> <b>Posture and pressure relief package Libra/Elite E2 include :</b> Matrix Libra cushion (DCA2720) Matrix Elite/Elite Deep E2 backrest (DCA2320-DCA2350) Bodypoint Evoflex belt (DCA7810 to DCA7830) <b>Please select size of back and belt below in this order form!</b>	SW 360 mm only possible with SD 400/420 mm  (NC : 1300, 1305, 1310, 1315, 1400, 1405, 1415, 1425, 7230 )	1105,59	<div style="border: 1px solid red; padding: 5px; color: red; text-align: center;">Save 10% by selecting this PACK, i.e. €106,70</div>

### SEATING CHOICE


Front Frame				 Retractable
DCA1100	<input type="checkbox"/> Swing away standard	NC : 1900, 1902, 3040, 3140	◆	
DCA1110	<input type="checkbox"/> Fixed frame active, 70°	NC : 1700 to 1730, 1805	○	
DCA1120	<input type="checkbox"/> <b>Fixed frame dynamic, 80°</b> Minimum seat angle (fstf to rstf) is 40 mm with 5" front wheels	NC : 1700 to 1730, 1805, 1962, 5550, 5600, 5650	117,54	
DCA1130	<input type="checkbox"/> <b>Fixed frame tapered front frame 70°</b> Additional delivery time + 10 days	NC : 1300, 1305, 1700 to 1730, 1805	132,70	

DCA1140	<input type="checkbox"/>	<b>Fixed frame tapered front frame 80°</b> Minimum seat angle (fstf to rstf) is 30 mm - Additional delivery time + 10 days		NC : 1300, 1305, 1700 to 1730, 1805, 1962, 5550, 5600, 5650	132,70	 Fixed	
<b>Seat width (SW)</b> (Width 280 to 420 mm: single cross / width from 440 to 500 mm: double cross)							
DCA1300	<input type="checkbox"/>	280 mm	DCA1305	<input type="checkbox"/>	300 mm	NC : 2210, MatrX backrest, MatrX and Classic Visco cushions, 2490, 2860 for L.280 mm, 3020, 3030, 3120, 3130, 3260, 6000, 6010, 8450	○
DCA1310	<input type="checkbox"/>	320 mm	DCA1315	<input type="checkbox"/>	340 mm	NC : Dossiers MatrX, coussins MatrX and Classic Visco, 2490, 3020, 3030, 3120, 3130, 3260, 6000, 6010, 8450	○
DCA1320	<input type="checkbox"/>	360 mm				NC : 2364, 2366, 2368, 2370, 2372, 2490, 2710, 2742, 2744, 2746, 2748, 3020, 3030, 3120, 3130	○
DCA1325	<input type="checkbox"/>	380 mm				NC : 2366, 2368, 2370, 2372, 2490 2742, 2744, 3020, 3030, 3120, 3130	○
DCA1330	<input type="checkbox"/>	400 mm				NC : 2360, 2366, 2368, 2370, 2372, 2744	○
DCA1335	<input type="checkbox"/>	420 mm				NC : 2360, 2362, 2368, 2370, 2372, 2746	○
DCA1340	<input type="checkbox"/>	440 mm				NC : 2360, 2362, 2364, 2370, 2372, 2740, 2742	○
DCA1345	<input type="checkbox"/>	460 mm				NC : 2360, 2362, 2364, 2372, 2740, 2742, 2744	○
DCA1350	<input type="checkbox"/>	480 mm				NC : 2300, 2305, 2310, 2315, 2345, 2360, 2362, 2364, 2366, 2740, 2742, 2744	○
DCA1355	<input type="checkbox"/>	500 mm				NC : 2210, 2300, 2305, 2310, 2315, 2345, 2360, 2362, 2364, 2366, 2368, 2740, 2742, 2744, 2746	○
<b>Seat depth (SD)</b> (Chassis adjusted to seat depth from depth 380 mm (single cross) and from depth 400 mm (double cross))							
DCA1400	<input type="checkbox"/>	320 mm	DCA1405	<input type="checkbox"/>	340 mm	NC : 2155, 2160, MatrX cushions and Classic Visco, 2860, 2910, 5650	○
DCA1415	<input type="checkbox"/>	360 mm				NC : 2710, 2720, 2742, 2744, 2746, 2748, 2860, 5650	○
DCA1425	<input type="checkbox"/>	380 mm				NC : 2720, 2744, 5650	○
DCA1435	<input type="checkbox"/>	400 mm				NC : 2744	◆
DCA1445	<input type="checkbox"/>	420 mm					○
DCA1460	<input type="checkbox"/>	440 mm				NC : 2740, 2742	○
DCA1470	<input type="checkbox"/>	460 mm				NC : 2740, 2742, 2744	○
DCA1480	<input type="checkbox"/>	480 mm				NC : 2740, 2742, 2744, 2746, 2748	○
DCA1490	<input type="checkbox"/>	500 mm				NC : 2710, 2740, 2742, 2744, 2746, 2748	○
<b>Backrest Height (BH)</b> (Height 300 to 330 mm NC angle adjustable and folding backrest)							
DCA1615	<input type="checkbox"/>	300 mm	DCA1620	<input type="checkbox"/>	315 mm	NC : 2240, 2595, 7600	○
DCA1625	<input type="checkbox"/>	330 mm	DCA1630	<input type="checkbox"/>	345 mm	NC : 2240, 2595, 7600	○
DCA1635	<input type="checkbox"/>	360 mm				NC : 2240, 2595, 7600	○
DCA1640	<input type="checkbox"/>	375 mm				NC : 2240, 2595, 7600	◆
DCA1645	<input type="checkbox"/>	390 mm				NC : 2240, 2595, 7600	○
DCA1650	<input type="checkbox"/>	405 mm	DCA1655	<input type="checkbox"/>	420 mm	NC : 2240	○
DCA1660	<input type="checkbox"/>	435 mm	DCA1665	<input type="checkbox"/>	450 mm	NC : 2240	○
DCA1670	<input type="checkbox"/>	465 mm	DCA1675	<input type="checkbox"/>	480 mm	NC : 2240	○
DCA1680	<input type="checkbox"/>	495 mm	DCA1685	<input type="checkbox"/>	510 mm	NC : 2240	○



Front Seat to Floor Height (FSTF) - see table 3 at the end of the measurement sheet				
DCA1700	<input type="checkbox"/>	370 mm	NC : 1810 to 1870, 1932 to 1962, 3030, 3130, 6410, 6420, 7600	○
DCA1705	<input type="checkbox"/>	380 mm	NC : 1815 to 1870, 1934 to 1962, 3030, 3130, 6410, 6420, 7600	○
DCA1710	<input type="checkbox"/>	390 mm	NC : 1820 to 1870, 1936 to 1962, 3030, 3130, 6410, 6420, 7600	○
DCA1715	<input type="checkbox"/>	400 mm	NC : 1825 to 1870, 1938 to 1962, 3030, 3130, 6410, 6420, 7600	○
DCA1720	<input type="checkbox"/>	410 mm	NC : 1830 to 1870, 1940 to 1962, 3030, 3130	○
DCA1725	<input type="checkbox"/>	420 mm	NC : 1835 to 1870, 1942 to 1962	○
DCA1730	<input type="checkbox"/>	430 mm	NC : 1840 to 1870, 1944 to 1962	○
DCA1735	<input type="checkbox"/>	440 mm	NC : 1845 to 1870, 1946 to 1962	○
DCA1740	<input type="checkbox"/>	450 mm	NC : 1850 to 1870, 1948 to 1962	○
DCA1745	<input type="checkbox"/>	460 mm	NC : 1855 to 1870, 1950 to 1962	○
DCA1750	<input type="checkbox"/>	470 mm	NC : 1860 to 1870, 1952 to 1962	○
DCA1755	<input type="checkbox"/>	480 mm	NC : 1805, 1865, 1870, 1954 to 1962	○
DCA1760	<input type="checkbox"/>	490 mm	NC : 1805, 1810, 1956 to 1962	○
DCA1765	<input type="checkbox"/>	500 mm	NC : 1805, 1810, 1815, 1958 to 1962	◆
DCA1770	<input type="checkbox"/>	510 mm	NC : 1805 to 1820, 1960, 1962	○
DCA1775	<input type="checkbox"/>	520 mm	NC : 1805 to 1825, 1962	○
DCA1780	<input type="checkbox"/>	530 mm	NC : 1805 to 1830	○
<b>Rear Seat to Floor Height (RSTF)</b>				
With fixed brackets at 70°, FSTF - 100 mm < RSTF < FSTF - 0 mm				
With fixed stems at 80°, FSTF - 100 mm < RSTF < FSTF - 30 mm				
With 70° and 80° retractable brackets, FSTF - 100 mm < RSTF < FSTF - 0 mm				
DCA1805	<input type="checkbox"/>	370 mm	Only with 22" wheels and swing away frame	○
DCA1810	<input type="checkbox"/>	380 mm	NC : 6410, 6420, 6430	○
DCA1815	<input type="checkbox"/>	390 mm	DCA1820 <input type="checkbox"/> 400 mm	○
DCA1825	<input type="checkbox"/>	410 mm	NC : 6420, 6430	○
DCA1830	<input type="checkbox"/>	420 mm	DCA1835 <input type="checkbox"/> 430 mm	○
DCA1840	<input type="checkbox"/>	440 mm	DCA1845 <input type="checkbox"/> 450 mm	○
DCA1850	<input type="checkbox"/>	460 mm		◆
DCA1855	<input type="checkbox"/>	470 mm		○
DCA1860	<input type="checkbox"/>	480 mm	DCA1865 <input type="checkbox"/> 490 mm	○
DCA1870	<input type="checkbox"/>	500 mm	NC : 6400, 6410	○
<b>Lower Leg Length (LLL) (Depending on the configuration, the pallets can be mounted high) - see table 1.</b>				
With retractable and fixed brackets at 70°, LLL max = FSTF - 20 mm				
With retractable and fixed brackets at 80°, LLL max = FSTF - 30 mm				
With legrest in 75° position, LLL max = FSTF - 40 mm and LLL min = 380 mm				
With legrest in 60° position, LLL max = FSTF and LLL min = 380 mm "				
DCA1900	<input type="checkbox"/>	200 mm	NC : 3030, 3130	○
DCA1902	<input type="checkbox"/>	210 mm	NC : 3030, 3130	○
DCA1904	<input type="checkbox"/>	220 mm	DCA1906 <input type="checkbox"/> 230 mm	○
DCA1908	<input type="checkbox"/>	240 mm	DCA1910 <input type="checkbox"/> 250 mm	○
DCA1912	<input type="checkbox"/>	260 mm	DCA1914 <input type="checkbox"/> 270 mm	○
DCA1916	<input type="checkbox"/>	280 mm	DCA1918 <input type="checkbox"/> 290 mm	○
DCA1920	<input type="checkbox"/>	300 mm	DCA1922 <input type="checkbox"/> 310 mm	○
DCA1924	<input type="checkbox"/>	320 mm	DCA1926 <input type="checkbox"/> 330 mm	○
DCA1928	<input type="checkbox"/>	340 mm	DCA1930 <input type="checkbox"/> 350 mm	○
DCA1932	<input type="checkbox"/>	360 mm	DCA1934 <input type="checkbox"/> 370 mm	○
DCA1936	<input type="checkbox"/>	380 mm	DCA1938 <input type="checkbox"/> 390 mm	○
DCA1940	<input type="checkbox"/>	400 mm	DCA1942 <input type="checkbox"/> 410 mm	○
DCA1944	<input type="checkbox"/>	420 mm		○
DCA1946	<input type="checkbox"/>	430 mm		◆
DCA1948	<input type="checkbox"/>	440 mm	DCA1950 <input type="checkbox"/> 450 mm	○
DCA1952	<input type="checkbox"/>	460 mm	DCA1954 <input type="checkbox"/> 470 mm	○
DCA1956	<input type="checkbox"/>	480 mm	DCA1958 <input type="checkbox"/> 490 mm	○
DCA1960	<input type="checkbox"/>	500 mm		○
DCA1962	<input type="checkbox"/>	510 mm	NC : 3000, 3100, 3010, 3110	○

**IMPORTANT:**  
Depending on the seat height selected and the diameter of the front wheels: assembly with a hemi or standard chassis and with/without high mounting - refer to table 3 at the end of the measurement sheet




Hemi Frame



High Mount

**Rear wheel diameter / RSTF 22":**  
370 - 470mm 24":  
390 - 490mm 25":  
420 - 500mm 26":  
420 - 500mm



BACKREST TYPE				
<b>Backrest Tube</b>				
DCA2120	<input type="checkbox"/>	Fixed backrest with lumbal bend 7° degree)	NC : MatrX Backrests	52,13
<b>Backrest angle adjustable by screws in relation to the seat (BA)</b> (only if 0110 or 0120 selected / with folding backrest only 2 adjustment ranges: 82° to 90° or 94° to 98°) (Angle measured in relation to the seat))				
DCA2155	<input type="checkbox"/>	82°	DCA2160 <input type="checkbox"/>	86°
DCA2165	<input type="checkbox"/>	90°		○
DCA2170	<input type="checkbox"/>	94°	DCA2175 <input type="checkbox"/>	98°
				NC : dossier rabattable + dossiers MatrX
DCA2180	<input type="checkbox"/>	102°		○
				NC : Dossier rabattable
<b>Backrest Upholstery</b>				
DCA2200	<input type="checkbox"/>	Standard upholstery	NC : 2300 to 2357, 2400, 2430, 2595	◆
DCA2210	<input type="checkbox"/>	Light back (hand-sewn, airy, anti-perspirant)	NC : 2300 to 2357, 2430, 2595	178,20
DCA2220	<input type="checkbox"/>	Tension adjustable premium black back upholstery with loop bands	NC : 2300 to 2357	33,08
DCA2230	<input type="checkbox"/>	Aero back, tension adjustable with loop bands	NC : 2300 to 2357	258,77
DCA2240	<input type="checkbox"/>	Without back upholstery, mandatory if MatrX backrest ordered	NC : 2430, 2595	○
<b>UNIQUE - BACK UPHOLSTERY STITCHING COLOUR - Only for Aero Back upholstery</b>				
UCA2241	<input type="checkbox"/>	NEON YELLOW		101,42
UCA2242	<input type="checkbox"/>	NEON PINK		101,42
UCA2243	<input type="checkbox"/>	BLUE		101,42
UCA2244	<input type="checkbox"/>	WHITE		101,42
UCA2245	<input type="checkbox"/>	RED		101,42
UCA0002	<input type="checkbox"/>	"Your personal color": <i>Please contact our customers service</i>		On Request
<b>UNIQUE - BACK UPHOLSTERY - EMBROIDERY - Only for Aero Back upholstery</b>				
UCA2246	<input type="checkbox"/>	SMILEY		218,01
UCA2248	<input type="checkbox"/>	TRAVELER		218,01
UCA2249	<input type="checkbox"/>	SAKURA BEAUTY		218,01
UCA2250	<input type="checkbox"/>	FANNY CACTUS		218,01
UCA2251	<input type="checkbox"/>	KUSCHALL LOGO: <i>Please contact our customers service</i>		On Request
UCA0003	<input type="checkbox"/>	"Your personal design": <i>Please contact our customers service - Provide the wished design in .ai / .pdf or .png format</i>		On Request
<b>UNIQUE - BACK UPHOLSTERY - FLOCKING - Only for Aero Back upholstery</b>				
UCA2253	<input type="checkbox"/>	SMILEY		118,48
UCA2255	<input type="checkbox"/>	TRAVELER		118,48
UCA2256	<input type="checkbox"/>	SAKURA BEAUTY		118,48
UCA2257	<input type="checkbox"/>	FANNY CACTUS		118,48
UCA2259	<input type="checkbox"/>	PAINT STAIN		118,48
UCA0004	<input type="checkbox"/>	"Your personal design": <i>Please contact our customers service - Provide the wished design in .ai / .pdf or .png format</i>		On Request
<b>MatrX Backrests</b> - The height shown is that of the backrest. Find the trunk supports and all the accessories on the MatrX measurement sheet!				
DCA2300	<input type="checkbox"/>	<b>MatrX MX2</b> , height 150 mm with quick release hardware - User max. weight 114 kg	NC : SW > 460 mm and SW < 360 mm, 2370, 2372, 2490	927,01
DCA2305	<input type="checkbox"/>	<b>MatrX MX2</b> , height 230 mm with quick release hardware - User max. weight 114 kg	NC : SW > 460 mm and SW < 360 mm, 2370, 2372, 2490	927,01
DCA2310	<input type="checkbox"/>	<b>MatrX MX2</b> , height 305 mm with quick release hardware - User max. weight 114 kg	NC : SW > 460 mm and SW < 360 mm, 2370, 2372, 2490	927,01
DCA2315	<input type="checkbox"/>	<b>MatrX MX2</b> , height 405 mm with quick release hardware - User max. weight 114 kg	NC : SW > 460 mm and SW < 360 mm, 2370, 2372, 2490	927,01
DCA2316	<input type="checkbox"/>	<b>Elite Deep E2</b> , height 160 mm with mini-set mounting hardware	NC : SW < 360 mm, 2490	717,54
DCA2317	<input type="checkbox"/>	<b>Elite Deep E2</b> , height 210 mm with mini-set mounting hardware	NC : SW < 360 mm, 2490	717,54
DCA2318	<input type="checkbox"/>	<b>Elite Deep E2</b> , height 260 mm with mini-set mounting hardware	NC : SW < 360 mm, 2490	717,54








2120

**MX2: only 140g more than a tension-adjustable backrest!**



2300, 2305, 2310, 2315

DCA2320	<input type="checkbox"/>	<b>Elite Deep E2</b> , height 310 mm with mini-set mounting hardware	NC : SW < 360 mm, 2490	717,54	 2316 to 2331
DCA2322	<input type="checkbox"/>	<b>Elite Deep E2</b> , height 360 mm with mini-set mounting hardware	NC : SW < 360 mm, 2490	717,54	
DCA2325	<input type="checkbox"/>	<b>Elite Deep E2</b> , height 410 mm with mini-set mounting hardware	NC : SW < 360 mm, 2490	717,54	
DCA2330	<input type="checkbox"/>	<b>Elite Deep E2</b> , height 460 mm with mini-set mounting hardware	NC : SW < 360 mm, 2490	717,54	
DCA2331	<input type="checkbox"/>	<b>Elite Deep E2</b> , height 510 mm with mini-set mounting hardware	NC : SW < 360 mm, 2490	717,54	
DCA2332	<input type="checkbox"/>	<b>Elite E2</b> , height 160 mm with mini-set mounting hardware	NC : SW < 360 mm, 2490	717,54	 2332 to 2357
DCA2334	<input type="checkbox"/>	<b>Elite E2</b> , height 210 mm with mini-set mounting hardware	NC : SW < 360 mm, 2490	717,54	
DCA2335	<input type="checkbox"/>	<b>Elite E2</b> , height 260 mm with mini-set mounting hardware	NC : SW < 360 mm, 2490	717,54	
DCA2340	<input type="checkbox"/>	<b>Elite E2</b> , height 310 mm with mini-set mounting hardware	NC : SW < 360 mm, 2490	717,54	
DCA2345	<input type="checkbox"/>	<b>Elite E2</b> , height 360 mm with mini-set mounting hardware	NC : SW > 460 mm and SW < 360 mm, 2490	717,54	
DCA2350	<input type="checkbox"/>	<b>Elite E2</b> , height 410 mm with mini-set mounting hardware	NC : SW < 360 mm, 2490	717,54	
DCA2355	<input type="checkbox"/>	<b>Elite E2</b> , height 460 mm with mini-set mounting hardware	NC : SW < 360 mm, 2490	717,54	
DCA2357	<input type="checkbox"/>	<b>Elite E2</b> , height 510 mm with mini-set mounting hardware	NC : SW < 360 mm, 2490	717,54	
<b>Matrx Backrest Width - see tables 4 at the end of the measurement sheet</b>					
DCA2360	<input type="checkbox"/>	<b>360 mm</b> - indicative bust width 265 mm		○	
DCA2362	<input type="checkbox"/>	<b>380 mm</b> - indicative bust width 290 mm		○	
DCA2364	<input type="checkbox"/>	<b>410 mm</b> - indicative bust width 315 mm		○	
DCA2366	<input type="checkbox"/>	<b>430 mm</b> - indicative bust width 340 mm		○	
DCA2368	<input type="checkbox"/>	<b>460 mm</b> - indicative bust width 370 mm		○	
DCA2370	<input type="checkbox"/>	<b>480 mm</b> - indicative bust width 390 mm		○	
DCA2372	<input type="checkbox"/>	<b>510 mm</b> - indicative bust width 420 mm		○	
<b>Push Handles</b>					
DCA2400	<input type="checkbox"/>	Without push handles	NC : 2490	○	 2430 2450
DCA2410	<input type="checkbox"/>	Push handles fixed, mini	NC : 2490, 6580	○	
DCA2420	<input type="checkbox"/>	Push handles fixed, long		◆	
DCA2430	<input type="checkbox"/>	Height adjustable rear set	NC : 2490, 3520, 3620	212,32	
DCA2440	<input type="checkbox"/>	Height adjustable, integrated	NC : 2490, 2595	254,03	
DCA2450	<input type="checkbox"/>	Foldable push handles	NC : 2490, 2595, 6580	213,27	
<b>Headrest</b>					
DCA2490	<input type="checkbox"/>	Headrest with lateral adjustment and adjustable ear cushions - supplied with backrest adjuster	NC : 2595, 6580	168,72	 2490
<b>Backrest Stabilization Bar</b>					
DCA2595	<input type="checkbox"/>	Backrest stabilization bar, swing away and removable	NC : BH ≤ 390 mm	151,66	
<b>SEAT UPHOLSTERY</b>					
DCA2610	<input type="checkbox"/>	Standard seat upholstery - central loop band		◆	 2610
DCA2620	<input type="checkbox"/>	Seat upholstery with 1 central (soft) and 2 side straps fasteners bands (rough)		37,91	

UNIQUE - SEAT UPHOLSTERY STITCHING COLOUR			
UCA2602	<input type="checkbox"/>	NEON YELLOW	118,48
UCA2603	<input type="checkbox"/>	NEON PINK	118,48
UCA2604	<input type="checkbox"/>	BLUE	118,48
UCA2605	<input type="checkbox"/>	WHITE	118,48
UCA2606	<input type="checkbox"/>	RED	118,48
UCA0005	<input type="checkbox"/>	"Your personal color": <i>Please contact our customers service</i>	On Request
SEATING			
Seat Cushion			
DCA2700	<input type="checkbox"/>	STANDARD SEAT CUSHION, 60 MM DOUBLE FOAM WITH VISCO TOP	NC : 2810, 2820, 2830, 2840, 2850 101,42
DCA2710	<input type="checkbox"/>	MATRX FLO-TECH LITE	NC : 2810, 2820, 2830, 2840, 2850 118,48
DCA2720	<input type="checkbox"/>	MATRX LIBRA CUSHION, BLACK SMOOTH COVER	NOT POSSIBLE WITH SW ≤ 340 MM & SD ≤ 380 MM SW 360 MM ONLY POSSIBLE WITH SD 400/420 MM 293,84
DCA2740	<input type="checkbox"/>	CLASSIC VISCO CUSHION 375 X 400 MM ONLY FOR USERS WEIGHTING UP TO 50 KG	NC : 2810, 2820, 2830, 2840, 2850 76,78
DCA2742	<input type="checkbox"/>	CLASSIC VISCO CUSHION 405 X 400 MM ONLY FOR USERS WEIGHTING UP TO 100 KG	NC : 2810, 2820, 2830, 2840, 2850 65,40
DCA2744	<input type="checkbox"/>	CLASSIC VISCO CUSHION 430 X 430 MM ONLY FOR USERS WEIGHTING UP TO 100 KG	NC : 2810, 2820, 2830, 2840, 2850 65,40
DCA2746	<input type="checkbox"/>	CLASSIC VISCO CUSHION 455 X 400 MM ONLY FOR USERS WEIGHTING UP TO 100 KG	NC : 2810, 2820, 2830, 2840, 2850 76,78
DCA2748	<input type="checkbox"/>	CONTOUR VISCO NG CUSHION	NC : 2810, 2820, 2830, 2840, 2850 76,78
DCA2750	<input type="checkbox"/>	VICAIR ACTIVE O2 CUSHION	683,73
SEAT OPTION			
DCA2800	<input type="checkbox"/>	SEAT BAG, CLICK IN AND REMOVABLE	81,52
Accessoires coussin Matrx Libra			
DCA2810	<input type="checkbox"/>	FLUID SUPPLEMENT SAC (PAIR)	91,00
DCA2820	<input type="checkbox"/>	TAPERED WEDGE PAIR	41,71
DCA2830	<input type="checkbox"/>	ABDUCTOR	47,39
DCA2840	<input type="checkbox"/>	LATERAL SIDE WEDGE	41,71
DCA2850	<input type="checkbox"/>	ANTERIOR FRONT WEDGE	54,98
Base rigide			
DCA2860	<input type="checkbox"/>	SEAT RIGIDIZER	(Mandatory: choose a seat cushion) 56,87
SEAT BAGS			
DCA2910	<input type="checkbox"/>	BIG BAG (TO FIX UNDER SEAT)	NC : SD ≤ 340 mm 61,61
LEGRESTS AND FOOTRESTS			
LEGRESTS FOR SWING AWAY			
RIGHT LEGREST			
DCA3000	<input type="checkbox"/>	LEGREST, ANGLE OPEN, 70° - RIGHT FOOTREST MANDATORY	NC : 3110 ◆
DCA3010	<input type="checkbox"/>	LEGREST, ANGLE MID-CLOSED, 80° - RIGHT FOOTREST MANDATORY	NC : 3100, 5650 ○
DCA3020	<input type="checkbox"/>	AMPUTEE LEGREST - RIGHT	NC : 3280 274,88
DCA3030	<input type="checkbox"/>	ANGLE ADJUSTABLE LEGREST - RIGHT INCLUDING ANGLE, WIDTH AND DEPTH ADJUSTABLE PLASTIC FOOTPLATE	NC : 3280 100,25
DCA3040	<input type="checkbox"/>	WITHOUT LEGRESTS ON THE RIGHT SIDE ONLY FIXED FRAME	○



2700



2710



2720

2740 / 2742  
2744 / 2746

2748



2800



2810



2820




2830



2840



2850



2860



3000 / 3100

LEFT LEGREST			
DCA3100	<input type="checkbox"/>	LEGREST, ANGLE OPEN, 70° - LEFT FOOTREST MANDATORY	◆
DCA3110	<input type="checkbox"/>	LEGREST, ANGLE MID-CLOSED, 80° - LEFT FOOTREST MANDATORY	○
DCA3120	<input type="checkbox"/>	AMPUTEE LEGREST - LEFT	274,88
DCA3130	<input type="checkbox"/>	ANGLE ADJUSTABLE LEGREST - LEFT INCLUDING ANGLE, WIDTH AND DEPTH ADJUSTABLE PLASTIC FOOTPLATE	100,25
DCA3140	<input type="checkbox"/>	WITHOUT LEGRESTS ON THE LEFT SIDE ONLY FIXED FRAME	○
FOOTREST			
DCA3260	<input type="checkbox"/>	2 PC. FLIP UP, PLASTIC - NEW PART	◆
DCA3270	<input type="checkbox"/>	2 PC. - ANGLE AND DEPTH ADJUSTABLE, CARBON	311,85
DCA3280	<input type="checkbox"/>	1 PC. FLIP-UP CARBON FOOTPLATE, ANGLE AND DEPTH ADJUSTABLE	329,86
FOOT AND LEG SUPPORT			
DCA3300	<input type="checkbox"/>	CALF STRAP MOUNTED ON THE FRAME	◆
DCA3305	<input type="checkbox"/>	CALF STRAP WITH BRACKET SUPPORT	76,78
DCA3310	<input type="checkbox"/>	HEEL LOOPS	72,99
SIDE GUARDS			
CLOTHES-GUARDS, MUDGUARDS			
DCA3400	<input type="checkbox"/>	ECONOMY CLOTHES GUARDS, FIXED <i>Increase seat width by 0 to +10 mm</i>	◆
DCA3405	<input type="checkbox"/>	ECONOMY CLOTHES GUARDS, FLIP BACK <i>Decrease seat width by 0 to +10 mm</i>	○
DCA3410	<input type="checkbox"/>	CARBON CLOTHES GUARDS, FIXED <i>Increase seat width by 0 to +10 mm</i>	167,77
DCA3425	<input type="checkbox"/>	ECONOMY MUDGUARDS, FIXED <i>Increase seat width by 0 to +10 mm</i>	○
DCA3430	<input type="checkbox"/>	CARBON MUDGUARDS, FIXED NOT POSSIBLE WITH FSTF < 410 MM <i>Increase seat width by 0 to +10 mm</i>	223,70
DCA3440	<input type="checkbox"/>	CARBON MUDGUARDS, REMOVABLE <i>Decrease seat width by 0 to +10 mm</i>	336,49
DCA3450	<input type="checkbox"/>	ECONOMY MUDGUARDS, REMOVABLE <i>Decrease seat width by 0 to +10 mm</i>	○
UNIQUE - CUSTOM TRANSPARENT COLORS - Only for economy clothes guards			
UCA3422	<input type="checkbox"/>	TRANSPARENT	520,38
UCA3423	<input type="checkbox"/>	TRANSPARENT BLUE	745,02
UCA3424	<input type="checkbox"/>	NEON YELLOW	745,02
UCA3425	<input type="checkbox"/>	NEON ORANGE	745,02
UCA3426	<input type="checkbox"/>	NEON RED	745,02
UCA0006	<input type="checkbox"/>	"Your personal color": Please contact our customers service	On Request
UCA0007	<input type="checkbox"/>	"Your personal design": Please contact our customers service - <i>Provide the wished design in .ai / .pdf or .eps format</i>	On Request



3020 / 3120



3030 / 3130







3400



3440



3450

RIGHT ARMREST						
DCA3500	<input type="checkbox"/>	ARMREST HEIGHT ADJUSTABLE (WITH TOOLS), REMOVABLE, SHORT, NON-LOCKING, INCLUDING CARBON CLOTHES GUARD RIGHT <i>Increase seat width by 0 to +10 mm</i>	NC : 6150	139,34	 3500 3510 3600 3610	
DCA3510	<input type="checkbox"/>	ARMREST HEIGHT ADJUSTABLE (WITH TOOLS), REMOVABLE, LONG, NON-LOCKING, INCLUDING CARBON CLOTHES GUARD RIGHT <i>Increase seat width by 0 to +10 mm</i>	NC : 6150	150,71		
DCA3520	<input type="checkbox"/>	TUBULAR ARMREST, NON-LOCKING, HEIGHT ADJUSTABLE, REMOVABLE, SWING-AWAY, COMFORT PADDED, RIGHT <i>If 0120 selected, the backrest can't be folded down</i>	NC : 6950, 8450	145,02		
DCA3530	<input type="checkbox"/>	KÜSCHALL ARMREST, HEIGHT ADJUSTABLE, REMOVABLE, SWING-AWAY, DESK ARMPAD NEOPRENE BLACK UPHOLSTERY, RIGHT <i>Decrease seat width by 0 to +10 mm</i>	NC : 6130, 6140, 6150	185,78		 3540 3640
DCA3540	<input type="checkbox"/>	KÜSCHALL HEMI ARMREST, HEIGHT ADJUSTABLE, REMOVABLE, SWING-AWAY, WITH HEMI ARMPAD NEOPRENE BACK UPHOLSTERY RIGHT <i>Decrease seat width by 0 to +10 mm</i>	NC : 6130, 6140, 6150, 8450	113,17		
LEFT ARMREST						
DCA3600	<input type="checkbox"/>	ARMREST HEIGHT ADJUSTABLE (WITH TOOLS), REMOVABLE, SHORT, NON-LOCKING, INCLUDING CARBON CLOTHES GUARD LEFT <i>Increase seat width by 0 to +10 mm</i>	NC : 6150	139,34	 3530 3630	
DCA3610	<input type="checkbox"/>	ARMREST HEIGHT ADJUSTABLE (WITH TOOLS), REMOVABLE, LONG, NON-LOCKING, INCLUDING CARBON CLOTHES GUARD LEFT <i>Increase seat width by 0 to +10 mm</i>	NC : 6150	150,71		
DCA3620	<input type="checkbox"/>	TUBULAR ARMREST, NON-LOCKING, HEIGHT ADJUSTABLE, REMOVABLE, SWING-AWAY, COMFORT PADDED, LEFT <i>If 0120 selected, the backrest can't be folded down</i>	NC : 6950, 8450	145,02	 3540 3640	
DCA3630	<input type="checkbox"/>	KÜSCHALL ARMREST, HEIGHT ADJUSTABLE, REMOVABLE, SWING-AWAY, DESK ARMPAD NEOPRENE BLACK UPHOLSTERY, LEFT <i>Decrease seat width by 0 to +10 mm</i>	NC : 6130, 6140, 6150	185,78		
DCA3640	<input type="checkbox"/>	KÜSCHALL HEMI ARMREST, HEIGHT ADJUSTABLE, REMOVABLE, SWING-AWAY, WITH HEMI ARMPAD NEOPRENE BACK UPHOLSTERY LEFT <i>Decrease seat width by 0 to +10 mm</i>	NC : 6130, 6140, 6150, 8450	113,17		
COLOUR OFFERING & CUSTOMIZATION						
FRAME COLOR						
DCA4000	<input type="checkbox"/>	SPACE BLACK (RAL 9005)		○	<b>EXTRA LEAD TIME +10 DAYS</b>	
DCA4010	<input type="checkbox"/>	ANTHRACITE GREY (RAL 7016)		○		
DCA4020	<input type="checkbox"/>	PURE WHITE (RAL 9016)	NC : 4220	○		
DCA4030	<input type="checkbox"/>	CARMINE RED (RAL 3002)		○		
DCA4040	<input type="checkbox"/>	AZURE BLUE (RAL 5017)		○		
DCA4060	<input type="checkbox"/>	FLASHY YELLOW (RAL 1016)		216,11		
DCA4100	<input type="checkbox"/>	BLACK GLOSSY (RAL 9005)		216,11		
DCA4130	<input type="checkbox"/>	SILVER GREY (RAL 9006)		216,11		
DCA4145	<input type="checkbox"/>	PEARL NIGHT BLUE	<b>NEW</b>	216,11		
DCA4150	<input type="checkbox"/>	RUBY RED (RAL 3003)		216,11		
DCA4170	<input type="checkbox"/>	DYNAMITE ORANGE - spe color mix, no RAL		216,11		
DCA4180	<input type="checkbox"/>	FOREST GREEN (RAL 6029)		216,11		

UCA4101	<input type="checkbox"/>	DIAMOND SILVER		696,68
UCA4102	<input type="checkbox"/>	PASTEL GREEN		750,71
UCA4103	<input type="checkbox"/>	SKY BLUE		750,71
UCA4104	<input type="checkbox"/>	PLUM PURPLE		750,71
UCA4105	<input type="checkbox"/>	SALMON		750,71
DCA4070	<input type="checkbox"/>	ATOMIC VIOLET- specific color mix, no RAL definition		On quote
DCA4050	<input type="checkbox"/>	<b>Special Frame Colour (on demand only):</b> - Manufacturing time + 10 days: for a color already offered on the other ranges of Invacare manual wheelchairs. - Manufacturing time + 15 days: for any other request (subject to feasibility) - specify RAL number		750,71
<b>UNIQUE - CERAMIC GLAZE FINISH</b>				
UCA4066	<input type="checkbox"/>	CERAMIC GLAZE FINISH (ONLY FOR UKA**** COLOURS)	NC : 4300, 4310	643,60
<b>STYLING</b>				
DCA4190	<input type="checkbox"/>	<b>Bold</b>	NC : 4300, 4310	64,45
DCA4195	<input type="checkbox"/>	<b>Tag</b>	NC : 4200 to 4250	◆
<b>BOLD COLOR</b>				
DCA4200	<input type="checkbox"/>	BLACK		○
DCA4210	<input type="checkbox"/>	DARK GREY		○
DCA4220	<input type="checkbox"/>	LIGHT GREY		○
DCA4230	<input type="checkbox"/>	RED		○
DCA4240	<input type="checkbox"/>	RED		○
DCA4250	<input type="checkbox"/>	GOLD		○
UCA4252	<input type="checkbox"/>	NEON YELLOW		161,14
UCA4253	<input type="checkbox"/>	NEON GREEN		161,14
UCA4254	<input type="checkbox"/>	NEON ORANGE		161,14
UCA4255	<input type="checkbox"/>	NEON PINK		161,14
UCA4256	<input type="checkbox"/>	NEON RED		161,14
UCA0009	<input type="checkbox"/>	"Your personal color": Please contact customers service		On Request
<b>TAG COLOR</b>				
DCA4300	<input type="checkbox"/>	BLACK		○
DCA4310	<input type="checkbox"/>	RED		○
<b>FRONT WHEEL</b>				
DCA5050	<input type="checkbox"/>	4" EVERYDAY WHEEL WITH BLACK TYRE		○
DCA5100	<input type="checkbox"/>	4" COMFORT WHEEL WITH BLACK TYRE		○
DCA5150	<input type="checkbox"/>	4" COMFORT WHEEL WITH BLACK TYRE		75,83
DCA5200	<input type="checkbox"/>	4" FROGLEGS FRONT WHEEL WITH BLACK HUB, BLACK TYRE	Select the Froglegs front wheels with black hub (DCA5200) to access UNIQUE anodizations	121,33
DCA5250	<input type="checkbox"/>	4" FROGLEGS FRONT WHEEL WITH SILVER HUB, BLACK TYRE		121,33
DCA5300	<input type="checkbox"/>	5" EVERYDAY WITH BLACK TYRE		○
DCA5350	<input type="checkbox"/>	5" COMFORT WHEEL BLACK TYRE		◆
DCA5400	<input type="checkbox"/>	5" STAREC BLACK HUB, BLACK TYRE		103,32
DCA5450	<input type="checkbox"/>	5" FROGLEGS FRONT WHEEL WITH BLACK HUB, BLACK TYRE	Select the Froglegs front wheels with black hub (DCA5450) to access UNIQUE anodizations	147,87
DCA5500	<input type="checkbox"/>	5" FROGLEGS FRONT WHEEL WITH SILVER HUB, BLACK TYRE		147,87
DCA5550	<input type="checkbox"/>	6" COMFORT WITH BLACK TYRE		○
DCA5600	<input type="checkbox"/>	6" PNEUMATIC WHEEL		38,86
DCA5650	<input type="checkbox"/>	7" COMFORT WITH BLACK TYRE		38,86
<b>UNIQUE - FROGLEGS HUB COLOURS</b>				
UCA5502	<input type="checkbox"/>	PINK		98,58
UCA5504	<input type="checkbox"/>	ORANGE		98,58
UCA5506	<input type="checkbox"/>	BLUE		98,58
UCA5507	<input type="checkbox"/>	VIOLET		98,58
UCA5508	<input type="checkbox"/>	RED		98,58
UCA5509	<input type="checkbox"/>	GOLD		98,58
<b>UNIQUE - CERAMIC BEARING</b>				
UCA5510	<input type="checkbox"/>	CERAMIC BEARING		98,58




BOLD



TAG





5200 / 5250 / 5450 / 5500



5350 / 5550



5050 / 530

REAR WHEEL CHOICE				
<b>ONE-ARM-DRIVE SYSTEM</b>				
DCA6000	<input type="checkbox"/>	ONE ARM DRIVE SYSTEM RIGHT SIDE (WITH LIGHT WHEEL 7 BAR TYRES, ALU HANDRIMS) 	NC : 6040, 6130, 6140, 6150, 6300, 6400, 6420, 6430, 6500, 6510, 6520, 6550, 6580, 6680, 6840, 6900, 6910, 6950, 8650, 8680	690,05
DCA6010	<input type="checkbox"/>	ONE ARM DRIVE SYSTEM LEFT SIDE (WITH LIGHT WHEEL 7 BAR TYRES, ALU HANDRIMS) 	NC : 6040, 6130, 6140, 6150, 6300, 6400, 6420, 6430, 6500, 6510, 6520, 6550, 6580, 6680, 6840, 6900, 6910, 6950, 8650, 8680	690,05
<b>REAR WHEEL FIXATION</b>				
DCA6020	<input type="checkbox"/>	STANDARD FIXATION	NC : 6140, 6150	◆
DCA6040	<input type="checkbox"/>	REAR WHEEL EXTENSION	NC : 6100, 6580, 6950	134,60
<b>REAR WHEEL POSITION</b>				
DCA6100	<input type="checkbox"/>	1ST POSITION FROM THE FRONT	NC : 6580, 6840	○
DCA6110	<input type="checkbox"/>	2ND POSITION FROM THE FRONT	NC : 6950	○
DCA6120	<input type="checkbox"/>	3RD POSITION FROM THE FRONT		◆
DCA6130	<input type="checkbox"/>	4TH POSITION FROM THE FRONT	NC : 6580, 6950	○
DCA6140	<input type="checkbox"/>	5TH POSITION FROM THE FRONT		○
DCA6150	<input type="checkbox"/>	6TH POSITION FROM THE FRONT		○
<b>QUAD QUICK RELEASE AXLE</b>				
DCA6300	<input type="checkbox"/>	TETRA-CLIP	NC : 6550, 6580, 6950	143,13
<b>REAR WHEEL SIZE</b>				
DCA6400	<input type="checkbox"/>	22"	NC : 6500, 6520, 6550, 6560, 6600, 6630, 6660, 6760, 6710, 6720, 6740, 6750, 6760, 6770, 6950	336,49
DCA6410	<input type="checkbox"/>	24"		◆
DCA6420	<input type="checkbox"/>	25"	NC : 6500, 6510, 6580, 6600, 6630, 6660, 6700, 6710, 6720, 6760, 6770, 6900, 6910, 6950	○
DCA6430	<input type="checkbox"/>	26"	NC : 6500, 6520, 6550, 6600, 6630, 6660, 6720, 6740, 6750, 6760, 6770, 6840, 6950	517,54
<b>REAR WHEEL TYPE</b>				
DCA6500	<input type="checkbox"/>	<b>24" ACTIVE WHEELS</b> (BLACK RIM, HUB AND RADIAL SPOKING INCL. ALU HANDRIMS)	24" (NC : All Handrims, All Spokeguards )	◆
DCA6510	<input type="checkbox"/>	<b>KUSCHALL STAREC HUB</b> (BLACK RIM AND HUB, BLACK CROSS SPOKING)	22", 24", 26"	○
DCA6520	<input type="checkbox"/>	<b>HIGH PERFORMANCE</b> (BLACK RIM, BLACK STAREC HUB, BLACK CROSS SPOKING)	24", 25" NC : 6660	533,65
DCA6550	<input type="checkbox"/>	<b>SPINERGY LXX</b> (BLACK RIM, HUB AND RADIAL SPOKING)	24", 25" NC : 6660, 6910	771,56
UCA6551	<input type="checkbox"/>	<b>SPINERGY LITE EXTREME LX</b> - 680g per wheel	24", 25"	1060,66
UCA6552	<input type="checkbox"/>	<b>SPINERGY LITE EXTREME X-LACED XLX</b> - 660g per wheel	24", 25"	1140,28



6300

Tyre size  
**MAXXIS LIGHT GUARD / ALPHA PROTECT** :  
 24" : 25-540  
**MBL SPEEDLITE** :  
 24" : 25-540









6600



6625


UCA6553	<input type="checkbox"/>	<b>SPINERGY X-LACED SPORT LITE EXTREME XSLX</b> - 757g per wheel	24", 25"		1206,64
UCA6554	<input type="checkbox"/>	<b>SPINERGY CARBON FIBER CLX</b> - 570g per wheel	24", 25"		1358,29
DCA6580	<input type="checkbox"/>	22", 24", 26" WHEELS WITH ATTENDANT DRUM BRAKE	22", 24", 25"	NC : 6950, 8680	518,48
<b>UNIQUE - RIM ANODIZED COLOURS</b>					
UCA6557	<input type="checkbox"/>	BLUE			162,09
UCA6558	<input type="checkbox"/>	GOLD			162,09
UCA6559	<input type="checkbox"/>	GREEN			162,09
UCA6560	<input type="checkbox"/>	ORANGE			162,09
UCA6561	<input type="checkbox"/>	RED			162,09
UCA6562	<input type="checkbox"/>	VIOLET			162,09
<b>UNIQUE - HUB ANODIZED COLOURS</b>					
UCA6563	<input type="checkbox"/>	BLUE			162,09
UCA6564	<input type="checkbox"/>	GOLD			162,09
UCA6565	<input type="checkbox"/>	SILVER GREY (RAL 9006)			162,09
UCA6566	<input type="checkbox"/>	GREEN			162,09
UCA6567	<input type="checkbox"/>	ORANGE			162,09
UCA6568	<input type="checkbox"/>	RED			162,09
UCA6569	<input type="checkbox"/>	VIOLET			162,09
<b>UNIQUE - SPOKE COLOURS</b>					
UCA6570	<input type="checkbox"/>	BLUE			162,09
UCA6571	<input type="checkbox"/>	GREEN			162,09
UCA6572	<input type="checkbox"/>	ORANGE			162,09
UCA6573	<input type="checkbox"/>	PINK			162,09
UCA6574	<input type="checkbox"/>	RED			162,09
UCA6575	<input type="checkbox"/>	VIOLET			162,09
UCA6576	<input type="checkbox"/>	WHITE			162,09
UCA6577	<input type="checkbox"/>	YELLOW			162,09
<b>UNIQUE - CERAMIC BEARING</b>					
UCA6579	<input type="checkbox"/>	CERAMIC BEARING			332,70

REAR WHEEL TYRE					
DCA6600	<input type="checkbox"/>	MAXXIS LITE GUARD BLACK TYRE (puncture protection)	24"	◆	 6630  6660
DCA6625	<input type="checkbox"/>	MAXXIS ALPHA PROTECT BLACK TYRE (puncture protection)	24"	72,04	
DCA6630	<input type="checkbox"/>	MBL SPEEDLITE (puncture protection)	24"	72,04	
DCA6660	<input type="checkbox"/>	24" SOLID TYRE BLACK	24" NC : 7230	72,04	
HANDRIM					
DCA6700	<input type="checkbox"/>	ANTI-SLIP DIST. 3 CM ADJUSTABLE 4CM		142,18	 6700 6710
DCA6710	<input type="checkbox"/>	STEEL, DIST. 3 CM ADJUSTABLE 4CM		113,74	
DCA6720	<input type="checkbox"/>	TITANIUM, DIST. 3 CM ADJUSTABLE 4CM		277,73	 6720  6740
DCA6740	<input type="checkbox"/>	CARBOLIFE GEKKO, WITH ANTI-SLIP DIST. 3 CM ADJUSTABLE 4CM		373,46	
DCA6750	<input type="checkbox"/>	CARBOLIFE GEKKO S, WITH ANTI-SLIP DIST. 3 CM ADJUSTABLE 4CM		373,46	
DCA6760	<input type="checkbox"/>	CARBOLIFE CURVE L WITH ERGONOMIC PROFILE DIST. 3 CM ADJUSTABLE 4CM		282,46	 6790 6760
DCA6770	<input type="checkbox"/>	CARBOLIFE QUADRO, WITH ERGONOMIC PROFILE DIST. 3 CM ADJUSTABLE 4CM		373,46	
DCA6780	<input type="checkbox"/>	LIGHT ALU, GREY, DIST. 3 CM ADJUSTABLE 4CM		◆	
DCA6790	<input type="checkbox"/>	LIGHT ALU, BLACK, DIST. 3 CM ADJUSTABLE 4CM		○	
REAR WHEEL CAMBER					
DCA6820	<input type="checkbox"/>	0°		◆	
DCA6840	<input type="checkbox"/>	3°	NC : 7230	○	
SPOKE GUARDS					
DCA6900	<input type="checkbox"/>	22", 24", 26" TRANSPARENT		200,95	
DCA6910	<input type="checkbox"/>	22", 24", 26" BLACK		200,95	
ALBER ADDS ON KIT					
DCA6950	<input type="checkbox"/>	TWION AND E-MOTION M25 ADAPTER PLATE, 2 ALBER ANTI-TIPPERS INCLUDED	Only 24" wheels. NC : 7500, 7510, 7520, 8100, 8110, 8120, 8200, 8210	579,15	
<i>Tip : for perfect compatibility of the brakes with the manual wheels, we advise you to equip them with the same coating as the motorized wheels.</i>					
UNIQUE - CUSTOMIZATION					
UCA6960	<input type="checkbox"/>	UNIQUE - CUSTOM COLOURS FORKS AND BEARING COVER		197,16	
UCA6961	<input type="checkbox"/>	UNIQUE - CUSTOM COLOURS FORKS, BEARING COVER, FORKS HOLDERS, REAR WHEEL SUPPORTS, BRAKE CLAMPS, HANGER RELEASE LEVER		551,66	

UNIQUE - COLOURS PREMIUM ANODIZATION			
UCA6963	<input type="checkbox"/>	RED	○
UCA6964	<input type="checkbox"/>	VIOLET	○
UCA6965	<input type="checkbox"/>	COPPER	○
UCA6966	<input type="checkbox"/>	GREEN	○
UCA6967	<input type="checkbox"/>	ORANGE	○
UCA6968	<input type="checkbox"/>	GOLD	○
UCA6969	<input type="checkbox"/>	CHAMPAGNE	○
UCA6970	<input type="checkbox"/>	PINK	○
UCA6971	<input type="checkbox"/>	BLUE	○
UCA6972	<input type="checkbox"/>	POLY MIRROR FINISH	○
<b>Brakes</b> - see table 2 at the end			
DCA7200	<input type="checkbox"/>	PULL BRAKES	◆
DCA7210	<input type="checkbox"/>	PUSH BRAKES, BENT	○
DCA7220	<input type="checkbox"/>	PUSH BRAKES LEVER STRAIGHT	○
DCA7230	<input type="checkbox"/>	PERFORMANCE BRAKES	NC : 7300, 7810, 7820, 7830 76,78
DCA7250	<input type="checkbox"/>	LIGHT ACTIVE BRAKE	NC : 7300 145,02
<b>BRAKE EXTENSION LEVER</b>			
DCA7300	<input type="checkbox"/>	BRAKE EXTENSION LEVER	76,78
<b>SAFETY OPTIONS</b>			
<i>Assembly of a maximum of 2 elements per side from the following list: anti-tippers, tipping tubes, cane holder, tube armrests or transit wheels</i>			
<b>ANTITIPPER</b>			
DCA7500	<input type="checkbox"/>	ANTITIPPER RIGHT	130,81
DCA7510	<input type="checkbox"/>	ANTITIPPER LEFT	130,81
DCA7520	<input type="checkbox"/>	ANTITIPPER BOTH SIDES	261,61
<b>TRANSPORTATION KIT</b>			
DCA7600	<input type="checkbox"/>	TRANSPORTATION KIT (LABELS)	NC : 7800, BH ≤ 400 mm 57,82
<b>POSTURE BELT</b>			
DCA7800	<input type="checkbox"/>	STANDARD POSTURE BELT - PLASTIC BUCKLE	42,65
DCA7810	<input type="checkbox"/>	BODYPOINT POSTURE BELT EVOFLEX, 2 POINTS, SMALL, FLAT-MOUNT WITH PUSH BUTTON	217,06
DCA7820	<input type="checkbox"/>	BODYPOINT POSTURE BELT EVOFLEX, 2 POINTS, MEDIUM, FLAT-MOUNT WITH REHAB LATCH	217,06
DCA7830	<input type="checkbox"/>	BODYPOINT POSTURE BELT EVOFLEX, 2 POINTS, LARGE, FLAT-MOUNT WITH REHAB LATCH	217,06
<b>PASSIVE LIGHTS</b>			
DCA7900	<input type="checkbox"/>	PASSIVE LIGHTS ASSEMBLED (MOUNTED ON SPOKES)	22,75
<b>ATTENDANT OPTIONS</b>			
<b>FRAME PROTECTION</b>			
DCA8000	<input type="checkbox"/>	REAR FRAME PROTECTION	◆
DCA8010	<input type="checkbox"/>	FRONT FRAME PROTECTION	44,55
<b>TIPPER AID</b>			
DCA8100	<input type="checkbox"/>	TIPPER-AID, RIGHT	NC : 8200 66,35
DCA8110	<input type="checkbox"/>	TIPPER-AID, LEFT	NC : 8210 66,35
DCA8120	<input type="checkbox"/>	TIPPER-AID, BOTH SIDES	NC : 8200, 8210 132,70
<b>CANE HOLDER</b>			
DCA8200	<input type="checkbox"/>	CANE HOLDER, RIGHT	66,35
DCA8210	<input type="checkbox"/>	CANE HOLDER, LEFT	66,35
<b>TRANSIT WHEELS</b>			
DCA8300	<input type="checkbox"/>	TRANSIT WHEELS 3"	301,42



7250



7500 / 7520

Evoflex belt adjustable from 35 mm to 125 mm rearward from the front of the seat sling. **6 positions in 15 mm increments**



7810 / 7820 / 7830



8010






8100

8200



8300

**OTHERS OPTIONS**

DCA8450	<input type="checkbox"/>	TABLE TRAY		391,47	
DCA8500	<input type="checkbox"/>	AIR PUMP - NEW		33,18	
DCA8550	<input type="checkbox"/>	TOOL KIT		22,75	8550
DCA8650	<input type="checkbox"/>	WHEELS BAG		65,40	
DCA8680	<input type="checkbox"/>	24" MOUNTAIN BIKE WHEELS WITH BAG MOUNTAIN BIKE WHEELS AND TIRES WITH ALU GREY HANDRIMS ; QUICK RELEASE AXLES INCLUDED		646,45	8650
DCA8800	<input type="checkbox"/>	BODYPOINT CALF STRAP		104,27	
DCA8850	<input type="checkbox"/>	BODYPOINT MOBILITY BAG		104,27	 8850

**Table 1 : HIGH OR STANDARD MOUNTED SITUATION (Foot plate, legrest angle and LLU)**

STD FOOTPLATE STANDARD MOUNTED  
HIGH FOOTPLATE HIGH MOUNTED  
CONFIGURATION POSSIBLE  
NC

	plastic footplate standard				Carbon footplate 2 parts				Carbon footplate 1 piece			
	Swing Away Frame		Fixed Frame		Swing Away Frame		Fixed Frame		Swing Away Frame		Fixed Frame	
	70°	80°	70°	80°	70°	80°	70°	80°	70°	80°	70°	80°
LLL 200	NC	NC	HIGH	HIGH	NC	NC	HIGH	HIGH	NC	NC	NC	NC
LLL 210	NC	NC	HIGH	HIGH	NC	NC	HIGH	HIGH	NC	NC	NC	NC
LLL 220	NC	NC	HIGH	HIGH	NC	NC	HIGH	HIGH	NC	NC	NC	NC
LLL 230	NC	NC	HIGH	HIGH	NC	NC	HIGH	HIGH	NC	NC	NC	NC
LLL 240	NC	NC	HIGH	HIGH	NC	NC	HIGH	HIGH	NC	NC	NC	NC
LLL 250	NC	NC	HIGH	HIGH	NC	NC	HIGH	HIGH	NC	NC	NC	NC
LLL 260	HIGH	HIGH	HIGH	HIGH	NC	NC	HIGH	HIGH	NC	NC	NC	NC
LLL 270	HIGH	HIGH	HIGH	HIGH	STD	STD	HIGH	HIGH	STD	STD	NC	NC
LLL 280	HIGH	HIGH	HIGH	HIGH	STD	STD	HIGH	HIGH	STD	STD	NC	NC
LLL 290	HIGH	HIGH	HIGH	HIGH	STD	STD	HIGH	HIGH	STD	STD	NC	NC
LLL 300	HIGH	HIGH	HIGH	HIGH	STD	STD	HIGH	HIGH	STD	STD	NC	NC
LLL 310	HIGH	HIGH	HIGH	HIGH	STD	STD	HIGH	HIGH	STD	STD	NC	NC
LLL 320	HIGH	STD	HIGH	HIGH	STD	STD	HIGH	HIGH	STD	STD	STD	STD
LLL 330	HIGH	STD	HIGH	HIGH	STD	STD	HIGH	HIGH	STD	STD	STD	STD
LLL 340	HIGH	STD	HIGH	HIGH	STD	STD	STD	STD	STD	STD	STD	STD
LLL 350	STD	STD	HIGH	HIGH	STD	STD	STD	STD	STD	STD	STD	STD
LLL 360	STD	STD	HIGH	STD	STD	STD	STD	STD	STD	STD	STD	STD
LLL 370	STD	STD	STD	STD	STD	STD	STD	STD	STD	STD	STD	STD
LLL 380	STD	STD	STD	STD	STD	STD	STD	STD	STD	STD	STD	STD
LLL 390	STD	STD	STD	STD	STD	STD	STD	STD	STD	STD	STD	STD
LLL 400	STD	STD	STD	STD	STD	STD	STD	STD	STD	STD	STD	STD
LLL 410	STD	STD	STD	STD	STD	STD	STD	STD	STD	STD	STD	STD
LLL 420	STD	STD	STD	STD	STD	STD	STD	STD	STD	STD	STD	STD
LLL 430	STD	STD	STD	STD	STD	STD	STD	STD	STD	STD	STD	STD
LLL 440	STD	STD	STD	STD	STD	STD	STD	STD	STD	STD	STD	STD
LLL 450	STD	STD	STD	STD	STD	STD	STD	STD	STD	STD	STD	STD
LLL 460	STD	STD	STD	STD	STD	STD	STD	STD	STD	STD	STD	STD
LLL 470	STD	STD	STD	STD	STD	STD	STD	STD	STD	STD	STD	STD
LLL 480	STD	STD	STD	STD	STD	STD	STD	STD	STD	STD	STD	STD
LLL 490	STD	STD	STD	STD	STD	STD	STD	STD	STD	STD	STD	STD
LLL 500	STD	STD	STD	STD	STD	STD	STD	STD	STD	STD	STD	STD
LLL 510	STD	STD	STD	STD	STD	STD	STD	STD	STD	STD	STD	STD

**Table 2: Brakes in relationship with rear wheel position, rear wheel size and SD**


	REAR WHEEL POS.	22" REAR WHEEL						24" REAR WHEEL						25" REAR WHEEL						26" REAR WHEEL					
		1	2	3	4	5	6	1	2	3	4	5	6	1	2	3	4	5	6	1	2	3	4	5	6
push brakes	SD 320-380	NC	NC	NC	NC	NC	NC	NC	NC	NC	NC	NC	NC	NC	NC	NC	NC	NC	NC	NC	NC	NC	NC	NC	NC
	SD 400	NC	NC	NC	NC	NC	NC	NC	NC	NC	NC	NC	NC	NC	NC	NC	NC	NC	NC	NC	NC	NC	NC	NC	NC
	SD 420	NC	NC	NC	NC	NC	NC	NC	NC	NC	NC	NC	NC	NC	NC	NC	NC	NC	NC	NC	NC	NC	NC	NC	NC
	SD 440	NC	NC	NC	NC	NC	NC	NC	NC	NC	NC	NC	NC	NC	NC	NC	NC	NC	NC	NC	NC	NC	NC	NC	NC
	SD 460	NC	NC	NC	NC	NC	NC	NC	NC	NC	NC	NC	NC	NC	NC	NC	NC	NC	NC	NC	NC	NC	NC	NC	NC
pull brakes	SD 480	NC	NC	NC	NC	NC	NC	NC	NC	NC	NC	NC	NC	NC	NC	NC	NC	NC	NC	NC	NC	NC	NC	NC	NC
	SD 500	NC	NC	NC	NC	NC	NC	NC	NC	NC	NC	NC	NC	NC	NC	NC	NC	NC	NC	NC	NC	NC	NC	NC	NC
	SD 320-380	NC	NC	NC	NC	NC	NC	NC	NC	NC	NC	NC	NC	NC	NC	NC	NC	NC	NC	NC	NC	NC	NC	NC	NC
	SD 400	NC	NC	NC	NC	NC	NC	NC	NC	NC	NC	NC	NC	NC	NC	NC	NC	NC	NC	NC	NC	NC	NC	NC	NC
	SD 420	NC	NC	NC	NC	NC	NC	NC	NC	NC	NC	NC	NC	NC	NC	NC	NC	NC	NC	NC	NC	NC	NC	NC	NC
performance brakes	SD 440	NC	NC	NC	NC	NC	NC	NC	NC	NC	NC	NC	NC	NC	NC	NC	NC	NC	NC	NC	NC	NC	NC	NC	NC
	SD 460	NC	NC	NC	NC	NC	NC	NC	NC	NC	NC	NC	NC	NC	NC	NC	NC	NC	NC	NC	NC	NC	NC	NC	NC
	SD 480	NC	NC	NC	NC	NC	NC	NC	NC	NC	NC	NC	NC	NC	NC	NC	NC	NC	NC	NC	NC	NC	NC	NC	NC
	SD 500	NC	NC	NC	NC	NC	NC	NC	NC	NC	NC	NC	NC	NC	NC	NC	NC	NC	NC	NC	NC	NC	NC	NC	NC
	active brakes	SD 320-380	NC	NC	NC	NC	NC	NC	NC	NC	NC	NC	NC	NC	NC	NC	NC	NC	NC	NC	NC	NC	NC	NC	NC
SD 400		NC	NC	NC	NC	NC	NC	NC	NC	NC	NC	NC	NC	NC	NC	NC	NC	NC	NC	NC	NC	NC	NC	NC	NC
SD 420		NC	NC	NC	NC	NC	NC	NC	NC	NC	NC	NC	NC	NC	NC	NC	NC	NC	NC	NC	NC	NC	NC	NC	NC
SD 440		NC	NC	NC	NC	NC	NC	NC	NC	NC	NC	NC	NC	NC	NC	NC	NC	NC	NC	NC	NC	NC	NC	NC	NC
SD 460		NC	NC	NC	NC	NC	NC	NC	NC	NC	NC	NC	NC	NC	NC	NC	NC	NC	NC	NC	NC	NC	NC	NC	NC
light active brakes	SD 480	NC	NC	NC	NC	NC	NC	NC	NC	NC	NC	NC	NC	NC	NC	NC	NC	NC	NC	NC	NC	NC	NC	NC	NC
	SD 500	NC	NC	NC	NC	NC	NC	NC	NC	NC	NC	NC	NC	NC	NC	NC	NC	NC	NC	NC	NC	NC	NC	NC	NC
	SD 320-380	NC	NC	NC	NC	NC	NC	NC	NC	NC	NC	NC	NC	NC	NC	NC	NC	NC	NC	NC	NC	NC	NC	NC	NC
	SD 400	NC	NC	NC	NC	NC	NC	NC	NC	NC	NC	NC	NC	NC	NC	NC	NC	NC	NC	NC	NC	NC	NC	NC	NC
	SD 420	NC	NC	NC	NC	NC	NC	NC	NC	NC	NC	NC	NC	NC	NC	NC	NC	NC	NC	NC	NC	NC	NC	NC	NC

NC  
NC with Swing away frames

**Table 3 : SWING AWAY HEMI FRAME CONDITION**

Front wheel	4"	5"	6"	7"
FSTF 370	Hemi*	NC	NC	NC
FSTF 380	Hemi	Hemi*	NC	NC
FSTF 390	Hemi	Hemi*	NC	NC
FSTF 400	Hemi	Hemi*	Hemi*	NC
FSTF 410	Std*	Hemi	Hemi*	NC
FSTF 420	Std*	Hemi	Hemi*	NC
FSTF 430	Std*	Hemi	Hemi	NC
FSTF 440	Std	Std*	Hemi	NC
FSTF 450	Std	Std*	Hemi	NC
FSTF 460	Std	Std*	Std*	Hemi
FSTF 470	Std	Std*	Std*	Hemi
FSTF 480	Std	Std	Std*	Hemi
FSTF 490	Std	Std	Std	Std*
FSTF 500	Std	Std	Std	Std*
FSTF 510	Std	Std	Std	Std*
FSTF 520	Std	Std	Std	Std
FSTF 530	Std	Std	Std	Std

NC  
FSTF NOT IN THE EPF  
WITH HOUSING CONNECTOR PLATE







**Table 4 : MATRX BACKREST WIDTH AVAILABLE RANGE RANGE**

SEAT WIDTH (SW)	ELITE E2 / ELITE DEEP E2 MATRX BACKREST WIDTH CHOICE						
	360	380	410	430	460	480	510
280	NC	NC	NC	NC	NC	NC	NC
300	NC	NC	NC	NC	NC	NC	NC
320	NC	NC	NC	NC	NC	NC	NC
340	NC	NC	NC	NC	NC	NC	NC
360	NC	NC	NC	NC	NC	NC	NC
380	NC	NC	NC	NC	NC	NC	NC
400	NC	NC	NC	NC	NC	NC	NC
420	NC	NC	NC	NC	NC	NC	NC
440	NC	NC	NC	NC	NC	NC	NC
460	NC	NC	NC	NC	NC	NC	NC
480	NC	NC	NC	NC	NC	NC	NC
500	NC	NC	NC	NC	NC	NC	NC

SEAT WIDTH (SW)	MVC2 MATRX BACKREST WIDTH CHOICE						
	360	380	410	430	460	480	510
280	NC	NC	NC	NC	NC	NC	NC
300	NC	NC	NC	NC	NC	NC	NC
320	NC	NC	NC	NC	NC	NC	NC
340	NC	NC	NC	NC	NC	NC	NC
360	NC	NC	NC	NC	NC	NC	NC
380	NC	NC	NC	NC	NC	NC	NC
400	NC	NC	NC	NC	NC	NC	NC
420	NC	NC	NC	NC	NC	NC	NC
440	NC	NC	NC	NC	NC	NC	NC
460	NC	NC	NC	NC	NC	NC	NC
480	NC	NC	NC	NC	NC	NC	NC
500	NC	NC	NC	NC	NC	NC	NC

**Accessory Ramps**

1440530	<input type="checkbox"/>	<b>Fiberglass Folding Mono Ramp</b> Folded dimensions: 2000 x 230 mm 16.3 kg - maximum capacity: 300 kg	1 787,68	 1440530
1654128	<input type="checkbox"/>	<b>Basic ramp 2 telescopic parts in aluminum and non-slip coating</b> Folded dimensions: 1210 x 194 mm 8.8 kg per pair - maximum capacity: 270 kg	402,84	 1654128
1654129	<input type="checkbox"/>	<b>Quick2go Compact 3-part aluminum telescopic ramp with non-slip coating</b> Folded dimensions: 870 x 237 mm 13.6 kg per pair - max. : 260 kg	805,69	 1654129
1654130	<input type="checkbox"/>	<b>Aluminium folding mono ramp</b> Folded dimensions: 1824 x 714 mm 13.9 kg - maximum capacity: 300 kg	426,54	 1654130