

# Rea® Dahlia® 30° MatrX

Please contact Invacare EU Export Customer Services on :-  
 Tel : +33 247 626980 ; Email : serviceclient\_export@invacare.com  
 Or visit our website : www.invacare.eu.com



## Rea® Dahlia® 30° MatrX Folding Frame Steel Manual Wheelchair



Date :

Purchase Order :

Customer Code :

Distributor Stamp::



### Description:


- Reclining seat up to 30° \* . Tilt possible by the user.
- Backrest adjustable in angle or inclination from 0° up to 30°\*.
- Reduced overall width: Seat width +180 mm with 20", 22", 24 wheels.
- Wheelbase adjustable over 90 mm
- delivered in rearward position.
- Narrow gutters without rotation as standard
- Weight: from 35kg.
- Max user weight: 135 kg.
- 2-year warranty period excluding wear parts
- \* see table at the end of the measurement sheet



Invacare Unique Customization Service  
 Please specify the quote or special production number:

Please make your selection with a cross in the box      ◆ Standard feature      ○ Free of charge option

CODE		DESCRIPTION	NC : Non Compatible NC : 9999 = not compatible with the reference 9999	Euros	
BVB0013	<input type="checkbox"/>	Rea® Dahlia® 30°MatrX		1 853,87	
<b>PROPULSION TYPE</b>					
BVB0030	<input type="checkbox"/>	SELF PROPELLED: 24"/ 22" /20"WHEELS	NC : 1588	◆	
BVB0042	<input type="checkbox"/>	ONE ARM DRIVE RIGHT (NEW DHR SYSTEM) - QUICK RELEASE AXLES	NC : 0120, 0140, 1555, 1582, 1584, 1586, 1810	832,23	
BVB0044	<input type="checkbox"/>	ONE ARM DRIVE LEFT (NEW DHR SYSTEM) - QUICK RELEASE AXLES	NC : 0120, 0140, 1555, 1582, 1584, 1586, 1810	832,23	
<b>SEAT</b>					
<b>SEAT WIDTH</b>					
BVB0050	<input type="checkbox"/>	390 MM ( SMALL CHASSIS)	NC : 0463, 0464, 0465, 0466, 1810	○	
BVB0060	<input type="checkbox"/>	440 MM ( MEDIUM CHASSIS)	NC : 0461, 0465, 0466	○	
BVB0070	<input type="checkbox"/>	490 MM ( LARGE CHASSIS)	NC : 0461, 0462, 0463	○	
<b>SEAT WIDTH EXTENSION (PRE ADJUSTMENT)</b>					
BVB0080	<input type="checkbox"/>	Delivered with adjustment + 50 mm	NC : 0630	○	
BVB0100	<input type="checkbox"/>	Delivered without pre-adjustment		◆	
<b>SEAT DEPTH</b>					
BVB0110	<input type="checkbox"/>	DEPTH ADJUSTABLE 430-500 MM		◆	
<b>SEAT HEIGHT</b>					
BVB0120	<input type="checkbox"/>	330 MM/ 13" (16" AND 20")	NC : 0670, 1728, 1810	○	
BVB0130	<input type="checkbox"/>	350 MM/ 14" (22", 20" AND 16")	NC : 0670	○	
BVB0140	<input type="checkbox"/>	380 MM/ 15" (20")	NC : 0670, 1728	○	
BVB0150	<input type="checkbox"/>	400 MM/ 16" (20" AND 22")	NC : 0670	○	
BVB0160	<input type="checkbox"/>	430 MM/ 17" (24" AND 22")	NC : 0670	○	
BVB0170	<input type="checkbox"/>	450 MM/ 18" (24" AND 16")		◆	
BVB0190	<input type="checkbox"/>	500 MM/ 20" (20")	NC : 1420, 1728	○	
<b>SEAT ANGLE - Negative</b>					
BVB0240	<input type="checkbox"/>	NEGATIVE SEAT ANGLE -1 (STANDARD IS + 0 DEGREE)		○	
<b>SEAT CUSHION</b>					
BVB0260	<input type="checkbox"/>	CUSHION MISTRAL 2 LAYER BLACK PU TR26		○	
BVB0270	<input type="checkbox"/>	CUSHION FLOSHAPE BLACK PU TR26		○	
BVB0272	<input type="checkbox"/>	CUSHION FLOSHAPE PLUSH TR35		○	
BVB0274	<input type="checkbox"/>	CUSHION FLOSHAPE SPACER TR36		○	
BVB0280	<input type="checkbox"/>	CUSHION MATRX CONTOUR VISCO NG		◆	
<b>BACKREST</b>					
<b>BACKREST TUBE</b>					
BVB0360	<input type="checkbox"/>	STRAIGHT (FLEX 3, MATRX AND LAGUNA)		◆	




0270



0280

BACKREST TYPE			
BVB0390	<input type="checkbox"/>	Matrx Elite E2	◆
BVB0400	<input type="checkbox"/>	Matrx Elite Deep E2	○
BACKREST HEIGHT MATRX			
BVB0455	<input type="checkbox"/>	HEIGHT 41 CM	○
BVB0456	<input type="checkbox"/>	HEIGHT 46 CM	○
BVB0457	<input type="checkbox"/>	HEIGHT 51 CM	◆
BACKREST WIDTH MATRX BACKRESTS			
BVB0461	<input type="checkbox"/>	380 MM - INDICATIVE BUST WIDTH : 290 MM	○
BVB0462	<input type="checkbox"/>	410 MM - INDICATIVE BUST WIDTH : 315 MM	○
BVB0463	<input type="checkbox"/>	430 MM - INDICATIVE BUST WIDTH : 340 MM	○
BVB0464	<input type="checkbox"/>	460 MM - INDICATIVE BUST WIDTH : 370 MM	○
BVB0465	<input type="checkbox"/>	480 MM - INDICATIVE BUST WIDTH : 390 MM	○
BVB0466	<input type="checkbox"/>	510 MM - INDICATIVE BUST WIDTH : 420 MM	○
PUSHHANDLES			
BVB0580	<input type="checkbox"/>	ANGLE ADJUSTABLE PUSHBAR	145,97
BVB0590	<input type="checkbox"/>	Height adjustable and removable push handles	◆
BVB0600			
SEATING			
SEAT TILT TYPE			
BVB0620	<input type="checkbox"/>	ASSISTANT OPERATED GAS PISTON FOR SEAT TILT	◆
BVB0630	<input type="checkbox"/>	USER OPERATED TILT (SELF-TILT) WITH FIXATED ARMREST POLE - SEAT TILT REDUCE TO 10°	○
BVB0632	<input type="checkbox"/>	USER OPERATED TILT (SELF-TILT) WITH STANDARD ARMREST POLE - SEAT TILT REDUCE TO 10°	○
BACKREST RECLINE OPERATION TYPE			
BVB0640	<input type="checkbox"/>	ASSISTANT OPERATED GAS PISTON FOR BACKREST RECLINE	◆
BVB0660	<input type="checkbox"/>	FIXED BACKREST ANGLE (BARREL SCREW)	○
LEGRESTS / FOOTRESTS			
CENTRAL LEGRESTS TYPE			
BVB0670	<input type="checkbox"/>	CENTRAL LEGREST, INCL CALFPAD AND FOOTREST	900,47
			NC : 0690, 0700, 0710, 0730, 0750, 0760, 0780, 0805, 1040, 1330, 1340, 1350, 1351, 1352, 1353
LEGRESTS / HANGERS ADJUSTMENT			
BVB0680	<input type="checkbox"/>	LOW POSITION, STANDARD	◆
BVB0690	<input type="checkbox"/>	HIGH POSITION FOR LONGER LEGS, 50 MM HIGHER	109,00
BVB0692	<input type="checkbox"/>	90° HANGER ATTACHMENT	52,13
			NC : 0710, 0730, 0760, 0780
LEGRESTS / HANGERS LH TYPE			
BVB0700	<input type="checkbox"/>	HANGER ANGLE ADJUSTABLE LH. WITH KNEE PAD AND CALF SUPPORT	◆
BVB0710	<input type="checkbox"/>	HANGER FIXED 80 DEG, SWING IN SWING OUT - ALU 2003, LH	○
BVB0730	<input type="checkbox"/>	LEGREST AMPUTEE - ALU 2008 LH	140,28
			NC : 0805, 0825, 1330, 1340, 1350
LEGRESTS / HANGERS RH TYPE			
BVB0750	<input type="checkbox"/>	HANGER ANGLE ADJUSTABLE RH. WITH KNEE PAD AND CALF SUPPORT	◆
BVB0760	<input type="checkbox"/>	HANGER FIXED 80 DEG, SWING IN SWING OUT - ALU 2003, RH	○
BVB0780	<input type="checkbox"/>	LEGREST AMPUTEE - ALU 2008 RH	140,28
			NC : 0805, 0845, 1330, 1340, 1350
FOOTRESTS			
FOOTRESTS LH TYPE			
BVB0805	<input type="checkbox"/>	FOOTREST ONE PIECE DEPTH AND ANGLE ADJUSTABLE	202,84
BVB0825	<input type="checkbox"/>	FOOTREST LOWER PART, DEPTH AND ANGLE ADJUSTABLE WITH HEEL STRAP, LH	◆
			NC : 1330
FOOTRESTS RH TYPE			
BVB0845	<input type="checkbox"/>	FOOTREST LOWER PART, DEPTH AND ANGLE ADJUSTABLE WITH HEEL STRAP, RH	◆
			NC : 1330
FOOTRESTS TUBE			
BVB0855	<input type="checkbox"/>	SHORT TUBE 24CM	○
BVB0865	<input type="checkbox"/>	LONG TUBE 36CM	◆




0390






0400



0580



0670






0700  
07500710  
07600730  
0780


0825 / 0845



0825 / 0845


ARMRESTS (Height adjustable, Autolock attachment included)				
<b>ARMRESTS LH TYPE</b>				
BVB0900	<input type="checkbox"/>	STRAIGHT NARROW PAD, LH	NC : 1756	○
BVB0910	<input type="checkbox"/>	STANDARD PAD, LH	NC : 1025, 1756	○
BVB0915	<input type="checkbox"/>	HIGH ARMREST (+55MM), STANDARD PAD, LH	NC : 1025, 1756	36,02
BVB0925	<input type="checkbox"/>	CONCAVE PAD, LH	NC : 1025, 1756	◆
BVB0930	<input type="checkbox"/>	HEMIPLEGIC ARMRESTS, LH. NOT TO COMBINE WITH TABLE ACCESSORIES.	NC : 1025, 1750,1755, 1756, 1760, 1780	○
BVB0950	<input type="checkbox"/>	WITHOUT ARMREST, LH	NC : 1020, 1025, 1750, 1755, 1760, 1780	○
<b>ARMRESTS RH TYPE</b>				
BVB0960	<input type="checkbox"/>	STRAIGHT NARROW PAD, RH	NC : 1757	○
BVB0970	<input type="checkbox"/>	STANDARD PAD, RH	NC : 1025, 1757	○
BVB0975	<input type="checkbox"/>	HIGH ARMREST (+55MM), STANDARD PAD, RH	NC : 1025, 1757	36,02
BVB0985	<input type="checkbox"/>	CONCAVE PAD RH	NC : 1025, 1757	◆
BVB0990	<input type="checkbox"/>	HEMIPLEGIC ARMRESTS, RH. NOT TO COMBINE WITH TABLE ACCESSORIES.	NC : 1025, 1750, 1755, 1756, 1760, 1780	○
BVB1010	<input type="checkbox"/>	WITHOUT ARMREST, RH	NC : 1020, 1025, 1750, 1755, 1760, 1770, 1775, 1780	○
<b>OPTIONS</b>				
<b>ARMREST OPTIONS</b>				
BVB1020	<input type="checkbox"/>	PAD, SIDE REST		69,19
BVB1025	<input type="checkbox"/>	PADDED ARMPAD COVER, BLACK PLUSH TR35		41,71
<b>SEAT OPTIONS</b>				
BVB1030	<input type="checkbox"/>	INCONTINENCE COVER		41,71
BVB1040	<input type="checkbox"/>	ABDUCTION CUSHION	NC : 1060	246,45
BVB1050	<input type="checkbox"/>	SEAT PLATE EXTENSION IN WIDTH, FORWARD, REAR OR ASSYMETRIC (AS KIT, TWO UNITS OF PLATES)	NC : 1060	83,41
BVB1060	<input type="checkbox"/>	2 CM SEAT HEIGHT INCREASED SEAT PLATE		94,79
<b>BACKREST OPTIONS</b>				
BVB1080	<input type="checkbox"/>	HEADREST, SIDEWISE ADJUSTABLE	NC : 1087, 1110, 1112	◆
BVB1100	<input type="checkbox"/>	HEADREST WITH CHEEK SUPPORT, SIDEWISE ADJUSTABLE	NC : 1087, 1090, 1100	○
BVB1081	<input type="checkbox"/>	MATRX ELAN STANDARD PAD (254 mm / 10")	NC : 1090, 1110	○
BVB1086	<input type="checkbox"/>	MATRX ELAN 4-POINT PAD (280W x 254H mm / 11"W x 10"H)	NC : 1090, 1110	408,53
BVB1087	<input type="checkbox"/>	MATRX ELAN HARDWARE		○
BVB1090	<input type="checkbox"/>	COVER FOR HEADREST	NC : 1110	47,39
BVB1110	<input type="checkbox"/>	NECKREST		○
BVB1130	<input type="checkbox"/>	HANDLES CLINIC KIT FOR HEAD-/NECKREST		29,38
BVB1300	<input type="checkbox"/>	TILT SCALE, BACKREST RECLINE		16,11
<b>LEGREST OPTIONS</b>				
BVB1330	<input type="checkbox"/>	CALF STRAP (FOR FOOTREST ONE PIECE)		87,20
BVB1340	<input type="checkbox"/>	FOOT PLATE PADDING		103,32
BVB1350	<input type="checkbox"/>	CALF STRAP PADDED		126,07
BVB1351	<input type="checkbox"/>	BODYPOINT ANKLE HUGGERS LARGE	MOUNTING KIT INCLUDED	170,62
BVB1352	<input type="checkbox"/>	BODYPOINT ANKLE HUGGERS MEDIUM	MOUNTING KIT INCLUDED	170,62
BVB1353	<input type="checkbox"/>	BODYPOINT ANKLE HUGGERS SMALL	MOUNTING KIT INCLUDED	161,14
<b>CHASSIS</b>				
<b>COLOUR STRAPS CHASSIS</b>				
BVB1360	<input type="checkbox"/>	BLUE		◆
BVB1370	<input type="checkbox"/>	SILVER		○
BVB1380	<input type="checkbox"/>	RED		○
BVB1390	<input type="checkbox"/>	CHAMPAGNE		○
BVB1400	<input type="checkbox"/>	PETROLIUM GREEN		○
BVB1405	<input type="checkbox"/>	WITHOUT COLOUR STRAPS		○
<b>CASTOR ATTACHMENT TYPE</b>				
BVB1410	<input type="checkbox"/>	FIXED		◆
BVB1420	<input type="checkbox"/>	QR		75,83
<b>FRONT CASTORS</b>				
BVB1435	<input type="checkbox"/>	4" x 1" - 100X27 BLACK SOFTROLL	FOR SEAT HEIGHT 330-350 MM	○
BVB1440	<input type="checkbox"/>	5" x 1" - 125X27 BLACK MEDIUM HARD	FOR SEAT HEIGHT 350 MM	○
BVB1475	<input type="checkbox"/>	6" x 1.1/4" - 150X30 BLACK MEDIUM HARD	FOR SEAT HEIGHT 380-450 MM	◆
BVB1495	<input type="checkbox"/>	8" x 1.1/4" - 200X30 BLACK SOLID TYRE	FOR SEAT HEIGHT 450-500 MM	○
BVB1505	<input type="checkbox"/>	8" x 1.1/4" - 200X32 PNEUMATIC BLACK	FOR SEAT HEIGHT 450-500 MM	○
BVB1515	<input type="checkbox"/>	8" x 2" - 200X45 BLACK SOLID TYRE	FOR SEAT HEIGHT 450-500 MM	107,11





REAR WHEEL				
<b>REAR WHEEL POSITION</b>				
BVB1534	<input type="checkbox"/>	STANDARD, MOST STABLE POSITION		◆
<b>REAR WHEELS SIZE</b>				
BVB1555	<input type="checkbox"/>	20" / 515 MM - QUICK RELEASE ATTACHMENT	NC : 1582, 1586, 1588, 1625, 1640, 1670	○
BVB1565	<input type="checkbox"/>	22" / 560 MM - QUICK RELEASE ATTACHMENT	NC : 1670	○
BVB1575	<input type="checkbox"/>	24" / 600 MM - QUICK RELEASE ATTACHMENT		◆
<b>REAR WHEELS TYPE</b>				
BVB1582	<input type="checkbox"/>	STANDARD ( BLACK HUB, COLORLESS RIM & ZINC PLATTED SPOKES )	NC : 1660, 1670, 1728	◆
BVB1584	<input type="checkbox"/>	REINFORCED (COLORLESS HUB, CLEAR ANODIZED RIM & STAINLESS STEEL SPOKES)	NC : 1728	36,02
BVB1586	<input type="checkbox"/>	DRUM BRAKE (22/24" : COLORLESS HUB, CLEAR ANODIZED RIM & STAINLESS STEEL SPOKES / 16" : BLACK PLASTIC HUB & RIM)		○
BVB1588	<input type="checkbox"/>	ONE ARM DRIVE (BLACK HUB & ZINC PLATTED SPOKED WITH ONE ARM DRIVE HANDRIM SYSTEM)	NC : 1615, 1605, 1650, 1660, 1670, 1710, 1728	○
<b>TYRE TYPE</b>				
BVB1605	<input type="checkbox"/>	PNEUMATIC PROFILED BLACK 1" 3/8		○
BVB1625	<input type="checkbox"/>	TYRES SOLID BLACK 1"3/8		◆
BVB1640	<input type="checkbox"/>	PNEUMATIC LOW PROFILE BLACK 1"		○
<b>HANDRIM TYPE</b>				
BVB1650	<input type="checkbox"/>	ALUMINIUM 4-P		◆
BVB1660	<input type="checkbox"/>	PLASTIC COATED 4-P		200,00
BVB1670	<input type="checkbox"/>	BRUSHED STAINLESS STEEL		196,21
<b>WHEEL OPTIONS</b>				
<b>SPOKEGUARD</b>				
BVB1710	<input type="checkbox"/>	FROST		219,91
<b>SAFETY</b>				
BVB1720	<input type="checkbox"/>	USER OPERATED TYRE BRAKES		◆
BVB1725	<input type="checkbox"/>	ONE ARM BRAKE LH		327,01
BVB1727	<input type="checkbox"/>	ONE ARM BRAKE RH		327,01
BVB1728	<input type="checkbox"/>	ATTENDANT HUB BRAKE		213,27
<b>SAFETY OPTIONS</b>				
BVB1730	<input type="checkbox"/>	PELVIC BELT - PLASTIC BUCKLE		73,93
BVB1731	<input type="checkbox"/>	BODYPOINT 2 POINT CENTER-PULL PUSH-BUTTON MEDIUM		120,38
BVB1732	<input type="checkbox"/>	BODYPOINT 2 POINT CENTER-PULL PUSH-BUTTON LARGE		127,01
BVB1733	<input type="checkbox"/>	BODYPOINT 4 POINT CENTER-PULL PUSH-BUTTON MEDIUM		134,60
BVB1734	<input type="checkbox"/>	BODYPOINT 4 POINT CENTER-PULL PUSH-BUTTON LARGE		142,18
BVB1736	<input type="checkbox"/>	BODYPOINT PIVOTFIT HARNESS MEDIUM		220,85
BVB1737	<input type="checkbox"/>	BODYPOINT PIVOTFIT HARNESS LARGE		227,49
<b>POSITIONING OPTIONS</b>				
<i>Think of Bodypoint positioning accessories: belts, harnesses, ankle supports.</i>				
<b>ACCESSOIRES</b>				
<b>TABLE TRAY</b>				
BVB1750	<input type="checkbox"/>	TABLE TRAY INCL MOUNTING KIT	NC : 1765	72,83
BVB1755	<input type="checkbox"/>	TABLE TRAY INCL MOUNTING KIT, WITH ELBOW PADS	NC : 1765	154,50
BVB1756	<input type="checkbox"/>	HALF TABLE TRAY, CLEAR, FLIP UP, LH (ARMREST WITH STRAIGHT NARROW PAD INCL.)	NC : 1760	72,83
BVB1757	<input type="checkbox"/>	HALF TABLE TRAY, CLEAR, FLIP UP, RH (ARMREST WITH STRAIGHT NARROW PAD INCL.)	NC : 1760	72,83
BVB1770	<input type="checkbox"/>	SWING AWAY TABLE	NC : 1760, 1780	300,47
BVB1775	<input type="checkbox"/>	SWING AWAY TABLE WITH ELBOW PADS	NC : 1760, 1780	348,82
<b>TABLE TRAY CUSHION</b>				
BVB1760	<input type="checkbox"/>	TABLE CUSHION		92,89
BVB1765	<input type="checkbox"/>	PADDING		90,05




Standard



1640 1605 1625







OTHERS OPTIONS				
BVB1780	<input type="checkbox"/>	LOCKING DEVICE FOR TABLE TRAY		59,72
BVB1810	<input type="checkbox"/>	MOUNTING BRACKET VIAMOBIL	NC : 1830, 1870, 1900	313,74
BVB1860	<input type="checkbox"/>	HARNESS ATTACHMENT BACKREST, UPPER		78,67
BVB1870	<input type="checkbox"/>	KERB LEVER	NC : 1900	75,83
BVB1890	<input type="checkbox"/>	TRANSPORTATION BRACKETS FOR OCCUPIED AND NON OCCUPIED TRANSPORT		52,13
BVB1900	<input type="checkbox"/>	VENTILATOR TRAY		599,05
BVB1920	<input type="checkbox"/>	DRIP STAND		105,21
BVB1930	<input type="checkbox"/>	RESTRICTOR KIT		10,43



1860

### COMPATIBILITY CHART: Seat height / rear wheel size / seat tilt

	Seat Height	Rear Wheel Size	Seat Tilt As Delivered	Backrest Recline As Delivered	Active Rear Wheel Position
330		16"	30	30	Not Possible
		20"	10	30	Armrest +5cm higher
350		16"	30	30	Ok
		20"	20	20	Not Possible
380		22"	10	30	Not Possible
		20"	20	10	Armrest +5cm higher
400		20"	30	20	Ok
		22"	20	10	Armrest +5cm higher
430		22"	30	20	Not Possible
		24"	20	10	Not Possible
450		16"	30	30	Ok
		24"	30	20	Not Possible
480		16"	30	30	Ok

RAMPS					
1440530	<input type="checkbox"/>	<b>Fiberglass Folding Mono Ramp</b> Folded dimensions: 2000 x 230 mm 16.3 kg - maximum capacity: 300 kg"		1 787,68	 1440530
1654128	<input type="checkbox"/>	<b>Basic ramp 2 telescopic parts in aluminum and non-slip coating</b> - Folded dimensions: 1210 x 194 mm. 8.8 kg per pair - maximum capacity: 270 kg		402,84	 1654128
1654129	<input type="checkbox"/>	<b>Quick2go Compact 3-part aluminum telescopic ramp with non-slip coating</b> Folded dimensions: 870 x 237 mm 13.6 kg per pair - maximum capacity: 260 kg		805,69	 1654129
1654130	<input type="checkbox"/>	<b>Aluminium folding mono ramp</b> Folded dimensions: 1824 x 714 mm 13.9 kg - maximum capacity: 300 kg		426,54	 1654130