

# Invacare® Aviva® RX40 Modulite HD AA2

Please contact Invacare EU Export Customer Services on :-  
 Tel : +33 247 626980 ; Email : serviceclient\_export@invacare.com  
 Or visit our website : www.invacare.eu.com



## Invacare® Aviva® RX40 Modulite HD AA2

Rear drive wheelchair



Date :

User name :

Customer Code :

Dealer stamp:



**Descriptive :**

- Seat width up to 600 mm
- Seat depth up to 480 mm
- Max. user weight: 160 kg.
- Warranty : 2 years except batteries and wear parts

**As standard :**

- 340W motors, 4 pole
- 120 A power module
- 73 Ah batteries and 10A charger
- LED lights system
- Fender for castors and drive wheels
- Single sided fork
- Metallic colours on frame, rims and backrest




Customization Service Invacare Unique




Please indicate your quote number or special manufacturing number :









**Indicative Public Rate - Use the online configurator on Invacare Pro to generate quotes or orders free from incompatibilities.**

- Please make your selection with a cross in the box       Standard configuration       Free of charge



CODE	DESCRIPTION	NC : Non Compatible NC : 9999 : non compatible with the reference 9999	EUROS	
JBIO029	<input type="checkbox"/> <b>AVIVA RX 40 HD AA2</b> includes 120A Power Module - 73Ah Batteries; Wide Base only - Max user weight up to 160 kg		7 156,40	
<b>CHASSIS AVIVA RX</b>				
JBIZ830	<input type="checkbox"/> Chassis Wide (635 mm/25")	NC : 1244		
<b>MODULITE HD SEAT</b>				
<b>SEATING TYPE</b>				
JBX2101	<input type="checkbox"/> Invacare® Modulite HD Seat Unit On RX 40 HD only			◆
<b>SEAT WIDTH SETTING FOR ADJUSTABLE SEAT FRAME</b>				
JBIZ124	<input type="checkbox"/> 530 mm Seat Plate			◆
JBX2104	<input type="checkbox"/> 550 mm Seat Plate			○
<b>SEAT DEPTH SETTING</b>				
JBIZ136	<input type="checkbox"/> 510 mm			◆
JBX2137	<input type="checkbox"/> 580 mm			○
<b>SEAT CUSHION</b>				
JBIZ148	<input type="checkbox"/> Seat Cushion (90 mm high)			◆
<b>BACKREST SUPPORT</b>				
JBIZ162	<input type="checkbox"/> Backposts tall (540 mm)			◆
<b>BACKREST UPHOLSTERY / CUSHION</b>				
JBIZ171	<input type="checkbox"/> Tension Adjustable tall = 540 mm			◆
<b>UPHOLSTERY COLOUR</b>				
JBIZ156	<input type="checkbox"/> Black Nylon			◆
<b>ARMREST (Pair)</b>				
JBIZ191	<input type="checkbox"/> T-Arm detachable, Standard Adjustment range 245 - 315 mm			◆
JBIZ181	<input type="checkbox"/> T-Arm detachable, Extended height Adjustment range 295 - 365 mm		60,66	
<b>ARMPAD (Pair)</b>				
JBIZ195	<input type="checkbox"/> Short Armpad (325 mm)			◆
JBIZ196	<input type="checkbox"/> Long Armpad (375 mm)		78,67	
JBIZ197	<input type="checkbox"/> Long Ergonomic Armpad (397 mm)		113,74	
<b>HEADREST/NECKREST (Dartex)</b>				
JBIZ1350	<input type="checkbox"/> Neckrest depth adjustable	NC : 2230, 2247, 1288, 1289		◆
JBIZ1432	<input type="checkbox"/> Headrest sideways adjustable			○
JBIZ1427	<input type="checkbox"/> Headrest with cheek support		313,74	
JBIZ2324	<input type="checkbox"/> Elan Standard Pad 255 mm / 10" wide w/standard cover (ESP26)		383,89	
JBIZ2325	<input type="checkbox"/> Elan Occipital Pad 230x180 mm / 9"x7" w/standard cover (EOP23)		427,49	
JBIZ2327	<input type="checkbox"/> Elan 4 Point Headrest Pad 280x255 mm / 11"x10" w/standard		559,24	
JBIZ1495	<input type="checkbox"/> Non Invacare Headrest - no mounting hardware			○






SEAT LIFTER / SEAT TILT							
JBI1092	<input type="checkbox"/>	Powered "fixed pivot" Tilt 20°	NC : 1401	◆			
JBI1093	<input type="checkbox"/>	Powered Tilt (0°- 30°) with CoG shift	NC : 1401	787,68			
JBI1094	<input type="checkbox"/>	Seat lifter with powered tilt (300 mm, 30°), CoG shift	NC : 1494, 2220	2 127,01			
SEAT HEIGHT SETTING							
JBI2857	<input type="checkbox"/>	Seat-to-Floor Height 435 mm		◆			
JBI2858	<input type="checkbox"/>	Seat-to-Floor Height 460 mm		○			
JBI2859	<input type="checkbox"/>	Seat-to-Floor Height 485 mm		○			
BACKREST RECLINER							
JBI0977	<input type="checkbox"/>	Powered Recliner		◆	0977		
LEGRESTS / FOOTRESTS							
CENTRE MOUNTED LEGRESTS							
JBI0556	<input type="checkbox"/>	Centre mount legrest, angle settable Length: 280 - 385 mm	NC : 2366, 0517, 1244		563,03		
JBI0589	<input type="checkbox"/>	LNX Power centre mount legrest, length compensating Length: 340 - 410 mm	NC : 1244		1 712,80		
FOOTPLATES / FOOT PLATFORM							
JBI2365	<input type="checkbox"/>	Angle & width adjustable footplates S (127 W x 190 mm D / 5"x7.5")			○		
JBI0559	<input type="checkbox"/>	Angle & width adjustable footplates M (140 W x 240 mm D / 5.5"x9.5")			◆		
JBI0516	<input type="checkbox"/>	Angle & width adjustable footplates L (150 W x 290 mm D / 6"x11.5")			124,17		
JBI2366	<input type="checkbox"/>	Angle adjustable foot platform S (305 W x 215 mm D / 12"x8.5")	NC : 0556		124,17		
JBI0517	<input type="checkbox"/>	Angle adjustable foot platform M (305 W x 275 mm D / 12"x10.75")	NC : 0556		124,17		
FOOTREST HANGER TYPE / PAIRS							
JBI0533	<input type="checkbox"/>	Hanger Vari A pair Lower leg length: 290 - 460 mm Angle adjustment: 70 - 0° with handwheel and calf pad			◆	0533	
JBI0531	<input type="checkbox"/>	Hanger ADE pair Lower leg length: 290 - 460 mm Powered Angle adjustment: 80 - 0° with calf pad			878,67	0513	
FOOTPLATE TYPE / PAIRS							
JBI0504	<input type="checkbox"/>	Angle Adjustable Footplate pair	NC : 0501		◆		
JBI0513	<input type="checkbox"/>	Angle and depth adjustable Footplate pair	NC : 0501		106,16		
REMOTES LINX							
LINX PRIMARY REMOTES with proportional Joystick + BRACKETS							
JBI2204	<input type="checkbox"/>	Remote LiNX DLX-REM216 = Drive, Actuators & Lights 3 Drive functions and power module incl. 2 Actuators & Lights	NC : 2231, 2232, 2233, 2230, 2240, 2270, 2258		◆	 REM216	
JBI2205	<input type="checkbox"/>	Rehab Remote LiNX, touch-screen user interface DLX-REM400	NC : 2220		1 137,44		 REM400
JBI2206	<input type="checkbox"/>	Rehab Remote LiNX without joystick for alternative access users DLX-REM500 Requires a user input/alternative joystick: 2231, 2232, 2229, 2230, 2247, 2233	NC : 2220, 2270		1 712,80		 REM500
REM400 TOGGLE OPTION							
JBI2270	<input type="checkbox"/>	Assignable Toggle Switch Module f. REM400 (DLX-SW400TGL)	NC : 2203, 2204, 2206		340,28	 2270	
PRIMARY REMOTE AND DISPLAY MOUNTING POSITION							
JBI1207	<input type="checkbox"/>	Standard Bracket RH	NC : 2206, 2285, 2283, 2287, 2207, 2265, 2275, 1404		○		
JBI1208	<input type="checkbox"/>	Standard Bracket LH	NC : 2206, 2286, 2284, 2288, 2208, 2266, 2276, 1405		○		
JBI1707	<input type="checkbox"/>	Swing Away Bracket RH	NC : 2206, 2285, 2283, 2287, 2207, 2265, 2275, 1404		◆		
JBI1708	<input type="checkbox"/>	Swing Away Bracket LH	NC : 2206, 2286, 2284, 2288, 2208, 2266, 2276, 1405		○		
JBI2209	<input type="checkbox"/>	Swing away RH, multi-adjustable	NC : 2203, 2204, 2205, 2285, 2283, 2287, 2207, 2265, 2275, 1415, 2217, 1404		○	2209	
JBI2210	<input type="checkbox"/>	Swing away LH, multi-adjustable	NC : 2203, 2204, 2205, 2286, 2284, 2288, 2208, 2266, 2276, 1339, 2218, 1405		○	2210	
PW-4005	<input type="checkbox"/>	Option 2209/2210 with mounting rod for REM500 extended by 200 mm			On demand		
JBI2213	<input type="checkbox"/>	Centre Mount, swing-away to RH, Nucleus	NC : 2285, 2283, 2287, 2207, 2265, 2275, 1415, 2217, 1404, 1405		685,31		





JBI2214	<input type="checkbox"/>	Centre Mount, swing-away to LH, Nucleus	NC : 2286, 2284, 2288, 2208, 2266, 2276, 1339, 2218, 1404, 1405	685,31	
JBI2227	<input type="checkbox"/>	Bracket RH, mounted for Attendant	NC : 2206, 1287, 2220, 2128, 2219, 1221, 1312	160,19	
JBI2228	<input type="checkbox"/>	Bracket LH, mounted for Attendant	NC : 2206, 1286, 2220, 2128, 2219, 1222, 1363	160,19	
JBX2239	<input type="checkbox"/>	Individual mounting option per request (Special)		On demand	
<b>DUAL CONTROL LiNX + BRACKETS</b>					
JBI2220	<input type="checkbox"/>	Dual Control LiNX (DLX-REM050 as secondary remote)	NC : 1094, 2273, 2205, 2206, 1221, 1222, 2227, 2228	677,02	 REM050
JBI2219	<input type="checkbox"/>	Compact Dual Control LiNX (DLX-ACU200)	NC : 1221, 1222, 2227, 2228	1 091,94	 2219
JBI2245	<input type="checkbox"/>	Invacare LiNX IDC Dual control	NC : 2259, 2260	1 563,98	
JBI2259	<input type="checkbox"/>	Bracket RH, Attendant	NC : 1287, 2291, 2245, 1312	○	 2245
JBI2260	<input type="checkbox"/>	Bracket LH, Attendant	NC : 1286, 2292, 2245, 1363	○	
JBI1221	<input type="checkbox"/>	Bracket RH, detachable	NC : 1287, 2291, 2220, 2219, 2227, 1312	○	
JBI1222	<input type="checkbox"/>	Bracket LH, detachable	NC : 1286, 2292, 2220, 2219, 2228, 1363	○	
<b>LiNX - COMPACT REMOTES + BRACKETS REQUIRES PRIMARY REMOTE (DLX-REM400 or DLX-REM500)</b>					
JBI2231	<input type="checkbox"/>	Proportional Compact Remote DLX-CR400	NC : 2203, 2204	1 191,47	 2231
JBI2232	<input type="checkbox"/>	Proportional Compact Remote Low Force DLX-CR-400LF	NC : 2203, 2204	1 312,80	 2232
JBI2207	<input type="checkbox"/>	RH Mount	NC : 1207, 1707, 2209, 2213, 2217, 1404	○	
JBI2208	<input type="checkbox"/>	LH Mount	NC : 1208, 1708, 2210, 2214, 2218, 1405	○	
JBI2265	<input type="checkbox"/>	Centre Mount, swing-away to RH (Nucleus)	NC : 1207, 1707, 2209, 2213, 2217, 1404, 1405, 1415	717,54	
JBI2266	<input type="checkbox"/>	Centre Mount, swing-away to LH (Nucleus)	NC : 1208, 1708, 2210, 2214, 2218, 1404, 1405, 1339	717,54	
JBX2215	<input type="checkbox"/>	Individual mounting option per request (Special)		On demand	
<b>FOUR-SWITCH PROXIMITY ARRAY (with ATOM Technology)</b>					
JBI2257	<input type="checkbox"/>	Four-Switch Proximity Array (ASL106)	NC : 2203, 2204, 2229, 2230, 2247, 2233, 2240, 2128	6 129,86	
JBI2275	<input type="checkbox"/>	Centre Mount, swing-away to RH, Nucleus	NC : 1207, 1707, 2209, 2213, 2217, 1404, 1405, 1415	○	
JBI2276	<input type="checkbox"/>	Centre Mount, swing-away to LH, Nucleus	NC : 1208, 1708, 2210, 2214, 2218, 1404, 1405, 1339	○	
JBX2269	<input type="checkbox"/>	Individual mounting option per request (Special)		On demand	
<b>LiNX - PROPORTIONAL REMOTES WITH TPI / INPUTS &amp; BRACKETS</b>					
JBI2233	<input type="checkbox"/>	MEC Proportional Joystick (Micro Extremity Control ASL130)	NC : 2203, 2204, 2229, 2230, 2247, 2257, 2128	3 366,82	 2233
JBI2240	<input type="checkbox"/>	Proportional Heavy Duty Remote Joystick w mode switch (ASL133)	NC : 2203, 2204, 2229, 2230, 2247, 2257, 2128	2 709,95	
JBI2285	<input type="checkbox"/>	Tray Mount RH (100x150 mm)	NC : 1207, 1707, 2209, 2213, 2217, 1404, 1405, 1415	717,54	
JBI2286	<input type="checkbox"/>	Tray Mount LH (100x150 mm)	NC : 1208, 1708, 2210, 2214, 2218, 1404, 1405, 1339	717,54	
JBI2283	<input type="checkbox"/>	Centre Mount, swing-away to RH, Nucleus	NC : 1207, 1707, 2209, 2213, 2217, 1404, 1405, 1415	○	
JBI2284	<input type="checkbox"/>	Centre Mount, swing-away to LH, Nucleus	NC : 1208, 1708, 2210, 2214, 2218, 1404, 1405, 1339	○	
JBI2287	<input type="checkbox"/>	Centre Mount, swing-away to RH, Nucleus Incl. Tray ASL603, 100x150 mm	NC : 1207, 1707, 2209, 2213, 2217, 1404, 1405, 1415	717,54	
JBI2288	<input type="checkbox"/>	Centre Mount, swing-away to LH, Nucleus Incl. Tray ASL603, 100x150 mm	NC : 1208, 1708, 2210, 2214, 2218, 1404, 1405, 1339	717,54	
JBX2289	<input type="checkbox"/>	Individual mounting option per request (Special)		On demand	
<b>LiNX 10-WAY SWITCH</b>					
JBI2251	<input type="checkbox"/>	10-Way Switch DLX-SW10-A for direct Powered Seating Access		530,81	 2251
JBI2217	<input type="checkbox"/>	Bracket RH, mounted for user	NC : 1415, 2207, 2287, 2283, 2275, 2213, 2209, 2265, 1404	○	
JBI2218	<input type="checkbox"/>	Bracket LH, mounted for user	NC : 1339, 2208, 2288, 2284, 2286, 2276, 2214, 2210, 2266, 1405	○	
JBI2291	<input type="checkbox"/>	Bracket RH, mounted for attendant	NC : 2128, 2259, 1221, 1287	○	
JBI2292	<input type="checkbox"/>	Bracket LH, mounted for attendant	NC : 2128, 2260, 1222, 1288	○	
JBI2225	<input type="checkbox"/>	Without mounting		○	
<b>LiNX ACCESSORIES</b>					
JBI2253	<input type="checkbox"/>	USB Charger Port DLX-USB02-A	NC : 2706	236,02	 2253
JBI2281	<input type="checkbox"/>	RH Mount		○	
JBI2282	<input type="checkbox"/>	LH Mount		○	

<b>Remote Stop Switch</b>			
JB12258	<input type="checkbox"/>	Remote Stop Switch (ASL504)	NC : 2203, 2204 831,28
<b>INPUT200 MODULE</b>			
JB12273	<input type="checkbox"/>	IN200 Module (Jack port for external power button + control inputs via DB9)	NC : 2220 349,76
<b>FURTHER LINX COMPONENTS / ACCESSORIES</b>			
JB12300	<input type="checkbox"/>	To be enclosed only	○
JBX2301	<input type="checkbox"/>	To be connected and programmed (Special)	On demand
<b>BUDDY BUTTONS</b>			
JB11685	<input type="checkbox"/>	Red Buddy Button	130,81
JB11686	<input type="checkbox"/>	Yellow Buddy Button	130,81
JB11687	<input type="checkbox"/>	Green Buddy Button	130,81
JB11690	<input type="checkbox"/>	Blue Buddy Button	130,81
<b>EGG SWITCH</b>			
JB12254	<input type="checkbox"/>	Egg Switch, black	103,32
<b>PIKO BUTTONS</b>			
JB11711	<input type="checkbox"/>	Red Piko Button	130,81
JB11712	<input type="checkbox"/>	Yellow Piko Button	130,81
JB11713	<input type="checkbox"/>	Green Piko Button	130,81
JB11714	<input type="checkbox"/>	Orange Piko Button	130,81
JB11715	<input type="checkbox"/>	Blue Piko Button	130,81
JB11716	<input type="checkbox"/>	Black Piko Button	130,81
<b>BODYPOINT JOYSTICK KNOBS</b>			
JB12721	<input type="checkbox"/>	3 inch U-Shaped, Joystick Handle, Bodypoint PC101A	100,00
JB12722	<input type="checkbox"/>	4 inch U-Shaped, Joystick Handle, Bodypoint PC102A	100,00
JB12723	<input type="checkbox"/>	Domed Rubber, Joystick Handle, Bodypoint PC107A	100,00
JB12724	<input type="checkbox"/>	Mushroom Grooved, Joystick Handle, Bodypoint PC110A	100,00
<b>SWITCH ADAPTER</b>			
JBH1681	<input type="checkbox"/>	5:1 Switch Adapter ( 9-pin sub D to 5 jack ports)	151,66
<b>WHEELBASE DETAILS</b>			
<b>COLOURS</b>			
JB12871	<input type="checkbox"/>	Mid range - Black/Anthracite Shroud	-284,36
JB12872	<input type="checkbox"/>	Mid range - Silver Shroud	-284,36
JB12873	<input type="checkbox"/>	Mid range - Bengal Red Shroud	-284,36
JB12874	<input type="checkbox"/>	Mid range - Mercury Blue Shroud	-284,36
JB12875	<input type="checkbox"/>	Mid range - Midnight Purple Shroud	-284,36
JBX0299	<input type="checkbox"/>	Premium - Individual Shroud Colour (includes coloured spreader bars on Modulite back)	781,99
JB12865	<input type="checkbox"/>	Premium - Racing Green Shroud RAL6035	○
JB12866	<input type="checkbox"/>	Premium - Deep Ocean Blue Satin Shroud RAL5026	○
JB12867	<input type="checkbox"/>	Premium - Frosty Blue Shroud RAL5025	○
JB12868	<input type="checkbox"/>	Premium - Gold Shroud RAL1035	○
<b>RIM INSERT COLOURS</b>			
JB12882	<input type="checkbox"/>	Mid range - Black Rim Inserts	-80,57
JB12883	<input type="checkbox"/>	Mid range - Silver Rim Inserts	-80,57
JB12884	<input type="checkbox"/>	Mid range - Bengal Red Rim Inserts	-80,57
JB12885	<input type="checkbox"/>	Mid range - Mercury Blue Rim Inserts	-80,57
JB12886	<input type="checkbox"/>	Mid range - Midnight Purple Rim Inserts	-80,57
JB12887	<input type="checkbox"/>	Premium - Individual Rim Insert Colour	207,58
JB12888	<input type="checkbox"/>	Premium - Racing Green Rim Inserts RAL6035	○
JB12889	<input type="checkbox"/>	Premium - Deep Ocean Blue Satin Rim Inserts RAL5026	○
JB12890	<input type="checkbox"/>	Premium - Frosty Blue Rim Inserts RAL5025	○
JB12891	<input type="checkbox"/>	Premium - Gold Rim Inserts RAL1035	○
<b>FORKS</b>			
JB12631	<input type="checkbox"/>	Single sided fork	◆
JB12632	<input type="checkbox"/>	Double sided fork	○
<b>CASTORS</b>			
JB10835	<input type="checkbox"/>	9" (225 mm) x 2.80 (70 mm) Castor, pneumatic	◆
JB10836	<input type="checkbox"/>	9" (225 mm) x 2.80 (70 mm) Castor, puncture proof solid tyre	○
JB10838	<input type="checkbox"/>	9" (225 mm) x 2.80 (70 mm) Castor, puncture protected	61,61
JB10828	<input type="checkbox"/>	8" (200 mm) x 2.50-4 (65 mm) Castor, puncture proof solid tyre	149,76



CASTOR LOCK			
JB1490	<input type="checkbox"/>	Castor Lock	NC : (2631+1416) 218,86
DRIVE WHEELS			
JB10704	<input type="checkbox"/>	DW 14" (355 mm) x 3" (75 mm), Pneumatic	◆
JB10705	<input type="checkbox"/>	DW 14" (355 mm) x 3" (75 mm), Solid inlay	238,86
JB10706	<input type="checkbox"/>	DW 14" (355 mm) x 3" (75 mm), Puncture protected	61,61
CTC SUSPENSION			
JB12870	<input type="checkbox"/>	CTC Suspension Control - Traction - Comfort	◆
SUSPENSION FOR RX 40 HD			
JB11916	<input type="checkbox"/>	Suspension up to 160 kg User Weight	◆
PERFORMANCES			
4-Pole MOTOR TYPE / SPEED OPTIONS			
JB11282	<input type="checkbox"/>	OPS Drive 6 km/h	○
JB11283	<input type="checkbox"/>	OPS Drive 10 km/h	◆
JB11223	<input type="checkbox"/>	OPS Drive 10 km/h Setting for Ultra High Speed Motor Always combined with 73,5Ah Batteries	NC : 0828, 1259, 1260 ○
BATTERY			
JB11260	<input type="checkbox"/>	73,5 Ah Gel	◆
GYROSCOPE			
G-Trac			
JB11215	<input type="checkbox"/>	G-Trac Module	1 034,12
CHARGER			
JB11313	<input type="checkbox"/>	Opti Charge Charger 10A (IP44)	◆
SP1606545	<input type="checkbox"/>	Opticharge Charger 10A (UK)	○
ANTI-TIPPERS			
JB11205	<input type="checkbox"/>	Anti-tipper	◆
LIGHT			
JB11437	<input type="checkbox"/>	LED Light system with Indicators 30 Lux headlights	NC : 2203 ◆
JB12837	<input type="checkbox"/>	LED Light system extra bright with indicators 60 Lux headlights	NC : 2203 402,84
TRANSPORTATION KIT 4-POINT TIE DOWNS			
JB11494	<input type="checkbox"/>	4-Point tie-down (Tested version for using wheelchair as a vehicle seat according to ISO 7176-19)	NC : 1094 ◆
JB11401	<input type="checkbox"/>	6-Point tie-down (Tested version for using wheelchair as a vehicle seat according to ISO 7176-19)) required for variants with combined Lift & Tilt module	NC : 1091, 1092,1093 ○
TIE DOWN POINTS			
JB12894	<input type="checkbox"/>	Easily accessible front tie-down points, additionally mounted for 4- or 6- point-tie-down	NC : 1493 91,94
LAP BELTS			
JB11329	<input type="checkbox"/>	Lap belt with Auto Lock Standard mount on backrest	◆
JB12113	<input type="checkbox"/>	Lap belt with Auto Lock Flexible mount in side rails	50,24
REARVIEW MIRROR			
JB11415	<input type="checkbox"/>	Rear view mirror RH	NC : 1287, 2217, 2285, 2209, 2213, 2265, 2275, 2283, 2287 70,14
JB11339	<input type="checkbox"/>	Rear view mirror LH	NC : 1286, 2218, 2286, 2210, 2214, 2266, 2276, 2284, 2288 70,14
ACCESSORIES			
BAG HOOKS			
JB12128	<input type="checkbox"/>	Bag Hooks on Modulite Seat Max load up to 6 kg = impact on max user weight	NC : 2227, 2228, 2233, 2240, 2257, 2291, 2292 149,76
CANEHOLDER			
JB11312	<input type="checkbox"/>	Cane holder RH	NC : 1287, 2227, 2259, 1221 68,25
JB11363	<input type="checkbox"/>	Cane holder LH	NC : 1286, 2228, 2260, 1222 68,25
FENDER CASTORS (black)			
JB11416	<input type="checkbox"/>	Fender for Castors	◆
JB11417	<input type="checkbox"/>	Fender for Drive wheels	◆
TRAY			
JB11404	<input type="checkbox"/>	Tray, Swing Away RH	NC : 1207, 1707, 2209, 2275, 2276, 2287, 2288, 2283, 2284, 2285, 2286, 2265, 2266, 2207, 2213, 2214, 2217 502,37
JB11405	<input type="checkbox"/>	Tray, Swing Away LH	NC : 1208, 1708, 2210, 2275, 2276, 2287, 2288, 2283, 2284, 2285, 2286, 2265, 2266, 2208, 2213, 2214, 2218 502,37
TOOLKIT			
JB11333	<input type="checkbox"/>	TOOLKIT	29,38



RAMPS					
1440530	<input type="checkbox"/>	<b>Fiberglass Folding Mono Ramp</b> Folded dimensions: 2000 x 230 mm 16.3 kg - maximum capacity: 300 kg		1 787,68	 1440530
1654128	<input type="checkbox"/>	<b>Basic ramp 2 telescopic parts</b> in aluminum and non-slip coating. Folded dimensions: 1210 x 194 mm. 8.8 kg per pair - maximum capacity: 270 kg		298,58	 1654128
1654129	<input type="checkbox"/>	<b>Quick2go Compact 3-part aluminum telescopic ramp</b> with non-slip coating Folded dimensions: 870 x 237 mm 13.6 kg per pair - maximum capacity: 260 kg		559,24	 1654129
1654130	<input type="checkbox"/>	<b>Aluminium folding mono ramp</b> Folded dimensions: 1824 x 714 mm 13.9 kg - maximum capacity: 300 kg		317,54	 1654130