

# Rea® Dahlia® 30°

Please contact Invacare EU Export Customer Services on :-  
Tel : +33 247 626980 ; Email : serviceclient\_export@invacare.com  
Or visit our website : www.invacare.eu.com



## Rea® Dahlia® 30°

Folding Frame Steel Manual Wheelchair



### Description:

- Reclining seat up to 30° \*. Tilting possible by the user as an option.
- Backrest adjustable in angle or inclination from 0° up to 30° \*.
- Reduced overall width: Seat width +180 mm with 20", 22", 24" wheels
- Narrow armrests without rotation as standard
- 90mm adjustable wheelbase
- Weight: from 35 kg.
- Max user weight: 135 kg.
- 2-year warranty period excluding wear parts
- \* see table at the end of the order form.

Date :

Purchase Order :

Customer Code :

Distributor Stamp:



Invacare Unique Customization Service












Please specify the quote or special production number:












Please make your selection with a cross in the box














◆ Standard feature








○ Free of charge option

CODE	DESCRIPTION	NC : Non Compatible NC : 9999 = not compatible with the reference 9999	Euros
BVA0010	<input type="checkbox"/> Rea® Dahlia® 30°		1 168,97
<b>PROPULSION TYPE</b>			
BVA0030	<input type="checkbox"/> SELF PROPELLED: 24"/ 22" /20"WHEELS	NC : 1588	◆
BVA0042	<input type="checkbox"/> ONE ARM DRIVE RIGHT (NEW DHR SYSTEM) - QUICK RELEASE AXLES	NC : 0120, 0130, 0140, 0150, 0190, 1555, 1610, 1630, 1650, 1660, 1670, 1710, 1728, 1810	832,23
BVA0044	<input type="checkbox"/> ONE ARM DRIVE LEFT (NEW DHR SYSTEM) - QUICK RELEASE AXLES	NC : 0120, 0130, 0140, 0150, 0190, 1555, 1610, 1630, 1650, 1660, 1670, 1710, 1728, 1810	832,23
<b>SEAT DIMENSIONS</b>			
<b>SEAT WIDTH</b>			
BVA0050	<input type="checkbox"/> 390 MM ( SMALL CHASSIS)	NC : 1810	○
BVA0060	<input type="checkbox"/> 440 MM ( MEDIUM CHASSIS)		○
BVA0070	<input type="checkbox"/> 490 MM ( LARGE CHASSIS)		○
<b>SEAT WIDTH EXTENSION (PRE ADJUSTMENT)</b>			
BVA0080	<input type="checkbox"/> + 50 MM	NC : 0630	○
BVA0100	<input type="checkbox"/> WITHOUT SEAT WIDTH EXTENSION	NC : 0460, 0470	◆
<b>SEAT DEPTH</b>			
BVA0110	<input type="checkbox"/> DEPTH ADJUSTABLE 430-500 MM		◆
<b>SEAT HEIGHT</b>			
BVA0120	<input type="checkbox"/> 330 MM/ 13" (16" AND 20")	NC : 0670, 1728, 1810	○
BVA0130	<input type="checkbox"/> 350 MM/ 14" (22", 20" AND 16")	NC : 0670, 1890	○
BVA0140	<input type="checkbox"/> 380 MM/ 15" (20")	NC : 0670, 1728	○
BVA0150	<input type="checkbox"/> 400 MM/ 16" (20" AND 22")	NC : 0670	○
BVA0160	<input type="checkbox"/> 430 MM/ 17" (24" AND 22")	NC : 0670	○
BVA0170	<input type="checkbox"/> 450 MM/ 18" (24" AND 16")		◆
BVA0190	<input type="checkbox"/> 500 MM/ 20" (20")	NC : 1420, 1728	○
<b>SEAT ANGLE - Negative</b>			
BVA0240	<input type="checkbox"/> NEGATIVE SEAT ANGLE -1 (STANDARD IS + 0 DEGREE)		○

SEAT CUSHION				
BVA0260	<input type="checkbox"/>	CUSHION MISTRAL 2 LAYER BLACK PU TR26		-43,70
BVA0270	<input type="checkbox"/>	CUSHION FLOSHAPE BLACK PU TR26		-43,70
BVA0272	<input type="checkbox"/>	CUSHION FLOSHAPE PLUSH TR35		11,28
BVA0274	<input type="checkbox"/>	CUSHION FLOSHAPE SPACER TR36		-43,70
BVA0280	<input type="checkbox"/>	CUSHION MATRX CONTOUR VISCO NG		◆
 0270  0280				
BACKREST				
BACKREST TUBE				
BVA0370	<input type="checkbox"/>	+ 50 mm	NC : 0470	42,65
BACKREST TYPE				
BVA0410	<input type="checkbox"/>	LAGUNA 2 BACKREST PLATE	NC : 0460, 0470, 0490, 0492, 0495, 0497, 0510, 0520, 1265	○
BVA0420	<input type="checkbox"/>	LAGUNA BACKREST TENSION ADJUSTABLE, WITH BACKREST BOW AND NECKREST/HEADREST ATTACHMENT	NC : 0460, 0470, 0520, 0580, 0590, 1140, 1150, 1220,1230	◆
BVA0430	<input type="checkbox"/>	FLEX 3 BACKREST, FIXED PLATE (WIDTH ADJUSTABLE)	NC : 0490, 0492, 0495, 0497, 1265	190,52
BVA0440	<input type="checkbox"/>	FLEX 3 BACKREST, TENSION ADJUSTABLE(WIDTH ADJUSTABLE)	NC : 0470, 0495	216,11
 0410  0420  0430  0440				
BACKREST FLEX 3 ADJUSTMENT				
BVA0460	<input type="checkbox"/>	FLEX 3 + 50 MM		○
BVA0470	<input type="checkbox"/>	FLEX 3 + 100 MM	NC : 0630, 1725, 1727	○
BVA0480	<input type="checkbox"/>	WITHOUT BACKREST WIDTH EXTENSION		◆
BACKREST COVER/ CUSHION				
BVA0490	<input type="checkbox"/>	COVER, LATERAL - BACKREST UPHOLSTERY MANDATORY		○
BVA0492	<input type="checkbox"/>	XL COVER, LATERAL - BACKREST UPHOLSTERY MANDATORY		○
BVA0495	<input type="checkbox"/>	COVER, LATERAL LOW (43CM) - BACKREST UPHOLSTERY MANDATORY	NC : 0560	◆
BVA0497	<input type="checkbox"/>	XL COVER, LATERAL LOW (43CM) - BACKREST UPHOLSTERY MANDATORY	NC : 0560	○
BVA0500	<input type="checkbox"/>	CUSHION, LAGUNA (LATERAL SUPPORT) - BACKREST UPHOLSTERY MANDATORY	NC : 1265	○
BVA0510	<input type="checkbox"/>	CUSHION, MISTRAL 2 (WAIST SUPPORT) - BACKREST UPHOLSTERY MANDATORY	NC : 0575, 1265	○
BVA0520	<input type="checkbox"/>	CUSHION, PASSAD 2 (SHOULDER SUPPORT) - BACKREST UPHOLSTERY MANDATORY	NC : 1265	217,06
 0510  0490  0500  0520				
BACKREST UPHOLSTERY				
BVA0560	<input type="checkbox"/>	BLACK PLUSH TR35		79,62
BVA0570	<input type="checkbox"/>	BLACK PU TR26 - MUTLI STRETCH PU COATED FABRIC		◆
BVA0575	<input type="checkbox"/>	BLACK SPACER TR36		○
PUSHHANDLES				
BVA0580	<input type="checkbox"/>	ANGLE ADJUSTABLE PUSHBAR		145,97
BVA0590	<input type="checkbox"/>	Height adjustable and removable push handles		◆
BVA0600	<input type="checkbox"/>			
 0580				
SEATING				
SEAT TILT TYPE				
BVA0620	<input type="checkbox"/>	ASSISTANT OPERATED GAS PISTON FOR SEAT TILT		◆
BVA0630	<input type="checkbox"/>	USER OPERATED TILT (SELF-TILT) WITH FIXATED ARMREST POLE - SEAT TILT REDUCE TO 10°	NC : 0915, 0925, 0930, 0950, 0975, 0985, 0990, 1010, 1750, 1755, 1756, 1757, 1760, 1765, 1770, 1775, 1780, 1890	○
BVA0632	<input type="checkbox"/>	USER OPERATED TILT (SELF-TILT) WITH STANDARD ARMREST POLE - SEAT TILT REDUCE TO 10°	NC : 0915, 0925, 0930, 0950, 0975, 0985, 0990, 1010, 1750, 1755, 1756, 1757, 1760, 1765, 1770, 1775, 1780	○
BACKREST RECLINE OPERATION TYPE				
BVA0640	<input type="checkbox"/>	ASSISTANT OPERATED GAS PISTON FOR BACKREST RECLINE		◆
BVA0660	<input type="checkbox"/>	FIXED BACKREST ANGLE (BARREL SCREW)		○

LEGRESTS / FOOTRESTS					
<b>CENTRAL LEGRESTS TYPE</b>					
BVA0670	<input type="checkbox"/>	CENTRAL LEGREST, INCL CALFPAD AND FOOTREST	NC : 0690, 0692, 0700, 0710, 0730, 0750, 0760, 0780, 0805, 1040, 1330, 1340, 1350, 1351, 1352, 1353	900,47	 0670
<b>LEGRESTS / HANGERS ADJUSTMENT</b>					
BVA0680	<input type="checkbox"/>	LOW POSITION, STANDARD		◆	
BVA0690	<input type="checkbox"/>	HIGH POSITION FOR LONGER LEGS, 50 MM HIGHER		109,00	
BVA0692	<input type="checkbox"/>	90° HANGER ATTACHMENT	NC : 0710, 0730, 0760, 0780	52,13	 0700 0750
<b>LEGRESTS / HANGERS LH TYPE</b>					
BVA0700	<input type="checkbox"/>	HANGER ANGLE ADJUSTABLE LH. WITH KNEE PAD AND CALF SUPPORT	NC : 0855, 1330	◆	
BVA0710	<input type="checkbox"/>	HANGER FIXED 80 DEG, SWING IN SWING OUT - ALU 2003, LH		○	 0710 0760
BVA0730	<input type="checkbox"/>	LEGREST AMPUTEE - ALU 2008 LH	NC : 0805, 0825, 1330, 1340, 1350	104,28	
<b>LEGRESTS / HANGERS RH TYPE</b>					
BVA0750	<input type="checkbox"/>	HANGER ANGLE ADJUSTABLE RH. WITH KNEE PAD AND CALF SUPPORT	NC : 0855, 1330	◆	
BVA0760	<input type="checkbox"/>	HANGER FIXED 80 DEG, SWING IN SWING OUT - ALU 2003, RH		○	 0730 0780
BVA0780	<input type="checkbox"/>	LEGREST AMPUTEE - ALU 2008 RH	NC : 0805, 0825, 0845, 1330, 1340, 1350	140,28	
<b>FOOTRESTS</b>					
<b>FOOTRESTS LH TYPE</b>					
BVA0805	<input type="checkbox"/>	FOOTREST ONE PIECE DEPTH AND ANGLE ADJUSTABLE	NC : 1351, 1352, 1353	202,84	 0825 / 0845
BVA0825	<input type="checkbox"/>	FOOTREST LOWER PART, DEPTH AND ANGLE ADJUSTABLE WITH HEEL STRAP, LH	NC : 1330	◆	
<b>FOOTRESTS RH TYPE</b>					
BVA0845	<input type="checkbox"/>	FOOTREST LOWER PART, DEPTH AND ANGLE ADJUSTABLE WITH HEEL STRAP, RH	NC : 1330	◆	 0825 / 0845
<b>FOOTRESTS TUBE</b>					
BVA0855	<input type="checkbox"/>	SHORT TUBE 24CM		○	
BVA0865	<input type="checkbox"/>	LONG TUBE 36CM		◆	
<b>ARMRESTS (Height adjustable, Autolock attachment included)</b>					
<b>ARMRESTS LH TYPE</b>					
BVA0900	<input type="checkbox"/>	STRAIGHT NARROW PAD, LH	NC : 1756	○	 0900
BVA0910	<input type="checkbox"/>	STANDARD PAD, LH	NC : 1025, 1756	○	
BVA0915	<input type="checkbox"/>	HIGH ARMREST (+55MM), STANDARD PAD, LH	NC : 1025, 1756	36,02	 0910
BVA0925	<input type="checkbox"/>	CONCAVE PAD, LH	NC : 1025, 1756	◆	
BVA0930	<input type="checkbox"/>	HEMIPLEGIC ARMRESTS, LH. NOT TO COMBINE WITH TABLE ACCESSORIES.	NC : 1025, 1750, 1755, 1756, 1760, 1780	○	 0925
BVA0950	<input type="checkbox"/>	WITHOUT ARMREST, LH	NC : 1020, 1025, 1750, 1755, 1760, 1780	○	
<b>ARMRESTS RH TYPE</b>					
BVA0960	<input type="checkbox"/>	STRAIGHT NARROW PAD, RH	NC : 1757	○	
BVA0970	<input type="checkbox"/>	STANDARD PAD, RH	NC : 1025, 1757	○	
BVA0975	<input type="checkbox"/>	HIGH ARMREST (+55MM), STANDARD PAD, RH	NC : 1025, 1757	36,02	
BVA0985	<input type="checkbox"/>	CONCAVE PAD RH	NC : 1025, 1757	◆	
BVA0990	<input type="checkbox"/>	HEMIPLEGIC ARMRESTS, RH. NOT TO COMBINE WITH TABLE ACCESSORIES.	NC : 1025, 1750, 1755, 1756, 1760, 1770, 1775, 1780	○	 0930
BVA1010	<input type="checkbox"/>	WITHOUT ARMREST, RH	NC : 1020, 1025, 1750, 1755, 1760, 1770, 1775, 1780	○	
<b>SEATING OPTIONS</b>					
<b>ARMREST OPTIONS</b>					
BVA1020	<input type="checkbox"/>	PAD, SIDE REST		69,19	
BVA1025	<input type="checkbox"/>	PADDED ARMPAD COVER, BLACK PLUSH TR35		41,71	 1040
<b>SEAT OPTIONS</b>					
BVA1030	<input type="checkbox"/>	INCONTINENCE COVER		41,71	
BVA1040	<input type="checkbox"/>	ABDUCTION CUSHION	NC : 1060	246,45	
BVA1050	<input type="checkbox"/>	SEAT PLATE EXTENSION IN WIDTH, FORWARD, REAR OR ASSYMETRIC (AS KIT, TWO UNITS OF PLATES)	NC : 1060	83,41	
BVA1060	<input type="checkbox"/>	2 CM SEAT HEIGHT INCREASED SEAT PLATE		94,79	

BACKREST OPTIONS						
BVA1080	<input type="checkbox"/>	HEADREST, SIDEWISE ADJUSTABLE	NC : 1087, 1100, 1110	○		
BVA1100	<input type="checkbox"/>	HEADREST WITH CHEEK SUPPORT, SIDEWISE ADJUSTABLE	NC : 1087, 1090, 1110	225,59	1080	1110
BVA1081		MATRX ELAN STANDARD PAD (254 mm / 10")		218,01	1100	
BVA1086		MATRX ELAN 4-POINT PAD (280W x 254H mm / 11"W x 10"H)		408,53		
BVA1087		MATRX ELAN HARDWARE		201,90		
BVA1090	<input type="checkbox"/>	COVER FOR HEADREST	NC : 1100, 1110, 1120	47,39		1081/ 1087
BVA1110	<input type="checkbox"/>	NECKREST		◆		
BVA1130	<input type="checkbox"/>	HANDLES CLINIC KIT FOR HEAD-/NECKREST		29,38		
TRUNK SUPPORT LH						
BVA1140	<input type="checkbox"/>	TRUNK SUPPORT MULTI ADJUSTABLE WITH STANDARD ARM (LH)		174,41	1086	
BVA1220	<input type="checkbox"/>	TRUNK SUPPORT SWINGAWAY (LH)		157,35		
TRUNK SUPPORT RH						
BVA1150	<input type="checkbox"/>	TRUNK SUPPORT MULTI ADJUSTABLE WITH STANDARD ARM (RH)		174,41		
BVA1230	<input type="checkbox"/>	TRUNK SUPPORT SWINGAWAY (RH)		157,35		1220 / 1230
OTHERS BACKREST OPTIONS						
BVA1265	<input type="checkbox"/>	LATERAL POSITIONING PADS (WITH LOOP BAND BETWEEN COVER AND BACKREST UPHOLSTERY),PAIR		237,91		
BVA1280	<input type="checkbox"/>	WEDGES (ONE PAIR)		67,30		
BVA1300	<input type="checkbox"/>	TILT SCALE, BACKREST RECLINE		16,11		
LEGREST OPTIONS						
BVA1330	<input type="checkbox"/>	CALF STRAP (FOR FOOTREST ONE PIECE)		87,20		
BVA1340	<input type="checkbox"/>	FOOT PLATE PADDING		103,32		
BVA1350	<input type="checkbox"/>	CALF STRAP PADDED		126,07		1351 / 1352 / 1353
BVA1351	<input type="checkbox"/>	BODYPOINT ANKLE HUGGERS LARGE	MOUNTING KIT INCLUDED	170,62		
BVA1352	<input type="checkbox"/>	BODYPOINT ANKLE HUGGERS MEDIUM	MOUNTING KIT INCLUDED	170,62		
BVA1353	<input type="checkbox"/>	BODYPOINT ANKLE HUGGERS SMALL	MOUNTING KIT INCLUDED	161,14		
CHASSIS						
COLOUR STRAPS CHASSIS						
BVA1360	<input type="checkbox"/>	BLUE		59,72		
BVA1370	<input type="checkbox"/>	SILVER		59,72	1360	1370
BVA1380	<input type="checkbox"/>	RED		59,72		
BVA1390	<input type="checkbox"/>	CHAMPAGNE		59,72	1390	1380
BVA1400	<input type="checkbox"/>	PETROLIUM GREEN		59,72		1400
BVA1405	<input type="checkbox"/>	WITHOUT COLOUR STRAPS		◆		
CASTOR ATTACHMENT TYPE						
BVA1410	<input type="checkbox"/>	FIXED		◆		
BVA1420	<input type="checkbox"/>	QR		75,83		
FRONT CASTORS						
BVA1435	<input type="checkbox"/>	4" x 1" - 100X27 BLACK SOFTROLL - FOR SEAT HEIGHT 330-350 MM		○		
BVA1440	<input type="checkbox"/>	5" x 1" - 125X27 BLACK MEDIUM HARD- FOR SEAT HEIGHT 350 MM		○		
BVA1475	<input type="checkbox"/>	6" x 1.1/4" - 150X30 BLACK MEDIUM HARD - FOR SEAT HEIGHT 380-450 MM		◆		
BVA1495	<input type="checkbox"/>	8" x 1.1/4" - 200X30 BLACK SOLID TYRE - FOR SEAT HEIGHT 450-500 MM		○		
BVA1505	<input type="checkbox"/>	8" x 1.1/4" - 200X32 PNEUMATIC BLACK - FOR SEAT HEIGHT 450-500 MM		○		
BVA1515	<input type="checkbox"/>	8" x 2" - 200X45 BLACK SOLID TYRE - FOR SEAT HEIGHT 450-500 MM		126,07		
REAR WHEEL						
REAR WHEEL POSITION						
BVA1534	<input type="checkbox"/>	STANDARD, MOST STABLE POSITION		◆		
REAR WHEELS SIZE						
BVA1555	<input type="checkbox"/>	20" / 515 MM - QUICK RELEASE ATTACHMENT	NC : 1582, 1586, 1588, 1625, 1640, 1670	○		
BVA1565	<input type="checkbox"/>	22" / 560 MM - QUICK RELEASE ATTACHMENT	NC : 1670	○		
BVA1575	<input type="checkbox"/>	24" / 600 MM - QUICK RELEASE ATTACHMENT		◆		

REAR WHEELS TYPE					
BVA1582	<input type="checkbox"/>	STANDARD ( BLACK HUB, COLORLESS RIM & ZINC PLATTED SPOKES )	NC : 1660, 1670, 1728	◆	 Standard
BVA1584	<input type="checkbox"/>	REINFORCED (COLORLESS HUB, CLEAR ANODIZED RIM & STAINLESS STEEL SPOKES)	NC : 1728	36,02	
BVA1586	<input type="checkbox"/>	DRUM BRAKE (22/24" : COLORLESS HUB, CLEAR ANODIZED RIM & STAINLESS STEEL SPOKES / 16" : BLACK PLASTIC HUB & RIM)		○	
BVA1588	<input type="checkbox"/>	ONE ARM DRIVE (BLACK HUB & ZINC PLATTED SPOKED WITH ONE ARM DRIVE HANDRIM SYSTEM)	NC : 1605, 1650, 1660, 1670, 1710, 1728	○	
TYRE TYPE					 1" 1.3/8" 1.3/8" 1640 1605 1625
BVA1605	<input type="checkbox"/>	PNEUMATIC PROFILED BLACK 1" 3/8		○	
BVA1625	<input type="checkbox"/>	TYRES SOLID BLACK 1"3/8		◆	
BVA1640	<input type="checkbox"/>	PNEUMATIC LOW PROFILE BLACK 1"		○	
HANDRIM TYPE					
BVA1650	<input type="checkbox"/>	ALUMINIUM		◆	
BVA1660	<input type="checkbox"/>	PLASTIC COATED		200,00	
BVA1670	<input type="checkbox"/>	BRUSHED STAINLESS STEEL		196,21	
WHEEL OPTIONS					
SPOKEGUARD					
BVA1710	<input type="checkbox"/>	FROST		219,91	
SAFETY					
BRAKE TYPE					
BVA1720	<input type="checkbox"/>	USER OPERATED TYRE BRAKES		◆	 1730 1731 / 1732
BVA1725	<input type="checkbox"/>	ONE ARM BRAKE LH		327,01	
BVA1727	<input type="checkbox"/>	ONE ARM BRAKE RH		327,01	
BVA1728	<input type="checkbox"/>	ATTENDANT HUB BRAKE		213,27	
SAFETY OPTIONS					
BVA1730	<input type="checkbox"/>	PELVIC BELT - PLASTIC BUCKLE		73,93	 1733 / 1734 1736 / 1737
BVA1731	<input type="checkbox"/>	BODYPOINT 2 POINT CENTER-PULL PUSH-BUTTON MEDIUM		120,38	
BVA1732	<input type="checkbox"/>	BODYPOINT 2 POINT CENTER-PULL PUSH-BUTTON LARGE		127,01	
BVA1733	<input type="checkbox"/>	BODYPOINT 4 POINT CENTER-PULL PUSH-BUTTON MEDIUM		134,60	
BVA1734	<input type="checkbox"/>	BODYPOINT 4 POINT CENTER-PULL PUSH-BUTTON LARGE		142,18	
BVA1736	<input type="checkbox"/>	BODYPOINT PIVOTFIT HARNESS MEDIUM	ONLY WITH ELITE E2 /ELITE DEEP E2 BACKS OR WITH HEADREST /NECKREST	220,85	
BVA1737	<input type="checkbox"/>	BODYPOINT PIVOTFIT HARNESS LARGE	ONLY WITH ELITE E2 /ELITE DEEP E2 BACKS OR WITH HEADREST / NECKREST	227,49	
POSITIONING OPTIONS					
<i>Think about Bodypoint positioning accessories: belts, harnesses, ankle supports.</i>					
OPTIONS					
TABLE TRAY					
BVA1750	<input type="checkbox"/>	TABLE TRAY INCL MOUNTING KIT	NC : 1765	72,83	 1750 1755 1756 1757 1770 1775 1765
BVA1755	<input type="checkbox"/>	TABLE TRAY INCL MOUNTING KIT, WITH ELBOW PADS	NC : 1765	154,50	
BVA1756	<input type="checkbox"/>	HALF TABLE TRAY, CLEAR, FLIP UP, LH (ARMREST WITH STRAIGHT NARROW PAD INCL.)	NC : 1760	72,83	
BVA1757	<input type="checkbox"/>	HALF TABLE TRAY, CLEAR, FLIP UP, RH (ARMREST WITH STRAIGHT NARROW PAD INCL.)	NC : 1760	72,83	
BVA1770	<input type="checkbox"/>	SWING AWAY TABLE	NC : 1760, 1780	300,47	
BVA1775	<input type="checkbox"/>	SWING AWAY TABLE WITH ELBOW PADS	NC : 1760, 1780	348,82	
TABLE TRAY CUSHION					
BVA1760	<input type="checkbox"/>	TABLE CUSHION		92,89	
BVA1765	<input type="checkbox"/>	PADDING		90,05	
OTHERS OPTIONS					
BVA1780	<input type="checkbox"/>	LOCKING DEVICE FOR TABLE TRAY		59,72	 1860
BVA1810	<input type="checkbox"/>	MOUNTING BRACKET ALBER VIAMOBIL V25	NC : 1870, 1900	313,74	
BVA1860	<input type="checkbox"/>	HARNESS ATTACHMENT BACKREST, UPPER		78,67	
BVA1870	<input type="checkbox"/>	KERB LEVER	NC : 1900	75,83	
BVA1890	<input type="checkbox"/>	TRANSPORTATION BRACKETS FOR OCCUPIED AND NON OCCUPIED TRANSPORT		52,13	
BVA1900	<input type="checkbox"/>	VENTILATOR TRAY		599,05	
BVA1920	<input type="checkbox"/>	DRIP STAND		105,21	
BVA1930	<input type="checkbox"/>	RESTRICTOR KIT		10,43	

**COMPATIBILITY CHART: Seat height / rear wheel size / seat tilt**

Configuration Help				
Seat Height	Rear Wheel Size	Seat Tilt As Delivered	Backrest Recline As Delivered	Active Rear Wheel Position
330	16"	30	30	Not Possible
	20"	10	30	Armrest +5cm higher
350	16"	30	30	Ok
	20"	20	20	Not Possible
380	20"	10	30	Not Possible
	22"	10	30	Not Possible
400	20"	20	10	Armrest +5cm higher
	22"	20	10	Armrest +5cm higher
430	22"	30	20	Not Possible
	24"	20	10	Not Possible
450	16"	30	30	Ok
	24"	30	20	Not Possible
480	16"	30	30	Ok
500	20"	30	30	Ok

**RAMPS**

1440530	<input type="checkbox"/>	<b>Fiberglass Folding Mono Ramp</b> Folded dimensions: 2000 x 230 mm 16.3 kg - maximum capacity: 300 kg	1 787,68	 1440530
1654128	<input type="checkbox"/>	<b>Basic ramp 2 telescopic parts</b> in aluminum and non-slip coating. Folded dimensions: 1210 x 194 mm 8.8 kg per pair - maximum capacity: 270 kg	402,84	 1654128
1654129	<input type="checkbox"/>	<b>Quick2go Compact 3-part aluminum telescopic ramp</b> with non-slip coating. Folded dimensions: 870 x 237 mm. 13.6 kg per pair - maximum capacity: 260 kg	805,69	 1654129
1654130	<input type="checkbox"/>	<b>Aluminum Folding Mono Ramp</b> Folded dimensions: 1824 x 714 mm 13.9 kg - maximum capacity: 300 kg	426,54	 1654130