

Please contact Invacare EU Export Customer Services on :-
Tel : +33 247 626980 ; Email : serviceclient_export@invacare.com
 Or visit our website : www.invacare.eu.com



Invacare® TDX® SP2 AA2

Mixt Power wheelchair 6 wheels



Date :

User Name :

Customer Code:

Dealer stamp :



Description :

- Weight : from 154kg
- Max user weight : 160kg or 180kg according to the configuration
- Warranty: 2 years except batteries and wear parts



Customization Service Invacare Unique
 Please indicate your quote number or special manufacturing number :

Indicative Public Rate - Use the online configurator on Invacare Pro to generate quotes or orders free from incompatibilities.

Please make your selection with a cross in the box Standard configuration Free of charge

CODE	DESIGNATION	NC : Non Compatible (nc : 9999) not compatible with the reference 9999	Euros	
ARJ0016	<input type="checkbox"/> <i>Invacare® TDX® SP2 AA2 Modulite</i>		10 325,12	
ARJ0073	<input type="checkbox"/> <i>Invacare® TDX® SP2 AA2 Modulite</i> <i>Low Rider Version - 73,5 Ah battery included - Lower seat height 420 mm - Seat tilt 30° & lift included (1094) - Non width adjustable armrests</i>	NC : 1092, 1093, 1095, 1145, 2184, 2185, 2186, 2187, 2188, 2189, 2121	13 021,80	
ARJ0074	<input type="checkbox"/> <i>Invacare® TDX® SP2 AA2 Modulite</i> <i>Low Rider Version - 60 Ah battery included - Lower seat height 403 mm - Seat tilt 30° & lift included (1094) - Non width adjustable armrests</i>	NC : 1092, 1093, 1095, 1145, 2184, 2185, 2186, 2187, 2188, 2189, 2121	13 021,80	

MODULITE MODULAR SEAT

Seat type

ARJ2111	<input type="checkbox"/> Rigid Modulite Seat , width and depth adjustable, width adjustable armrests, (+25 mm per side) Width : 380 to 530 mm, adjustable in steps of 50 mm Depth : 410 to 510 mm STEPLESS ADJUSTABLE		◆		2111
ARJ2112	<input type="checkbox"/> Flexible Modulite Seat , tension, width and depth adjustable, width adjustable armrests, (+25 mm per side) - + 30 mm seat height Width : 380 to 530 mm, adjustable in steps of 50 mm Depth : 410 to 510 mm STEPLESS ADJUSTABLE		○		2112

Seat width (Factory preset)

	<input type="checkbox"/> 330mm (take seat width 380 mm (2121) + Inside curved armrest (2183))	NC : 2143, 2701, 2703, 2705, 2138+2142/2147/2144			
ARJ2121	<input type="checkbox"/> 380 mm	NC : 2143, 2701, 2703, 2705, 0073, 0074, 2138+2142/2147/2144	○		
ARJ2122	<input type="checkbox"/> 430 mm	NC : 2138, 2701, 2703, 2705	◆		
ARJ2123	<input type="checkbox"/> 480 mm	NC : 2138+2142/2147, 2702, 2704, 2706	○		
ARJ2124	<input type="checkbox"/> 530 mm	NC : Matrix backrests, 2143, 2702, 2704, 2706	○		

Seat width (Factory preset)

ARJ2129	<input type="checkbox"/> Standard Depth Package (SD range 410 - 510 mm)	NC : 2138	◆		
ARJ2130	<input type="checkbox"/> Extended Depth Package (SD range 510 - 560 mm)	NC : 2132, 2134	○		

Seat Depth (Factory preset)

ARJ2132	<input type="checkbox"/> 410 mm	NC : 2196, 2197, 2198, 0556+wedge-thight, Bodypoint belt	○		
ARJ2134	<input type="checkbox"/> 460 mm	NC : 0556+wedge-thight	◆		
ARJ2136	<input type="checkbox"/> 510 mm	NC : 2143, 0556+wedge-thight	○		
ARJ2138	<input type="checkbox"/> 560 mm (only with seat width 530 mm)	NC : 2143	○		

Seat cushion

ARJ2142	<input type="checkbox"/> Seat cushion Flo-tech Lite (for width from 380 to 480 mm, height 75 mm, max weight 127 kg) / Contour (for width 530 mm, height 100 mm, max weight 152 kg)		◆		2143
ARJ2143	<input type="checkbox"/> Seat cushion Flo-tech Contour Visco 430 x 430 mm (hauteur 90 mm, max weight 100 kg)	NC : 2155	76,78		
ARJ2147	<input type="checkbox"/> Seat cushion Matrix Libra , (height 90mm, max weight 136kg)	NC : 2155	293,84		
ARJ2144	<input type="checkbox"/> Seat cushion Matrix Vi (micro ventilated cover)	NC : 2155	293,84		

Backposts

ARJ2162	<input type="checkbox"/> Height 540 mm		○		
ARJ2163	<input type="checkbox"/> Height 480 mm	NC : 2052, 2053, 2173	○		2147 2144

Push handles			
ARJ2107	<input type="checkbox"/>	Pusch handles	◆
ARJ2108	<input type="checkbox"/>	Without pusch handles - only for Flex 3 backrests	○ NC : 1307, 1332, 2220, 2219, 2245, 2227, 2228
Backrest support			
ARJ2171	<input type="checkbox"/>	Tension adjustable backrest,bi-material padded incl. Back pocket	◆ NC : 1445, 2052, 2053, 2152, 2153, 2155, 2230, 2247, 2324, 2325, 2327, Elan headrest
ARJ2179	<input type="checkbox"/>	Flex3 Tension Adjustable, delivered with Lateral back cushion, Dartex coating (extra charge)	196,21 NC : 1445, 2152, 2153, 2155, 2230, 2247, 2324, 2325, 2327, Elan Headrest
ARJ2173	<input type="checkbox"/>	Rigid backrest Flex 3 width and height adjustable (560 to 790 mm) with Laguna backrest cushion	○ NC : 2128
ARJ2174	<input type="checkbox"/>	Matrx Posture Back , height 400 mm - incl. Back pocket	798,10
ARJ2175	<input type="checkbox"/>	Matrx Posture Back , height 500 mm - incl. Back pocket	798,10
ARJ2176	<input type="checkbox"/>	Matrx Elite , height 500 mm - incl. Back pocket	717,54
ARJ2177	<input type="checkbox"/>	Matrx Elite TR , height 500 mm - incl. Back pocket	717,54
ARJ2178	<input type="checkbox"/>	Matrx Elite Deep , height 500 mm - incl. Back pocket	717,54
COMMON OPTIONS FOR MODULITE SEATING			
Backrest cushion and / or seat upholstery (depending on configuration)			
ARJ2151	<input type="checkbox"/>	Nylon noir	◆
ARJ2152	<input type="checkbox"/>	Dartex noir	○
ARJ2153	<input type="checkbox"/>	Extra LK (black with orange seam)	○
ARJ2155	<input type="checkbox"/>	Mesh black	○
Armrest			
ARJ2191	<input type="checkbox"/>	Height adjustable armrest 290 to 360 mm, in depth and removable, by pair	◆
ARJ2181	<input type="checkbox"/>	Height adjustable armrest 340 to 400 mm, in depth and removable, by pair	60,66 NC : 2195, 2196, 2197, wedge-thight
ARJ2198	<input type="checkbox"/>	Envoloping armrest, Dartex coating, by pair	247,39
ARJ2183	<input type="checkbox"/>	Inside curved armrest, up to 50 mm width, 25 mm per side	○ NC : wedge-thight
ARJ2193	<input type="checkbox"/>	Lifting armrest, ajustable height 230 - 360 mm	○
ARJ2192	<input type="checkbox"/>	Lifting and parallel armrest, ajustable height 230 - 300 mm	302,37 NC : 1445
ARJ2194	<input type="checkbox"/>	Lifting and parallel armrest, ajustable height 300 - 360 mm	302,37 NC : 1445
Armpad			
ARJ2195	<input type="checkbox"/>	Standard armpad, length 325 mm, by pair	◆
ARJ2196	<input type="checkbox"/>	Long armpad, length 375 mm, by pair	78,67
ARJ2197	<input type="checkbox"/>	Ergonomic long armpad, length 397 mm, by pair	113,74 NC : 2230, 2247
Hemiplegic gutter			
	<input type="checkbox"/>	Hemiplegic gutter in special manufacturing	On demand
	<input type="checkbox"/>	Hemi concave gutter with flat or curved horn palmar support and 360° right or left reversible rotator, in 18° steps	On demand
Seat accessories			
ARJ2184	<input type="checkbox"/>	Left wedge-thight, 140x100 mm	290,05 NC : Bodypoint
ARJ2186	<input type="checkbox"/>	Left wedge-thight, 230x100 mm	290,05 NC : Bodypoint
ARJ2188	<input type="checkbox"/>	Left wedge-thight, 330x100 mm	290,05 NC : Bodypoint
ARJ2185	<input type="checkbox"/>	Right wedge-thight 140x100 mm	290,05 NC : Bodypoint
ARJ2187	<input type="checkbox"/>	Right wedge-thight 230x100 mm	290,05 NC : Bodypoint
ARJ2189	<input type="checkbox"/>	Right wedge-thight 330x100 mm	290,05 NC : Bodypoint
Wedge-tight support height			
ARJ2164	<input type="checkbox"/>	Wedge-tight support 155 mm	◆
ARJ2165	<input type="checkbox"/>	Wedge-tight support 206 mm	○
Headrest and accessories			
ARJ1350	<input type="checkbox"/>	Neckrest depth adjustable, Dartex coating	◆ NC : 2230, 2247
ARJ1432	<input type="checkbox"/>	Neckrest depth and width adjustable	○ NC : 2230, 2247
ARJ1427	<input type="checkbox"/>	Multi adjuastable neckrest Kontour with side earflaps, dartex coating	314,69 NC : 2230, 2247
ARJ2324	<input type="checkbox"/>	Headrest Elan Standard 10" - Black cover	383,89 NC : 2230, 2247
ARJ2325	<input type="checkbox"/>	Headrest Elan Occipital 9" - Black cover	427,49 NC : 2230, 2247
ARJ2327	<input type="checkbox"/>	Headrest Elan 4 points 11" - Black cover	559,24 NC : 2230, 2247
ARJ1307	<input type="checkbox"/>	Push bar (dia 22 mm) in conjunction with telescopic backposts	43,60
ARJ1445	<input type="checkbox"/>	Lateral support with extended arm, Dartex upholstery, pair	336,49 NC : Matrx backrests



2171



2173



2191



2198



Hemi gutter

Concave gutter hemi



1432



1427



2325



2327



1445

SEAT ADJUSTMENTS FOR MODULITE SEAT			
Seat lifter / Seat tilt			
ARJ1092	<input type="checkbox"/> Powered tilt 0° à 20°	NC : 2054	○
ARJ1095	<input type="checkbox"/> Powered "fixed pivot" Tilt 20°, heavy duty	NC : 2054	○
ARJ1093	<input type="checkbox"/> Powered tilt with CoG shift 0° à 30°	NC : 0012, 0071, 0072, 0073, 0074, 2110, 2201, 1924, (1922/1923/1924/1496 + 1450/1494)	◆
ARJ2052	<input type="checkbox"/> Powered tilt with CoG shift 0° à 50°	NC : 0012, 0071, 0072, 0073, 0074, 2110, 2201, 1924, (1922/1923/1924/1496+1450/1494), 2161, 2163, 2171	○
ARJ1094	<input type="checkbox"/> Electric with compensation from 0° to 30° + Lift 300 mm - Electrically lifting seat (Max weight 130 kg) from 460 to 760 mm	NC : 2110, 2201, 1924, (1922/1923/1924 + 1350/1432/1427 + 1450/1494)	1 895,73
ARJ2053	<input type="checkbox"/> Electric with compensation from 0° to 45° + Lift 300 mm - Electrically lifting seat (Max weight 130 kg) from 460 to 760 mm	NC : 2110, 2201, 1924, (1922/1923/1924+1350/1432/1427+ 1450/1494), 2161 ,2163 ,2171 ,0012	1 895,73
Height floor-plate for electric from 0° to 20°			
ARJ0354	<input type="checkbox"/> 450 mm		◆
ARJ0364	<input type="checkbox"/> 475 mm		○
Seat Tilt Option (only if option 1093 or 1094 has been selected)			
ARJ2054	<input type="checkbox"/> 5° Fixed Anterior Tilt, Assist mount (will reduce max tilt angle by 5°)		424,64
Backrest recliner			
ARJ0977	<input type="checkbox"/> Electric from 0° to 30°		◆
SEAT AND BACKREST MAX			
ARJ1145	<input type="checkbox"/> Seat Max et backrest Max	NC : 1332, 2113, 0526, 1404, 1405, 2253, 2220, 2206, 2205, 2229, 2128, 2258, Bodypoint	1 483,41
Seat width			
ARJ0378	<input type="checkbox"/> 550 mm		◆
ARJ0380	<input type="checkbox"/> 610 mm		○
Seat depth			
ARJ0396	<input type="checkbox"/> 560 mm		○
ARJ0397	<input type="checkbox"/> 595 mm		◆
ARJ0398	<input type="checkbox"/> 630 mm		○
Armrests			
ARJ0635	<input type="checkbox"/> Removable armrests, height adjustable from 250 to 340 mm		○
Armrests, pair, reinforced bracket			
ARJ0647	<input type="checkbox"/> Short armrests (325 mm) pair		○
ARJ0649	<input type="checkbox"/> Long armrests (375 mm) pair		◆
Seat Accessories only for Max			
ARJ1427	<input type="checkbox"/> Kontour multi-adjustable headrest with Dartex -coated side ear cups		314,69
ARJ1432	<input type="checkbox"/> Adjustable headrest in depth , height and sideways, Dartex -coated		◆
SEAT AND BACKREST MAX ADJUSTEMENTS			
Seat tilt			
ARJ1092	<input type="checkbox"/> Electric from 0° to 20° (Max user weight 136kg)		○
ARJ1095	<input type="checkbox"/> Electric from 0° to 20° (Max user weight 180kg)		◆
Floor-seat height for seat inclination			
ARJ1024	<input type="checkbox"/> 470 mm		◆
ARJ1046	<input type="checkbox"/> 495 mm		○
BACKREST RECLINER			
ARJ0947	<input type="checkbox"/> Electric from 0° to 20°		◆
FOOTREST / LEGRESTS			
Legrest / Footrest (pair) - Centre mounted legrests (incl calf pads)			
ARJ0556	<input type="checkbox"/> Centre mount legrest, angle settable		○
ARJ0589	<input type="checkbox"/> LNX Power centre mount legrest, length compensating		1 713,74
Footplates (pair)			
ARJ2365	<input type="checkbox"/> Angle & width adjustable footplates S (127 W x 190 mm D / 5"x7.5")		○
ARJ0559	<input type="checkbox"/> Angle & width adjustable footplates M (140 W x 240 mm D / 5.5"x9.5")		◆
ARJ0516	<input type="checkbox"/> Angle & width adjustable footplates L (150 W x 290 mm D / 6"x11.5)		124,17
ARJ0517	<input type="checkbox"/> Angle adjustable foot platform M (305 W x 275 mm D / 12"x10.75")		124,17
Footrest Hanger Type / Pairs			
ARJ0533	<input type="checkbox"/> Hanger Vari A pair		◆
ARJ0531	<input type="checkbox"/> Hanger ADElectric 0° - 80° pair		879,62

NEW

NEW




0977



0533

0531

Footplate type / Pairs			
ARJ0504	<input type="checkbox"/>	Angle Adjustable Footplate pair	◆
ARJ0513	<input type="checkbox"/>	Angle and depth adjustable Footplate pair	107,11
ARJ0522	<input type="checkbox"/>	Footplate	118,48
REMOTE LINX			
Main control unit only for Electronic LiNX			
ARJ2203	<input type="checkbox"/>	Remote LINX REM211 : Driving and control of the cylinders	NC : 2229, 2231, 2232, 2230, 2247, 2257, 2233, 2240, 2270, 2219, 2245 -984,83
ARJ2204	<input type="checkbox"/>	Remote LINX REM216 : Driving, control of cylinders and lighting	NC : 2229, 2231, 2232, 2230, 2247, 2257, 2233, 2240, 2270, 2219, 2245 -984,83
ARJ2205	<input type="checkbox"/>	Remote LINX REM400 : 3.5 "color touch screen and bluetooth - Driving, control of jacks and lights, mouse emulation	NC : 2220 ○
ARJ2206	<input type="checkbox"/>	Screen control LINX REM500 : 3.5 " color touch screen and bluetooth - Driving, cylinder and lighting control, mouse emulation	NC : 2220, 2270 576,30
REM400 option			
ARJ2270	<input type="checkbox"/>	Assignable Toggle Switch Module for REM400 (DLX-SW400TGL) as default set to left: ON/OFF, right speed dial"	340,28
Remote mounting position (REM211/216/400)			
ARJ1207	<input type="checkbox"/>	Reversible right fixation, no retractable	NC : 1404 ○
ARJ1208	<input type="checkbox"/>	Reversible left fixation, no retractable	NC : 1405 ○
ARJ1707	<input type="checkbox"/>	Retractable on right + height adjustable, consolidated	NC : 1404 ◆
ARJ1708	<input type="checkbox"/>	Retractable on left + height adjustable, consolidated	NC : 1405 ○
ARJ1709	<input type="checkbox"/>	Maxx resolve , swing away in/out - RH	NC 1404, (2231/2232+2207/2213), (2233/2240+2235/2213/2241), (2257+2275) ○
ARJ1710	<input type="checkbox"/>	Maxx resolve , swing away in/out - LH	NC 1405, (2231/2232+2208/2214), (2233/2240+2236/2214/2242), (2257+2276) ○
ARJ2213	<input type="checkbox"/>	Central mounting, removable right	NC : 1404, 1405, 1415 685,31
ARJ2214	<input type="checkbox"/>	Central mounting, removable left	NC : 1404,1405, 1339 685,31
ARJ2227	<input type="checkbox"/>	Fixation in right for third person(moving the manipulator)	NC : 2219, 2220, 2108, 1287, 2128 33,85
ARJ2228	<input type="checkbox"/>	Fixation in left for third person(moving the manipulator)	NC : 2219, 2220, 2108, 1286 33,85
AVZ2239	<input type="checkbox"/>	Custom Installation, thank you specify your request:	On demand
Mounting the LINX REM500 Control Screen			
ARJ2209	<input type="checkbox"/>	Swing away RH, multi-adjustable	NC : 1404, 1415 ◆
ARJ2210	<input type="checkbox"/>	Swing away LH, multi-adjustable	NC : 1405, 1339 ○
PW-4005	<input type="checkbox"/>	Option 2209/2210 with mounting rod for REM500 extended by 200 mm	Special manufacturing On demand
ARJ2213	<input type="checkbox"/>	Centre Mount, swing-away to RH, Nucleus	NC : 1404, 1405, 1415 652,13
ARJ2214	<input type="checkbox"/>	Centre Mount, swing-away to LH, Nucleus	NC : 1404,1405, 1339 652,13
ARW2239	<input type="checkbox"/>	Custom Installation, thank you specify your request:	On demand
Dual LiNX remote (User + third person)			
ARJ2220	<input type="checkbox"/>	Dual Control LINX (REM050 - use driving profile 2 of the REM211/216 - speed limited to 6km/h)	NC : 2108, 2205, 2206, 2227, 2228, 1221, 1222 677,02
ARJ2219	<input type="checkbox"/>	Dual Compact LINX control- 3 driving profiles dedicated and cylinder control	NC : 1221, 1222, 2108, 2227, 2228 1 091,94
ARJ2245	<input type="checkbox"/>	Dual intuitive LINX control- dedicated driving profile	NC : 1207, 1208, 2108, 2227, 2228 1 563,98
ARJ1207	<input type="checkbox"/>	Fixing on the right - only with REM050 and Compact	◆
ARJ1208	<input type="checkbox"/>	Fixing on the left - only with REM050 and Compact	○
ARJ1221	<input type="checkbox"/>	Right fixations, removable - only with intuitive LiNX control	◆
ARJ1222	<input type="checkbox"/>	Left fixations, removable - only with intuitive LiNX control	○
If multiple joysticks are to be mounted on the center mount mount (2213/2214), select option 2215			
Mo-Vis special controls - refer to the order sheet			
			
Compact Proportional Joysticks - Only with REM400 and REM500			
ARJ2231	<input type="checkbox"/>	LINX Compact proportionel joystick (deflection force: 160 g)	1 192,42
ARJ2232	<input type="checkbox"/>	LINX Compact Proportional Low Force joystick (deflection force: 112 g)	1 312,80
ARJ2207	<input type="checkbox"/>	Fixing on the right	NC : 1404 ◆
ARJ2208	<input type="checkbox"/>	Fixing on the left - only with REM050 and Compact	NC : 1405 ○
ARJ2213	<input type="checkbox"/>	Central fixing, retractable on the right	NC : 1404, 1405, 1415 717,54
ARJ2214	<input type="checkbox"/>	Central fixing, retractable on the left	NC : 1404, 1405, 1339 717,54
ARW2215	<input type="checkbox"/>	Custom Installation, thank you specify your request:	On demand













NEW




2209
2210



Chin control - Only with REM400 and REM500					
ARJ2229	<input type="checkbox"/>	Proportional Chin Joystick (ASL138) + egg switch	3 011,37	 2229	
ARJ1289	<input type="checkbox"/>	Swing Away Bracket RH, side manual (ASL628) (ONLY IN COMBINATION WITH HEADREST 2125)	NC : 1350, 1432, 1427		◆
ARJ1288	<input type="checkbox"/>	Swing Away Bracket LH, side manual (ASL628) (ONLY IN COMBINATION WITH HEADREST 2125)	NC : 1350, 1432, 1427		○
ARJ1287	<input type="checkbox"/>	Swing Away Bracket RH, powered	NC : 2125, 2227, 1404, 1415, 1312		1 445,50
ARJ1286	<input type="checkbox"/>	Swing Away Bracket LH, powered	NC : 1405, 1339, 1363		1 445,50
Additional options LiNX					
ARJ2230	<input type="checkbox"/>	Head Control with ultrasonic proximity sensors (ATOM, ASL104) with standard wings M3	NC : 2233, 2092, 2324, 2325, 2327, 2257, 2240	5 648,34	 2230
ARJ2247	<input type="checkbox"/>	Head Control with ultrasonic proximity sensors (PROTON, ASL104P) with PROTON wings	NC : 2233, 2092, 2324, 2325, 2327, 2257, 2240	5 648,34	 2247
Four-Switch Proximity Array (with ATOM technology)					
ARJ2257	<input type="checkbox"/>	Four-Switch Proximity Array (ASL106)	NC : 2233, 2240	6 129,86	 2257
ARJ2275	<input type="checkbox"/>	Centre Mount, swing-away to RH, Nucleus (incl. Eclipse Tray ASL619, 360x180 mm)		○	
ARJ2276	<input type="checkbox"/>	Centre Mount, swing-away to LH, Nucleus (incl. Eclipse Tray ASL619, 360x180 mm)		○	
ARW2215	<input type="checkbox"/>	Individual mounting option per request (Special) - REQUIRES ADDITIONAL INFORMATION / SPECIFICATION		On demand	
Micro extremity control					
ARJ2233	<input type="checkbox"/>	MEC Proportional Joystick (Micro Extremity Control ASL130)	NC : 2240	3 366,82	 2233
ARJ2235	<input type="checkbox"/>	Tray Mount RH (100x150 mm)		○	
ARJ2236	<input type="checkbox"/>	Tray Mount LH (100x150 mm)		○	
ARJ2213	<input type="checkbox"/>	Centre Mount, swing-away to RH, Nucleus	NC : 1404, 1405, 2310, 2311	○	
ARJ2214	<input type="checkbox"/>	Centre Mount, swing-away to LH, Nucleus	NC : 1404, 1405, 2310, 2311	○	
ARJ2241	<input type="checkbox"/>	Centre Mount, swing-away to RH, Nucleus (incl. Tray 100x150 mm)	NC : 1404, 1405, 2310, 2311	717,54	
ARJ2242	<input type="checkbox"/>	Centre Mount, swing-away to LH, Nucleus (incl. Tray 100x150 mm)		717,54	
ARW2215	<input type="checkbox"/>	Individual Mounting option per request (Special)		On demand	
Heavy Duty Remote Joystick					
ARJ2240	<input type="checkbox"/>	Proportional Heavy Duty Remote Joystick with mode switch (ASL133)		2 709,95	 2240
ARJ2235	<input type="checkbox"/>	Tray Mount RH (ASL603, 100x150 mm)		○	
ARJ2236	<input type="checkbox"/>	Tray Mount LH (ASL603, 100x150 mm)		○	
ARJ2213	<input type="checkbox"/>	Centre Mount, swing-away to RH, Nucleus		○	
ARJ2214	<input type="checkbox"/>	Centre Mount, swing-away to LH, Nucleus		○	
ARJ2241	<input type="checkbox"/>	Centre Mount, swing-away to RH, Nucleus (incl. Tray ASL603, 100x150 mm)		717,54	
ARJ2242	<input type="checkbox"/>	Centre Mount, swing-away to LH, Nucleus (incl. Tray ASL603, 100x150 mm)		717,54	
ARW2215	<input type="checkbox"/>	Individual mounting option per request (Special) - REQUIRES ADDITIONAL INFORMATION / SPECIFICATION		On demand	
Additional options LiNX					
ARJ2251	<input type="checkbox"/>	10-Way Switch DLX-SW10-A for direct Powered Seating Access (includes loom to connect + additional jack for mode switch)		530,81	 2251
ARJ2217	<input type="checkbox"/>	Bracket RH, mounted for user	NC : 2209, 2213, 1415	○	
ARJ2218	<input type="checkbox"/>	Bracket LH, mounted for user	NC : 2210, 2214	○	
ARJ2227	<input type="checkbox"/>	Bracket RH, mounted for attendant	NC : 1287	○	
ARJ2228	<input type="checkbox"/>	Bracket LH, mounted for attendant	NC : 1286	○	
ARJ2225	<input type="checkbox"/>	Without mounting		○	
ARJ2252	<input type="checkbox"/>	Loom providing jack sockets for "Drive" and "Mode" (includes connection for 10-Way Switch)		87,20	
Accessories LiNX					
ARJ2253	<input type="checkbox"/>	USB Charger Port DLX-USB02-A	NC : Bodypoint	236,02	 2253
ARJ2207	<input type="checkbox"/>	Fixing on the right	NC : 1404	○	
ARJ2208	<input type="checkbox"/>	Fixing on the left	NC : 1405	○	
Others accessories and contactors					
ARJ2300	<input type="checkbox"/>	To be included with the armchair		○	
ARW2301	<input type="checkbox"/>	To connect and program (Special)		On demand	
Round and flat switch (diameter 63 mm - delivered unassembled - take option 2252 obligatorily if no REM400 or REM500)					
ARJ1685	<input type="checkbox"/>	Red Buddy Button		130,81	
ARJ1686	<input type="checkbox"/>	Yellow Buddy Button		130,81	
ARJ1687	<input type="checkbox"/>	Green Buddy Button		130,81	
ARJ1690	<input type="checkbox"/>	Blue Buddy Button		130,81	
ARJ1690	<input type="checkbox"/>	Blue Buddy Button		130,81	
Egg switch (option 2252 required if no REM400)					
ARJ2254	<input type="checkbox"/>	Egg switch, black		103,32	

Mini contactors round and flat (diameter 30 mm - delivered unassembled - to take option 2252 obligatorily if not REM400 or REM500)			
ARJ1711	<input type="checkbox"/>	Mini contactor Red	130,81
ARJ1712	<input type="checkbox"/>	Mini contactor Yellow	130,81
ARJ1713	<input type="checkbox"/>	Mini contactor Green	130,81
ARJ1714	<input type="checkbox"/>	Mini contactor Orange	130,81
ARJ1715	<input type="checkbox"/>	Mini contactor Blue	130,81
ARJ1716	<input type="checkbox"/>	Mini contactor Black	130,81
Remote Stop Switch			
ARJ2258	<input type="checkbox"/>	Remote Stop Switch (ASL504) NC : Bodypoint	831,28
Bodypoint			
ARJ2721	<input type="checkbox"/>	3 inch U-Shaped, Joystick Handle, Bodypoint PC101A	100,00
ARJ2722	<input type="checkbox"/>	4 inch U-Shaped, Joystick Handle, Bodypoint PC102A	100,00
ARJ2723	<input type="checkbox"/>	Domed Rubber, Joystick Handle, Bodypoint PC107A	100,00
ARJ2724	<input type="checkbox"/>	Mushroom Grooved, Joystick Handle, Bodypoint PC110A	100,00
DRIVE UNIT OPTIONS			
Shroud colours			
ARP2640	<input type="checkbox"/>	Obsidian black	○
ARP2641	<input type="checkbox"/>	Ruby red	○
ARP2642	<input type="checkbox"/>	Purple Passion	○
ARP2643	<input type="checkbox"/>	Peacock blue	○
ARP2644	<input type="checkbox"/>	Artic blue	○
Rim insert colours			
ARP2650	<input type="checkbox"/>	Obsidian black	○
ARP2651	<input type="checkbox"/>	Ruby red	○
ARP2652	<input type="checkbox"/>	Purple Passion	○
ARP2653	<input type="checkbox"/>	Peacock blue	○
ARP2654	<input type="checkbox"/>	Artic blue	○
Performance			
Forks			
ARJ2631	<input type="checkbox"/>	Single sided fork (new) incl. black castor	399,05
ARJ2632	<input type="checkbox"/>	Double sided fork	◆
Rear wheels type Storm*4			
ARO0704	<input type="checkbox"/>	14"x3" Black Tires, Pneumatic	◆
ARO0705	<input type="checkbox"/>	14"x3" Black Tires, Solid tire	○
ARO0706	<input type="checkbox"/>	14"x3" Black Tires Puncture Protect	○
Motor type / Speed Options			
ARJ1282	<input type="checkbox"/>	OPS DDrive 6 km/h (4-pole)	○
ARJ1285	<input type="checkbox"/>	OPS Drive 10 km/h (4-pole)	○
ARJ1223	<input type="checkbox"/>	OPS Drive 10 km/h (4-pole) - programmable up to 12 km/h	○
Battery			
ARJ1260	<input type="checkbox"/>	73,5 Ah Gel	◆
Charger			
ARJ1313	<input type="checkbox"/>	OptiCharge Charger 10A	◆
GYROSCOPE			
G-Trac			
ARJ1215	<input type="checkbox"/>	G-Trac module (Directional control of the trajectory while driving)	1 035,07
POSITIONNING OPTIONS			
<i>For Bodypoint accessories, please refer to the Bodypoint specific pricelist.</i>			
OPTIONS			
Lights			
ARJ1367	<input type="checkbox"/>	Standard security light system equipment Storm*3 type - Blinkers, position lights, warning (check a LiNX REM216, REM400 or REM500 manipulator) NC : 1438	627,49
ARJ1437	<input type="checkbox"/>	LED Security light system equipment Storm*3 type - Blinkers, position lights, warning (check a LiNX REM216, REM400 or REM500 manipulator)	650,24
ARJ1254	<input type="checkbox"/>	Without light system	◆
Transportation Kit			
ARJ1450	<input type="checkbox"/>	Preparation for DAHL-Docking station, (Adequate headrest is compulsory) IN COMBINATION WITH 30°TILT OR TILT/LIFTMODULE (1093/1094) MAX USER WEIGHT IS LIMITED TO 136 KG!	○
Kerb rider			
ARJ1494	<input type="checkbox"/>	Kerb rider	◆
Fixation belt			
ARJ1329	<input type="checkbox"/>	Fixation Belt with Auto Lock	◆
ARJ2113	<input type="checkbox"/>	Fixation beltwith auto lock with adjustable attachment points on the seat	○
ARJ1332	<input type="checkbox"/>	H-Belt	271,09



Bodypoint positioning belts (fixings included)			
ARJ2701	<input type="checkbox"/>	Evoflex Pelvic Stabilizer, Rehab Latch Size L (padded length 620 mm)	156,40
ARJ2702	<input type="checkbox"/>	Evoflex Pelvic Stabilizer, Rehab Latch Size M (padded length 460 mm)	156,40
ARJ2703	<input type="checkbox"/>	2-Point Hip Belt, Ctr-Pull, Push Butt, Cinch-Mount Size L (padded length 620 mm)	133,65
ARJ2704	<input type="checkbox"/>	2-Point Hip Belt, Ctr-Pull, Push Butt, Cinch-Mount Size M (padded length 460 mm)	133,65
ARJ2705	<input type="checkbox"/>	2-Point Hip Belt, Dual-Pull, Side-Release Butt. Cinch-Mount Size L (padded length 620 mm)	116,59
ARJ2706	<input type="checkbox"/>	2-Point Hip Belt, Dual-Pull, Side-Release Butt. Cinch-Mount Size M (padded length 460 mm)	116,59
Rearview mirror			
ARJ1415	<input type="checkbox"/>	Right	70,14
ARJ1339	<input type="checkbox"/>	Left	70,14
Back Hook			
ARJ2128	<input type="checkbox"/>	Bag hooks (on Modulite Seat) (max load up to 6 kg = impact on max user weight)	150,71
Caneholder			
ARJ1312	<input type="checkbox"/>	Right	68,25
ARJ1363	<input type="checkbox"/>	Left	68,25
Swing away tray			
ARJ1404	<input type="checkbox"/>	Right	503,32
ARJ1405	<input type="checkbox"/>	Left	503,32
RAMPS			
1440530	<input type="checkbox"/>	Fiberglass Folding Mono Ramp Folded dimensions: 2000 x 230 mm 16.3 kg - maximum capacity: 300 kg	1 787,68
1654130	<input type="checkbox"/>	Aluminium folding mono ramp Folded dimensions: 1824 x 714 mm 13.9 kg - maximum capacity: 300 kg	426,54



2701, 2702



2703, 2704



2705, 2706



2128



1404
1405



1440530



1654130