

Invacare® Aviva® RX40 Modulite AA2

Please contact Invacare EU Export Customer Services on :-
Tel : +33 247 626980 ; Email : serviceclient_export@invacare.com
 Or visit our website : www.invacare.eu.com



Invacare® Aviva® RX40 Modulite AA2



CE

Date :

Rear drive wheelchair



Descriptive :

-Compactness and manoeuvrability thanks to:
 -Narrow base from 560 mm
 -Reduced wheelbase
 -Front wheels: 8" or 9"
 -Seat height from 435 mm.
 -Adjustable CTC suspensions system.
 -340W 4 pole motors, as standard.
 -Max. user weight : 136 kg.
 -Warranty : 2 years except batteries and wear parts.

As standard :

- 120 A Power Module
 - 73 Ah batteries
 - Seat tilt from 0° to 30°
 - LED lights system
 - Fender for castors and drive wheels
 - Single sided fork
 - Metallic colours on frame, rims and backrest
 - 10A charger
 - Speed up to 12 km/h as standard

User name :

Customer Code :

Dealer stamp:




Customization Service Invacare Unique

Please indicate your quote number or special manufacturing number :

Indicative Public Rate - Use the online configurator on Invacare Pro to generate quotes or orders free from incompatibilities.

Please make your selection with a cross in the box Standard configuration Free of charge

CODE	DESCRIPTION	NC : Non Compatible NC : 9999 : non compatible with the reference 9999	EUROS	
JBG0025	<input type="checkbox"/> AVIVA RX 40 AA2 Includes 120A Power Module, 73Ah Batteries - Max user weight up to 136 kg	NC : 1259	6 857,82	
CHASSIS AVIVA RX				
JBG2810	<input type="checkbox"/> Chassis Narrow (560 mm/22")			◆
JBG2830	<input type="checkbox"/> Chassis Wide (635 mm/25")	NC : 1244	333,65	
SEATING TYPE				
SEAT FRAME AND SEAT PLATE / SLING SEAT				
JBG2111	<input type="checkbox"/> Telescopic Seat Frame and Plate with Side Rails width 380 to 530 mm Additional 50 mm by arms			◆
JBG2112	<input type="checkbox"/> Telescopic Seat Frame + Sling Seat with Side Rails width 380 to 530 mm; + 30 mm seat height Additional 50 mm by arms		120,38	◆  2112
SEAT WIDTH SETTING FOR ADJUSTABLE SEAT FRAME				
JBG2121	<input type="checkbox"/> 380 mm Seat Plate	NC : 2701, 2703, 2705		○
JBG2122	<input type="checkbox"/> 430 mm Seat Plate	NC : 2701, 2703, 2705,		◆
JBG2123	<input type="checkbox"/> 480 mm Seat Plate	NC : 2702, 2704, 2706		○
JBG2124	<input type="checkbox"/> 530 mm Seat Plate	NC : 2174, 2175, 2176, 2177, 2178, 2143, 2702, 2704, 2706, 2106	120,38	
BODYFIT KIT				
JBG2106	<input type="checkbox"/> Body fit Kit Outrigging Backrest Brackets and Pivot Point (outrig: 1 inch/2,54 cm per side)	NC : 2124, 2192, 2194,		○
SEAT DEPTH SETTING				
JBG2132	<input type="checkbox"/> 410 mm	NC : 2196, 2197, 2198, Bodypoint		○
JBG2134	<input type="checkbox"/> 460 mm			◆
JBG2136	<input type="checkbox"/> 510 mm	NC : 2143		○














2111






2112

SEAT CUSHIONS			
JBG2142	<input type="checkbox"/>	Matrx Flo-tech Cushion With Seat Width 530: Flo-tech Contour	◆
JBG2143	<input type="checkbox"/>	Matrx Flo-tech Contour Visco; (2-way stretch material)	NC : 2136, 2124 76,78
JBG2147	<input type="checkbox"/>	Matrx Libra Cushion, 90 mm thick Extended lead time: + 4 days	293,84
JBG2144	<input type="checkbox"/>	Matrx Vi Cushion (Mesh fabric)	293,84
BACKREST SUPPORT			
JBG2162	<input type="checkbox"/>	Backposts tall (540 mm)	○
JBG2163	<input type="checkbox"/>	Backposts short (480 mm)	NC : 2052, 2053, 2173 ◆
PUSH HANDLES			
JBG2107	<input type="checkbox"/>	Push handles	◆
JBG2108	<input type="checkbox"/>	Backposts without push handles	NC : 1307, 2219, 2220, 2227, 2228, 2245, 2291, 2292 203,79
BACKREST UPHOLSTERY / CUSHION			
JBG2171	<input type="checkbox"/>	Tension Adjustable Upholstery nylon overlay tall = 540 mm / 8 straps; short = 480 mm / 7 straps measured from seat plate to top of upholstery	NC : 2052, 2053, 2152, 1445, 1496, 2155, 2230, 2247, 1288, 1289 ◆
JBG2179	<input type="checkbox"/>	Flex3 Tension Adjustable Upholstery height 540 mm (seat plate to top of upholstery)	NC : 2151, 2192, 2193, 2194, 2229, 2155, 2230, 2247 196,21
JBG2173	<input type="checkbox"/>	Flex3 adjustable Backrest Plates with Laguna Backrest cushion Flex3 Backrest plate width and height adjustable 560 mm - 790 mm	NC : 2163, 2128 ○
JBG2174	<input type="checkbox"/>	Matrx Posture Back, height 400 mm (Mesh fabric)	NC : 1445, 2124 798,10
JBG2175	<input type="checkbox"/>	Matrx Posture Back, height 500 mm (Mesh fabric)	NC : 1445, 2124 798,10
JBG2176	<input type="checkbox"/>	Matrx Elite Back, height 500 mm (Mesh fabric)	NC : 1445, 2124 717,54
JBG2177	<input type="checkbox"/>	Matrx Elite TR Back, height 500 mm (Mesh fabric)	NC : 1445, 2124 717,54
JBG2178	<input type="checkbox"/>	Matrx Elite Deep Back, height 500 mm (Mesh fabric)	NC : 1445, 2124 717,54
<i>Find the trunk supports and all the accessories on the Matrx measurement sheet!</i>			
UPHOLSTERY COLOUR			
JBG2151	<input type="checkbox"/>	Black Fabric Upholstery	NC : 2179 ◆
JBG2152	<input type="checkbox"/>	Black Dartex Upholstery	NC : 2171 71,09
JBG2155	<input type="checkbox"/>	Black Spacer Fabric Upholstery	NC : 2171, 2179 87,20
ARMREST (Pair)			
JBG2191	<input type="checkbox"/>	T-Arm detachable, Standard Adjustment range from seat plate: 245 - 315 mm	◆ 2191
JBG2181	<input type="checkbox"/>	T-Arm detachable, Extended height Adjustment range from seat plate: 295 - 365 mm	60,66
JBG2198	<input type="checkbox"/>	Padded Armrest with integrated cloth guard	NC : 2132, 2195, 2196, 2197, Hip Support 247,39
JBG2183	<input type="checkbox"/>	Inrigged Armrests Reduces SW by 25 mm each side	NC : Hip Support 120,38
JBG2193	<input type="checkbox"/>	Flip-up Armrest Up to 150 kg max user weight	NC : 1445, 2179 128,91
JBG2192	<input type="checkbox"/>	Following Armrest Height adjustable from 230 - 300 mm	NC : 1445, 2179, 2106 372,51
JBG2194	<input type="checkbox"/>	Following Armrest Height adjustable from 300 - 360 mm	NC : 1445, 2179, 2106 372,51
ARMPAD (Pair)			
JBG2195	<input type="checkbox"/>	Short Armpad (325 mm)	NC : 2198 ◆
JBG2196	<input type="checkbox"/>	Long Armpad (375 mm)	NC : 2132, 2198 78,67
JBG2197	<input type="checkbox"/>	Long Ergonomic Armpad (397 mm)	NC : 2132, 2198, 2230, 2247 120,38
Hemiplegic gutters			
	<input type="checkbox"/>	Hemiplegic gutter in special manufacture	On demand
	<input type="checkbox"/>	Hemi concave mouthpiece with flat or curved horn palmar support and 360° right or left reversible rotator, in 18° steps	On demand
HIP SUPPORTS			
JBG2184	<input type="checkbox"/>	Hip Support LH, pad size 140 x 100 mm	NC : 2198, 2183, Bodypoint 290,05
JBG2186	<input type="checkbox"/>	Hip Support LH, pad size 230 x 100 mm	NC : 2198, 2183, Bodypoint 290,05
JBG2188	<input type="checkbox"/>	Hip Support LH, pad size 330 x 100 mm	NC : 2198, 2183, Bodypoint 290,05
JBG2185	<input type="checkbox"/>	Hip Support RH, pad size 140 x 100 mm	NC : 2198, 2183, Bodypoint 290,05
JBG2187	<input type="checkbox"/>	Hip Support RH, pad size 230 x 100 mm	NC : 2198, 2183, Bodypoint 290,05
JBG2189	<input type="checkbox"/>	Hip Support RH, pad size 330 x 100 mm	NC : 2198, 2183, Bodypoint 290,05
MOUNTING HARDWARE FOR HIP SUPPORTS			
JBG2164	<input type="checkbox"/>	Mounting hardware for hip supports (6,1" / 155 mm high)	◆
JBG2165	<input type="checkbox"/>	Mounting hardware for hip supports (8,1" / 206 mm high)	○



HEADREST / NECKREST (Dartex)					
JBG1350	<input type="checkbox"/>	Neckrest depth adjustable, Dartex coating	NC : 2230, 2247, 1288, 1289	◆	 1432
JBG1432	<input type="checkbox"/>	Headrest sideways adjustable	NC : 2230, 2247, 1288, 1289	○	 1427
JBG1427	<input type="checkbox"/>	Headrest with cheek support	NC : 2230, 2247, 1288, 1289	313,74	 2325
JBG2324	<input type="checkbox"/>	Elan Standard Pad 255 mm / 10" wide w/standard cover (ESP26)	NC : 2230, 2247	665,40	 2325
JBG2325	<input type="checkbox"/>	Elan Occipital Pad 230x180 mm / 9"x7" w/standard cover (EOP23)	NC : 2230, 2247	427,49	 2327
JBG2327	<input type="checkbox"/>	Elan 4 Point Headrest Pad 280x255 mm / 11"x10" w/standard	NC : 2230, 2247	559,24	 2327
JBG1495	<input type="checkbox"/>	Non Invacare Headrest - no mounting hardware With Backbrace/Pushbar dia. 22mm in conjunction with telescopic seat frame/backposts	NC : 2229	○	
PUSH BAR					
JBG1307	<input type="checkbox"/>	Push bar (dia 22 mm) in conjunction with telescopic backposts	NC : 2108	43,60	
LATERAL SUPPORT (in pairs; Dartex)					
JBG1445	<input type="checkbox"/>	Lateral Support with extended arm, multi-adjustable pad	NC : 2171, 2174, 2175, 2176, 2177, 2178, 2192, 2193, 2194	335,55	 1445
SEAT LIFTER / SEAT TILT					
JBG1093	<input type="checkbox"/>	Powered tilt (0° - 30°) with CoG shift	NC : 1401	◆	
JBG2052	<input type="checkbox"/>	Powered tilt (0°-50°) with CoG shift	NC : 1401,2105, 0011, 0013, 2201,(2171/0975+2273),2161, 2163, 2171	○	NEW
JBG1094	<input type="checkbox"/>	Seat lifter with powered tilt (300 mm, 30°) with CoG shift	NC : 1494, 2201, 2220, 2860	1 895,73	
JBG2053	<input type="checkbox"/>	300mm seat lifter with powered tilt 0° - 45° and CoG shift, (max. user weight 136 kg)	NC : 1494,(2054+0556/0589), 2105,2201,2220,(2171/0975+2273),1910, 1912,2161 ,2163 ,2171	1 895,73	NEW
SEAT HEIGHT SETTING Measured without seat cushion at 0°					
JBG2857	<input type="checkbox"/>	Seat-to-Floor Height 435 mm		◆	
JBG2858	<input type="checkbox"/>	Seat-to-Floor Height 460 mm	NC : 2054	○	
JBG2859	<input type="checkbox"/>	Seat-to-Floor Height 485 mm	NC : 2054	○	
SEAT TILT OPTION (only if option 1093 or 1094 has been selected)					
JBX2054	<input type="checkbox"/>	5° Fixed Anterior Tilt, Assist mount	NC : 2858, 2859	424,64	 0977
BACKREST RECLINER					
JBG0977	<input type="checkbox"/>	Powered Recliner 30°		◆	
LEGRESTS / FOOTRESTS					
CENTRE MOUNTED LEGRESTS					
JBG0556	<input type="checkbox"/>	Centre mount legrest, angle settable Length: 280 - 385 mm	NC : 0517, 1244	563,03	
JBG0589	<input type="checkbox"/>	LNX Power centre mount legrest, length compensating Length: 340 - 410 mm	NC : 2201, 1244	1 745,02	
FOOTPLATES / FOOT PLATFORM					
JBG2365	<input type="checkbox"/>	Angle & width adjustable footplates S (127 W x 190 mm D / 5"x7.5")		○	
JBG0559	<input type="checkbox"/>	Angle & width adjustable footplates M (140 W x 240 mm D / 5.5"x9.5")		◆	
JBG0516	<input type="checkbox"/>	Angle & width adjustable footplates L (150 W x 290 mm D / 6"x11.5")		124,17	
JBG0517	<input type="checkbox"/>	Angle adjustable foot platform M (305 W x 275 mm D / 12"x10.75")	NC : 0556	124,17	
FOOTREST HANGER TYPE / PAIRS					
JBG0533	<input type="checkbox"/>	Hanger Vari A pair Lower leg length: 290 - 460 mm Angle adjustment: 70 - 0° with handwheel and calf pad		◆	
JBG0531	<input type="checkbox"/>	Hanger ADE pair Lower leg length: 290 - 460 mm Powered Angle adjustment: 80 - 0° with calf pad		878,67	 0513
FOOTPLATE TYPE / PAIRS					
JBG0504	<input type="checkbox"/>	Angle Adjustable Footplate pair		◆	
JBG0513	<input type="checkbox"/>	Angle and depth adjustable Footplate pair		106,16	


REMOTES LINX
LINX PRIMARY REMOTES with proportional Joystick + BRACKETS

JBG2204	<input type="checkbox"/>	Remote LINX REM216 : Driving, control of cylinders and lighting	NC : 2229, 2231, 2232, 2230, 2247, 2257, 2233, 2240, 2270, 2219, 2245	◆	 REM216
JBG2205	<input type="checkbox"/>	Rehab Remote LiNX, touch-screen user interface DLX-REM400	NC : 2220	1 137,44	 REM400 Bluetooth
JBG2206	<input type="checkbox"/>	Rehab Remote LiNX without joystick for alternative access users DLX-REM500 Requires a user input/alternative joystick: 2231, 2232, 2229, 2230, 2247, 2233	NC : 2220, 2270	1 712,80	 REM500 Bluetooth




REM400 TOGGLE OPTION

JBG2270	<input type="checkbox"/>	Assignable Toggle Switch Module f. REM400 (DLX-SW400TGL)	NC : 2203, 2204, 2206	340,28	 2270
---------	--------------------------	--	-----------------------	--------	--

PRIMARY REMOTE AND DISPLAY MOUNTING POSITION

JBG1207	<input type="checkbox"/>	Standard Bracket RH	NC : 2206, 2285, 2283, 2287, 2207, 2265, 2275, 1404	○		
JBG1208	<input type="checkbox"/>	Standard Bracket LH	NC : 2206, 2286, 2284, 2288, 2208, 2266, 2276, 1405	○		
JBG1707	<input type="checkbox"/>	Swing Away Bracket RH	NC : 2206, 2285, 2283, 2287, 2207, 2265, 2275, 1404	◆		
JBG1708	<input type="checkbox"/>	Swing Away Bracket LH	NC : 2206, 2286, 2284, 2288, 2208, 2266, 2276, 1405	○		
JBG1709	<input type="checkbox"/>	Maxx resolve , swing away in/out - RH	NC : 2206, 2285, 2283, 2287, 2207, 2265, 2275, 1404	○		
JBG1710	<input type="checkbox"/>	Maxx resolve , swing away in/out - LH	NC : 2206, 2286, 2284, 2288, 2208, 2266, 2276, 1405	○		
JBG2209	<input type="checkbox"/>	Swing away RH, multi-adjustable	NC : 2201, 2203, 2204, 2205, 2285, 2283, 2287, 2207, 2265, 2275, 1415, 2217, 1404	○		
JBG2210	<input type="checkbox"/>	Swing away LH, multi-adjustable	NC : 2201, 2203, 2204, 2205, 2286, 2284, 2288, 2208, 2266, 2276, 1339, 2218, 1405	○		
PW-4005	<input type="checkbox"/>	Option 2209/2210 with mounting rod for REM500 extended by 200 mm		On demand		2209 2210
JBG2213	<input type="checkbox"/>	Centre Mount, swing-away to RH, Nucleus	NC : 2285, 2283, 2287, 2207, 2265, 2275, 1415, 2217, 1404, 1405	685,31		
JBG2214	<input type="checkbox"/>	Centre Mount, swing-away to LH, Nucleus	NC : 2286, 2284, 2288, 2208, 2266, 2276, 1339, 2218, 1404, 1405	685,31		
JBG2227	<input type="checkbox"/>	Bracket RH, mounted for Attendant	NC : 2206, 1287, 2220, 2128, 2108, 2219, 1221, 1312	160,19		
JBG2228	<input type="checkbox"/>	Bracket LH, mounted for Attendant	NC : 2206, 1286, 2220, 2128, 2108, 2219, 1222, 1363	160,19		
JBX2239	<input type="checkbox"/>	Individual mounting option per request (Special)		On demand		

NEW
DUAL CONTROL LINX + BRACKETS

JBG2220	<input type="checkbox"/>	Dual Control LiNX (DLX-REM050 as secondary remote)	NC : 1094, 2273, 2108, 2205, 2206, 1221, 1222, 2227, 2228	677,02	 REM050
JBG2219	<input type="checkbox"/>	Compact Dual Control LiNX (DLX-ACU200)	NC : 2108, 1221, 1222, 2227, 2228	1 091,94	 2219
JBG2245	<input type="checkbox"/>	Invacare LiNX IDC Dual control	NC : 2108, 2259, 2260	1 563,98	 2245
JBG2259	<input type="checkbox"/>	Bracket RH, Attendant	NC : 1287, 2291, 2245, 1312	○	
JBG2260	<input type="checkbox"/>	Bracket LH, Attendant	NC : 1286, 2292, 2245, 1363	○	
JBG1221	<input type="checkbox"/>	Bracket RH, detachable	NC : 1287, 2291, 2220, 2219, 2227, 1312	○	
JBG1222	<input type="checkbox"/>	Bracket LH, detachable	NC : 1286, 2292, 2220, 2219, 2228, 1363	○	

Si plusieurs joysticks doivent être montés sur le support escamotable pour montage en position centrale (2213/2214), sélectionnez l'option 2215

Mo-Vis special controls - refer to the order sheet




LiNX - COMPACT REMOTES + BRACKETS REQUIRES PRIMARY REMOTE (DLX-REM400 or DLX-REM500)			
JBG2231	<input type="checkbox"/>	Proportional Compact Remote DLX-CR400	NC : 2203, 2204 1 191,47
JBG2232	<input type="checkbox"/>	Proportional Compact Remote Low Force DLX-CR-400LF	NC : 2203, 2204 1 312,80
JBG2207	<input type="checkbox"/>	RH Mount	NC : 1207, 1707, 2209, 2213, 2217, 1404 ○
JBG2208	<input type="checkbox"/>	LH Mount	NC : 1208, 1708, 2210, 2214, 2218, 1405 ○
JBG2265	<input type="checkbox"/>	Centre Mount, swing-away to RH (Nucleus)	NC : 1207, 1707, 2209, 2213, 2217, 1404, 1405, 1415 717,54
JBG2266	<input type="checkbox"/>	Centre Mount, swing-away to LH (Nucleus)	NC : 1208, 1708, 2210, 2214, 2218, 1404, 1405, 1339 717,54
JBX2215	<input type="checkbox"/>	Individual mounting option per request (Special)	On demand



CHIN CONTROL + BRACKETS REQUIRES PRIMARY REMOTE (DLX-REM400 or DLX-REM500)			
JBG2229	<input type="checkbox"/>	Proportional Chin Joystick (ASL138) SELECTED HEADREST ALWAYS WITH STD MOUNTING HARDWARE	NC : 1495, 2203, 2204, 2230, 2247, 2233, 2257, 2240, 2179, 2128 3 011,37
JBG1289	<input type="checkbox"/>	Swing Away Bracket RH, side manual (ASL628) Requires Elan Headrest	NC : 2171, 1350, 1432, 1427 ○
JBG1288	<input type="checkbox"/>	Swing Away Backrest LH, side manual (ASL628) Requires Elan Headrest	NC : 2171, 1350, 1432, 1427 ○
JBG1287	<input type="checkbox"/>	Swing Away Bracket RH, powered	NC : 2227, 2259, 1221, (2121+0977), 2291, 1312, 1415 1 445,50
JBG1286	<input type="checkbox"/>	Swing Away Bracket LH, powered	NC : 2228, 2260, 1222, 2292, 1363, 1339 1 445,50



HEAD CONTROL ATOM Technology			
JBG2230	<input type="checkbox"/>	Head Control with ultrasonic proximity sensors (ATOM, ASL104) with standard wings M3	NC : 2203, 2204, 2229, 2233, 2092, 2257, 2240, 2175, 2171, 2197, 1350, 1432, 1427, Elan backrest 5 648,34
JBG2247	<input type="checkbox"/>	Head Control with ultrasonic proximity sensors (PROTON, ASL104P) with PROTON wings	NC : 2203, 2204, 2229, 2233, 2092, 2257, 2240, 2175, 2171, 2197, 1350, 1432, 1427, Elan backrest 5 704,27



FOUR-SWITCH PROXIMITY ARRAY (with ATOM Technology)			
JBG2257	<input type="checkbox"/>	Four-Switch Proximity Array (ASL106)	NC : 2203, 2204, 2229, 2230, 2247, 2233, 2240, 2128 6 129,86
JBG2275	<input type="checkbox"/>	Centre Mount, swing-away to RH, Nucleus	NC : 1207, 1707, 2209, 2213, 2217, 1404, 1405, 1415 ○
JBG2276	<input type="checkbox"/>	Centre Mount, swing-away to LH, Nucleus	NC : 1208, 1708, 2210, 2214, 2218, 1404, 1405, 1339 ○
JBX2269	<input type="checkbox"/>	Individual mounting option per request (Special)	On demand

LiNX - PROPORTIONAL REMOTES WITH TPI / INPUTS & BRACKETS			
JBG2233	<input type="checkbox"/>	MEC Proportional Joystick (Micro Extremity Control ASL130)	NC : 2203, 2204, 2229, 2230, 2247, 2257, 2128 3 366,82
JBG2240	<input type="checkbox"/>	Proportional Heavy Duty Remote Joystick w mode switch (ASL133)	NC : 2203, 2204, 2229, 2230, 2247, 2257, 2128 2 709,95
JBG2285	<input type="checkbox"/>	Tray Mount RH (100x150 mm)	NC : 1207, 1707, 2209, 2213, 2217, 1404, 1405, 1415 717,54
JBG2286	<input type="checkbox"/>	Tray Mount LH (100x150 mm)	NC : 1208, 1708, 2210, 2214, 2218, 1404, 1405, 1339 717,54
JBG2283	<input type="checkbox"/>	Centre Mount, swing-away to RH, Nucleus	NC : 1207, 1707, 2209, 2213, 2217, 1404, 1405, 1415 ○
JBG2284	<input type="checkbox"/>	Centre Mount, swing-away to LH, Nucleus	NC : 1208, 1708, 2210, 2214, 2218, 1404, 1405, 1339 ○
JBG2287	<input type="checkbox"/>	Centre Mount, swing-away to RH, Nucleus	NC : 1207, 1707, 2209, 2213, 2217, 1404, 1405, 1415 717,54
JBG2288	<input type="checkbox"/>	Centre Mount, swing-away to LH, Nucleus	NC : 1208, 1708, 2210, 2214, 2218, 1404, 1405, 1339 717,54
JBX2289	<input type="checkbox"/>	Individual mounting option per request (Special)	On demand



LiNX 10-WAY SWITCH			
JBG2251	<input type="checkbox"/>	10-Way Switch DLX-SW10-A for direct Powered Seating Access	530,81
JBG2217	<input type="checkbox"/>	Bracket RH, mounted for user	NC : 1415, 2207, 2287, 2283, 2275, 2213, 2209, 2265, 1404 ○
JBG2218	<input type="checkbox"/>	Bracket LH, mounted for user	NC : 1339, 2208, 2288, 2284, 2286, 2276, 2214, 2210, 2266, 1405 ○
JBG2291	<input type="checkbox"/>	Bracket RH, mounted for attendant	NC : 2128, 2259, 1221, 1287, 2108 ○
JBG2292	<input type="checkbox"/>	Bracket LH, mounted for attendant	NC : 2128, 2260, 1222, 1288, 2108 ○
JBG2225	<input type="checkbox"/>	Without mounting	○



LiNX ACCESSORIES			
JBG2253	<input type="checkbox"/>	USB Charger Port DLX-USB02-A	NC : Bodypoint 236,02
JBG2281	<input type="checkbox"/>	RH Mount	○
JBG2282	<input type="checkbox"/>	LH Mount	○



The public prices of the options are valid only if ordered with the chair.
For separately ordered options, consult your distributor.
© 2024 Invacare International Sarl

Remote Stop Switch				
JBG2258	<input type="checkbox"/>	Remote Stop Switch (ASL504)	NC : 2203, 2204	831,28
INPUT200 MODULE				
JBG2273	<input type="checkbox"/>	IN200 Module (Jack port for external power button + control inputs via DB9)	NC : 2220	349,76
FURTHER LINUX COMPONENTS / ACCESSORIES				
JBG2300	<input type="checkbox"/>	To be enclosed only		○
JBX2301	<input type="checkbox"/>	To be connected and programmed (Special)		On demand
BUDDY BUTTONS				
JBG1685	<input type="checkbox"/>	Red Buddy Button		130,81
JBG1686	<input type="checkbox"/>	Yellow Buddy Button		130,81
JBG1687	<input type="checkbox"/>	Green Buddy Button		130,81
JBG1690	<input type="checkbox"/>	Blue Buddy Button		130,81
EGG SWITCH				
JBG2254	<input type="checkbox"/>	Egg Switch, black		103,32
PIKO BUTTONS				
JBG1711	<input type="checkbox"/>	Red Piko Button		130,81
JBG1712	<input type="checkbox"/>	Yellow Piko Button		130,81
JBG1713	<input type="checkbox"/>	Green Piko Button		130,81
JBG1714	<input type="checkbox"/>	Orange Piko Button		130,81
JBG1715	<input type="checkbox"/>	Blue Piko Button		130,81
JBG1716	<input type="checkbox"/>	Black Piko Button		130,81
BODYPOINT JOYSTICK KNOBS				
JBG2721	<input type="checkbox"/>	3 inch U-Shaped, Joystick Handle, Bodypoint PC101A		100,00
JBG2722	<input type="checkbox"/>	4 inch U-Shaped, Joystick Handle, Bodypoint PC102A		100,00
JBG2723	<input type="checkbox"/>	Domed Rubber, Joystick Handle, Bodypoint PC107A		100,00
JBG2724	<input type="checkbox"/>	Mushroom Grooved, Joystick Handle, Bodypoint PC110A		100,00
SWITCH ADAPTER				
JBH1681	<input type="checkbox"/>	5:1 Switch Adapter (9-pin sub D to 5 jack ports)		151,66
WHEELBASE DETAILS				
COLOURS				
JBG2871	<input type="checkbox"/>	Mid range - Black/Anthracite Shroud		-284,36
JBG2872	<input type="checkbox"/>	Mid range - Silver Shroud		-284,36
JBG2873	<input type="checkbox"/>	Mid range - Bengal Red Shroud		-284,36
JBG2874	<input type="checkbox"/>	Mid range - Mercury Blue Shroud		-284,36
JBG2875	<input type="checkbox"/>	Mid range - Midnight Purple Shroud		-284,36
JBX0299	<input type="checkbox"/>	Premium - Individual Shroud Colour (includes coloured spreader bars on Modulite back)		781,99
JBG2865	<input type="checkbox"/>	Premium - Racing Green Shroud RAL6035		○
JBG2866	<input type="checkbox"/>	Premium - Deep Ocean Blue Satin Shroud RAL5026		○
JBG2867	<input type="checkbox"/>	Premium - Frosty Blue Shroud RAL5025		○
JBG2868	<input type="checkbox"/>	Premium - Gold Shroud RAL1035		○
RIM INSERT COLOURS				
JBG2882	<input type="checkbox"/>	Mid range - Black Rim Inserts		-80,57
JBG2883	<input type="checkbox"/>	Mid range - Silver Rim Inserts		-80,57
JBG2884	<input type="checkbox"/>	Mid range - Bengal Red Rim Inserts		-80,57
JBG2885	<input type="checkbox"/>	Mid range - Mercury Blue Rim Inserts		-80,57
JBG2886	<input type="checkbox"/>	Mid range - Midnight Purple Rim Inserts		-80,57
JBG2887	<input type="checkbox"/>	Premium - Individual Rim Insert Colour		207,58
JBG2888	<input type="checkbox"/>	Premium - Racing Green Rim Inserts RAL6035		○
JBG2889	<input type="checkbox"/>	Premium - Deep Ocean Blue Satin Rim Inserts RAL5026		○
JBG2890	<input type="checkbox"/>	Premium - Frosty Blue Rim Inserts RAL5025		○
JBG2891	<input type="checkbox"/>	Premium - Gold Rim Inserts RAL1035		○
FORKS				
JBG2631	<input type="checkbox"/>	Single sided fork		◆
JBG2632	<input type="checkbox"/>	Double sided fork		○
CASTORS				
JBG0835	<input type="checkbox"/>	9" (225 mm) x 2.80 (70 mm) Castor, pneumatic		◆
JBG0836	<input type="checkbox"/>	9" (225 mm) x 2.80 (70 mm) Castor, puncture proof solid tyre		○
JBG0838	<input type="checkbox"/>	9" (225 mm) x 2.80 (70 mm) Castor, puncture protected		61,61
JBG0828	<input type="checkbox"/>	8" (200 mm) x 2.50-4 (65 mm) Castor, puncture proof solid tyre	NC : 1223	149,76



CASTOR LOCK			
JBG1490	<input type="checkbox"/>	Castor Lock	NC : (2631+1416) 218,01
DRIVE WHEELS			
JBG0704	<input type="checkbox"/>	DW 14" (355 mm) x 3" (75 mm), Pneumatic	◆
JBG0705	<input type="checkbox"/>	DW 14" (355 mm) x 3" (75 mm), Solid inlay	238,86
JBG0706	<input type="checkbox"/>	DW 14" (355 mm) x 3" (75 mm), Puncture protected	61,61
SUSPENSIONS			
CTC SUSPENSION			
JBG2870	<input type="checkbox"/>	CTC Suspension Control - Traction - Comfort	◆
CUSTOMIZED SUSPENSION SETTINGS for RX20/RX40			
JBG1910	<input type="checkbox"/>	Soft (suggested for up to 70 kg User Weight)	NC : 1094 ○
JBG1912	<input type="checkbox"/>	Medium (suggested for up to 90 kg User Weight)	NC : 1094 ○
JBG1911	<input type="checkbox"/>	Firm (suggested for up to 110 kg User Weight)	○
JBG1915	<input type="checkbox"/>	Very firm (suggested for up to 136 kg User Weight)	○
4-Pole MOTOR TYPE / SPEED OPTIONS			
Motors			
JBG1282	<input type="checkbox"/>	OPS Drive 6 km/h	○
JBG1283	<input type="checkbox"/>	OPS Drive 10 km/h	◆
JBG1223	<input type="checkbox"/>	OPS Drive 10 km/h Setting for Ultra High Speed Motor Always combined with 73,5Ah Batteries	NC : 0828, 1259, 1260 ○
BATTERY			
JBG1260	<input type="checkbox"/>	73,5 Ah Gel	NC : 0025, 1223 ◆
GYROSCOPE			
G-Trac			
JBG1215	<input type="checkbox"/>	G-Trac Module	1 034,12
CHARGER			
JBG1313	<input type="checkbox"/>	Opti Charge Charger 10A (IP44)	◆
SP1606545	<input type="checkbox"/>	10A Opticharge Charger (UK)	○
OPTIONS			
ANTI-TIPPERS			
JBG1205	<input type="checkbox"/>	Anti-tipper	◆
LIGHT			
JBG1437	<input type="checkbox"/>	LED Light system with Indicators 30 Lux headlights	NC : 2203 ◆
JBG2837	<input type="checkbox"/>	LED Light system extra bright with indicators 60 Lux headlights	NC : 2203 403,79
KERB RIDER			
JBG1244	<input type="checkbox"/>	Kerb Rider	NC : 2830, 0556, 0589 291,00
TRANSPORTATION KIT 4-POINT TIE DOWNS			
JBG1494	<input type="checkbox"/>	4-Point tie-down (Tested version for using wheelchair as a vehicle seat according to ISO 7176-19)	NC : 1094 ◆
JBG1401	<input type="checkbox"/>	6-Point tie-down (Tested version for using wheelchair as a vehicle seat according to ISO 7176-19)) required for variants with combined Lift & Tilt module	NC : 1093 ○
TIE DOWN POINTS			
JBG2894	<input type="checkbox"/>	Easily accessible front tie-down points, additionally mounted for 4- or 6- point-tie-down	91,94
LAP BELTS			
JBG1329	<input type="checkbox"/>	Lap belt with Auto Lock Standard mount on backrest	◆ 1329
JBG2113	<input type="checkbox"/>	Lap belt with Auto Lock Flexible mount in side rails	NC : 2121, 2122, 2132, 2253, hip support 50,24
JBG2701	<input type="checkbox"/>	BP Evoflex Pelvic Stabilizer, Rehab Latch Size L	NC : 2123, 2124, 2253, hip support 156,40
JBG2702	<input type="checkbox"/>	Ceinture Bodypoint Evoflex, Loquet Rehab, taille M	NC : 2121, 2122, 2132, 2253, hip support 156,40
JBG2703	<input type="checkbox"/>	BP 2-Point Hip Belt, Ctr-Pull, Push Butt, Cinch-Mount Size L	NC : 2123, 2124, 2253, hip support 133,65
JBG2704	<input type="checkbox"/>	BP 2-Point Hip Belt, Ctr-Pull, Push Butt, Cinch-Mount Size M	NC : 2121, 2122, 2132, 2253, hip support 133,65
JBG2705	<input type="checkbox"/>	BP 2-Point Hip Belt, Dual-Pull, Side-Release Butt. Cinch-Mount Size L	NC : 2123, 2124, 2253, hip support 116,59
JBG2706	<input type="checkbox"/>	BP 2-Point Hip Belt, Dual-Pull, Side-Release Butt. Cinch-Mount Size M	116,59
REARVIEW MIRROR			
JBG1415	<input type="checkbox"/>	Rear view mirror RH	NC : 1287, 2217, 2285, 2209, 2213, 2265, 2275, 2283, 2287 70,14
JBG1339	<input type="checkbox"/>	Rear view mirror LH	NC : 1286, 2218, 2286, 2210, 2214, 2266, 2276, 2284, 2288 70,14



1244



1329











2701, 2702



2703, 2704



2705, 2706

ACCESSORIES						
BAG HOOKS						
JBG2128	<input type="checkbox"/>	Bag Hooks on Modulite Seat	NC : 2105, 2173, 2227, 2228, 2229, 2233, 2240, 2257, 2291, 2292	150,71		2128
CANEHOLDER						
JBG1312	<input type="checkbox"/>	Cane holder RH	NC : 1287, 2227, 2259, 1221	68,25		
JBG1363	<input type="checkbox"/>	Cane holder LH	NC : 1286, 2228, 2260, 1222	68,25		
FENDER CASTORS (black)						
JBG1416	<input type="checkbox"/>	Fender for Castors		◆		1416
JBG1417	<input type="checkbox"/>	Fender for Drive wheels		◆		
TRAY						
JBG1404	<input type="checkbox"/>	Tray, Swing Away RH	NC : 1207, 1707, 2209, 2275, 2276, 2287, 2288, 2283, 2284, 2285, 2286, 2265, 2266, 2207, 2213, 2214, 2217	502,37		1417
JBG1405	<input type="checkbox"/>	Tray, Swing Away LH	NC : 1208, 1708, 2210, 2275, 2276, 2287, 2288, 2283, 2284, 2285, 2286, 2265, 2266, 2208, 2213, 2214, 2218	502,37		1404 1405
TOOLKIT						
JBG1333	<input type="checkbox"/>	Toolkit				29,38
RAMPS						
1440530	<input type="checkbox"/>	Fiberglass Folding Mono Ramp Folded dimensions: 2000 x 230 mm 16.3 kg - maximum capacity: 300 kg		1 787,68		1440530
1654128	<input type="checkbox"/>	Basic ramp 2 telescopic parts in aluminum and non-slip coating. Folded dimensions: 1210 x 194 mm. 8.8 kg per pair - maximum capacity: 270 kg		298,58		1654128
1654129	<input type="checkbox"/>	Quick2go Compact 3-part aluminum telescopic ramp with non-slip coating Folded dimensions: 870 x 237 mm 13.6 kg per pair - maximum capacity: 260 kg		559,24		1654129
1654130	<input type="checkbox"/>	Aluminium folding mono ramp Folded dimensions: 1824 x 714 mm 13.9 kg - maximum capacity: 300 kg		317,54		1654130