

Please contact Invacare EU Export Customer Services on :-
Tel : +33 247 626980; Email : serviceclient_export@invacare.com
 Or visit our website : www.invacare.eu.com

<p>Invacare® TDX® SP2^{NB}* AA1 </p> <p>Mixt Power wheelchair 6 wheels</p>	<p>Description :</p> <ul style="list-style-type: none"> - 4 poles motors 2 x 340 W as standard - LINX electronic as standard - Weight : from 125kg - Max user weight : 150 kg - Warranty: 2 years except batteries and wear parts <p>*NB: Narrow Base. Overall width of the motor base 610 mm. (1) May require the replacement of some parts depending on the configuration of the chair.</p>	<p>Date :</p> <p>User Name :</p> <p>Customer Code :</p> <p>Dealer stamp :</p>
Customization Service Invacare Unique		

Indicative Public Rate - Use the online configurator on Invacare Pro to generate quotes or orders free from incompatibilities.

Please make your selection with a cross in the box Standard configuration Free of charge

CODE	DESCRIPTION	NC : Non Compatible (nc : 9999) not compatible with the reference 9999	Euros	
ARL0015	<input type="checkbox"/> Invacare® TDX® SP2^{NB} AA1 <input type="checkbox"/> Power Module : 120 Ah Motors : 340W, 4 poles - Autonomy : +/- 26 km (50Ah)		4 834,12	
STANDARD MODULITE SEAT				
ARL2110	<input type="checkbox"/> Standard Modulite Seat - Seat width 430mm, adjustable armrests from 44 to 48cm	NC : 0977, 1445, 1092, 1093, 1094, 2113, 1332, 0556, 0589, 2192, 2193, 2194, 2229, Bodypoint belts - Hip support	◆	 2110
Seat depth				
ARL2132	<input type="checkbox"/> 410 mm	NC : 2196, 2197, 2198	○	
ARL2134	<input type="checkbox"/> 460 mm		◆	
ARL2136	<input type="checkbox"/> 510 mm	NC : 2143	○	
ARL21328	<input type="checkbox"/> 560 mm	NC : 2141, 2143	138,39	
Seat cushion				
ARL2142	<input type="checkbox"/> Seat cushion Flo-tech Lite (for width from 380 to 480 mm, height 75 mm, max weight 127 kg) / Contour (for width 530 mm, height 100 mm, max weight 152 kg)		◆	 2143
ARL2143	<input type="checkbox"/> Seat cushion Flo-tech Contour Visco 430 x 430 mm (hauteur 90 mm, max weight 100 kg)	NC : 2155	76,78	 2143
ARL2147	<input type="checkbox"/> Seat cushion Matrx Libra , (height 90mm, max weight 136kg)	NC : 2155	298,84	 2147
ARL2144	<input type="checkbox"/> Seat cushion Matrx Vi (micro ventilated cover)		298,84	 2144
Backrest support				
ARL2161	<input type="checkbox"/> Height 480mm		◆	
ARL2171	<input type="checkbox"/> Tension adjustable backrest, bi-material padded incl. Back pocket	NC : 2052, 2053, 2152, 2155, 1445, 1446	◆	
ARL2174	<input type="checkbox"/> Matrx Posture Back , height 400 mm - incl. Back pocket		798,10	
ARL2175	<input type="checkbox"/> Matrx Posture Back , height 500 mm - incl. Back pocket		798,10	
ARL2176	<input type="checkbox"/> Matrx Elite , height 500 mm - incl. Back pocket		717,54	
ARL2177	<input type="checkbox"/> Matrx Elite TR , height 500 mm - incl. Back pocket		717,54	
ARL2178	<input type="checkbox"/> Matrx Elite Deep , height 500 mm - incl. Back pocket		717,54	 2171
MODULITE MODULAR SEAT				
Seat type				
ARL2111	<input type="checkbox"/> Rigid Modulite Seat , width and depth adjustable, width adjustable armrests, (+25 mm per side) Width : 380 to 530 mm, adjustable in steps of 50 mm Depth : 410 to 510 mm STEPLESS ADJUSTABLE		122,27	 2111
ARL2112	<input type="checkbox"/> Flexible Modulite Seat , tension, width and depth adjustable, width adjustable armrests, (+25 mm per side) - + 30 mm seat height Width : 380 to 530 mm, adjustable in steps of 50 mm Depth : 410 to 510 mm STEPLESS ADJUSTABLE		138,39	 2112
Seat width (Factory preset)				
	330mm (take seat width 380 mm (2121) + Inside curved armrest (2183))	NC : 2143, 2138+2142/2147/2144		
ARL2121	<input type="checkbox"/> 380 mm	NC : 2143, 2138+2142/2147/2144, 2701, 2703, 2705	○	
ARL2122	<input type="checkbox"/> 430 mm	2138+2142/2147/2144, 2701, 2703, 2705	◆	
ARL2123	<input type="checkbox"/> 480 mm	NC : 2138+2142/2147, 2702, 2704, 2706	○	
ARL2124	<input type="checkbox"/> 530 mm	NC : Matrx backrests, 2143, 2702, 2704, 2706	138,39	

Seat width (Factory preset)				
ARL2129	<input type="checkbox"/>	Standard Depth Package (SD range 410 - 510 mm)	NC : 2138	◆
ARL2130	<input type="checkbox"/>	Extended Depth Package (SD range 510 - 560 mm)	NC : 2132, 2134	246,45
Seat Depth (Factory preset)				
ARL2132	<input type="checkbox"/>	410 mm	NC : 2196, 2197, 2198, 0556+wedge-thigh, Bodypoint belt	○
ARL2134	<input type="checkbox"/>	460 mm	NC : 0556+wedge-thigh	◆
ARL2136	<input type="checkbox"/>	510 mm	NC : 2143, 0556+wedge-thigh	○
ARL2138	<input type="checkbox"/>	560 mm (only with seat width 530 mm)	NC : 2143	138,39
Seat cushion				
ARL2142	<input type="checkbox"/>	Seat cushion Flo-tech Lite (for width from 380 to 480 mm, height 75 mm, max weight 127 kg) / Contour (for width 530 mm, height 100 mm, max weight 152 kg)		◆
ARL2143	<input type="checkbox"/>	Seat cushion Flo-tech Contour Visco 430 x 430 mm (hauteur 90 mm, max weight 100 kg)	NC : 2155	76,78
ARL2147	<input checked="" type="checkbox"/>	Seat cushion Matrx Libra , (height 90mm, max weight 136kg)	NC : 2155	293,84
ARL2144	<input type="checkbox"/>	Seat cushion Matrx Vi (micro ventilated cover)	NC : 2155	293,84
Backposts				
ARL2162	<input type="checkbox"/>	Height 540 mm		○
ARL2163	<input type="checkbox"/>	Height 480 mm	NC : 2052, 2053, 2173	○
Pusch handles				
ARL2107	<input type="checkbox"/>	Pusch handles		◆
ARL2108	<input type="checkbox"/>	Without pusch handles - only for Flex 3 backrests	NC : 1307, 1332, 2220, 2219, 2245, 2227, 2228	233,18
Backrest support				
ARL2171	<input type="checkbox"/>	Tension adjustable backrest,bi-material padded incl. Back pocket	NC : 2052, 2053, 2152, 2155, 1445, 2230, 2247 Elan headrest	◆
ARL2179	<input type="checkbox"/>	Flex3 Tension Adjustable, delivered with Lateral back cushion, Dartex coating (extra charge)	NC : 2151, 2155, 2192, 2193, 2194, 1445, 2229, 2230, 2247, Elan headrest	226,54
ARL2173	<input type="checkbox"/>	Rigid backrest Flex 3 width and height adjustable (560 to 790 mm) with Laguna backrest cushion	NC : 2128	189,57
ARL2174	<input type="checkbox"/>	Matrx Posture Back , height 400 mm - incl. Back pocket		798,10
ARL2175	<input type="checkbox"/>	Matrx Posture Back , height 500 mm - incl. Back pocket		798,10
ARL2176	<input type="checkbox"/>	Matrx Elite , height 500 mm - incl. Back pocket		717,54
ARL2177	<input type="checkbox"/>	Matrx Elite TR , height 500 mm - incl. Back pocket		717,54
ARL2178	<input type="checkbox"/>	Matrx Elite Deep , height 500 mm - incl. Back pocket		717,54
COMMON OPTIONS FOR MODULITE SEATING				
Backrest cushion and / or seat upholstery (depending on configuration)				
ARL2151	<input type="checkbox"/>	Nylon noir		◆
ARL2152	<input type="checkbox"/>	Dartex noir		71,09
ARL2155	<input type="checkbox"/>	Mesh black		100,47
Armrest				
ARL2191	<input type="checkbox"/>	Height adjustable armrest 290 to 360 mm, in depth and removable, by pair		◆
ARL2181	<input type="checkbox"/>	Height adjustable armrest 340 to 400 mm, in depth and removable, by pair	NC : 2195, 2196, 2197, hip support	284,36
ARL2198	<input type="checkbox"/>	Envoloping armrest, Dartex coating, by pair		70,14
ARL2183	<input type="checkbox"/>	Inside curved armrest, up to 50 mm width, 25 mm per side	NC : hip support	137,44
ARL2193	<input type="checkbox"/>	Lifting armrest, ajustable height 230 - 360 mm		135,55
ARL2192	<input type="checkbox"/>	Lifting and parallel armrest, ajustable height 230 - 300 mm	NC : 1445, 1446	372,51
ARL2194	<input type="checkbox"/>	Lifting and parallel armrest, ajustable height 300 - 360 mm	NC : 1445, 1446	372,51
Armpad				
ARL2195	<input type="checkbox"/>	Standard armpad, length 325 mm, by pair		◆
ARL2196	<input type="checkbox"/>	Long armpad, length 375 mm, by pair		91,00
ARL2197	<input type="checkbox"/>	Ergonomic long armpad, length 397 mm, by pair	NC : 2230, 2247	133,65
Hemiplegic gutter				
	<input type="checkbox"/>	Hemi concave gutter with palmar support flat or bent horn and reversible rotator Right or left 360 °, by 18 °		On demand
	<input type="checkbox"/>	Hemiplegic gutter in special manufacturing		On demand



2143
2147 2144



2171
2173



2191
2198
















Hemi gutter




Hemi concave gutter

Seat accessories			
ARL2184	<input type="checkbox"/>	Left wedge-thigh, 140x100 mm	NC : Bodypoint 332,70
ARL2186	<input type="checkbox"/>	Left wedge-thigh, 230x100 mm	NC : Bodypoint 332,70
ARL2188	<input type="checkbox"/>	Left wedge-thigh, 330x100 mm	NC : Bodypoint 332,70
ARL2185	<input type="checkbox"/>	Right wedge-thigh 140x100 mm	NC : Bodypoint 332,70
ARL2187	<input type="checkbox"/>	Right wedge-thigh 230x100 mm	NC : Bodypoint 332,70
ARL2189	<input type="checkbox"/>	Right wedge-thigh 330x100 mm	NC : Bodypoint 332,70
Wedge-tight support height			
ARL2164	<input type="checkbox"/>	Wedge-tight support 155 mm	◆
ARL2165	<input type="checkbox"/>	Wedge-tight support 206 mm	○
Headrest and accessories			
ARL1432	<input type="checkbox"/>	Neckrest depth and width adjustable	NC : 2229, 2230, 2247 273,93
ARL1427	<input type="checkbox"/>	Multi adjustable neckrest Kontour with side earflaps, dartex coating	NC : 2229, 2230, 2247 361,14
ARL2324	<input type="checkbox"/>	Headrest Elan Standard 10" - Black cover	NC : 2230, 2247 383,89
ARL2325	<input type="checkbox"/>	Headrest Elan Occipital 9" - Black cover	NC : 2230, 2247 427,49
ARL2327	<input type="checkbox"/>	Headrest Elan 4 points 11" - Black cover	NC : 2230, 2247 559,24
ARL1307	<input type="checkbox"/>	Push bar (dia 22 mm) in conjunction with telescopic backposts	51,18
ARL1445	<input type="checkbox"/>	Lateral support with extended arm, Dartex upholstery, pair	NC : Matrx backrests 385,78
SEAT ADJUSTMENTS FOR MODULITE SEAT			
Seat lifter / Seat tilt			
ARL1091	<input type="checkbox"/>	Manual from 0° to 8,5°	NC : 2054 ◆
ARL1092	<input type="checkbox"/>	Powered tilt 0° à 20°	NC : 2054, 2201 473,93
ARL1095	<input type="checkbox"/>	Powered "fixed pivot" Tilt 20°, heavy duty	NC : 2054, 2201 473,93
ARL1093	<input type="checkbox"/>	Powered tilt with CoG shift 0° à 30°	NC : 2110, 0354, 0364, 2201, 1922/1496+1450/1494), 2161, 2163, 2171 906,16
ARL2052	<input type="checkbox"/>	Powered tilt with CoG shift 0° à 50°	NC : 0012, 2110, 0354, 0364, 2201, 1922/1496+1450/1494), 2161, 2163, 2171 906,16
ARL1094	<input type="checkbox"/>	Electric with compensation from 0° to 30° + Lift 300 mm - Electrically lifting seat (Max weight 150 kg) from 460 to 760 mm - Choose suspensions 1219 obligatorily	NC : 2201 1 895,73
ARL2053	<input type="checkbox"/>	Electric with compensation from 0° to 45° + Lift 300 mm - Electrically lifting seat (Max weight 136 kg) from 460 to 760 mm - Choose suspensions 1219 obligatorily	NC : 2110, 0354, 0364, (2054+0556/0589), 2201, 2202, (1922+ 1350/1432/1427/1496+1450/1494), 2161, 2163, 2171, 0012 1 895,73
Height floor-plate for electric from 0° to 20°			
ARL0354	<input type="checkbox"/>	450 mm	◆
ARL0364	<input type="checkbox"/>	475 mm	○
Seat Tilt Option (only if option 1093 or 1094 has been selected)			
ARL2054	<input type="checkbox"/>	5° Fixed Anterior Tilt, Assist mount (will reduce max tilt angle by 5°)	488,15
Backrest recliner			
ARL0975	<input type="checkbox"/>	Manual Settable Recliner (in 3.75° steps)	◆
ARL0977	<input type="checkbox"/>	Electric from 0° to 30°	NC : 2201 816,11
FOOTREST / LEGRESTS			
Legrest / Footrest (pair) - Centre mounted legrests (incl calf pads)			
ARL0556	<input type="checkbox"/>	Centre mount legrest, angle settable	NC : 1094+2054, 0517 563,03
ARL0589	<input type="checkbox"/>	LiNX Power centre mount legrest, length compensating	NC : 1094+2054, 2201 1 969,67
Footplates (pair)			
ARL2365	<input type="checkbox"/>	Angle & width adjustable footplates S (127 W x 190 mm D / 5"x7.5")	○
ARL0559	<input type="checkbox"/>	Angle & width adjustable footplates M (140 W x 240 mm D / 5.5"x9.5")	◆
ARL0516	<input type="checkbox"/>	Angle & width adjustable footplates L (150 W x 290 mm D / 6"x11.5)	143,13
ARL0517	<input type="checkbox"/>	Angle adjustable foot platform M (305 W x 275 mm D / 12"x10.75")	143,13
Footrest Hanger Type / Pairs			
ARL0526	<input type="checkbox"/>	Standard hanger 80° pair	NC : 0504 ○
ARL0533	<input type="checkbox"/>	Hanger Vari A pair	◆
ARL0531	<input type="checkbox"/>	Hanger ADElectric 0° - 80° pair	NC : 0512, 2201 1 733,65
Footplate type / Pairs			
ARL0512	<input type="checkbox"/>	Fixed Footplate pair	◆
ARL0504	<input type="checkbox"/>	Angle Adjustable Footplate pair	○
ARL0513	<input type="checkbox"/>	Angle and depth adjustable Footplate pair	122,27



REMOTE LINX				LINX	
Main control unit only for Electronic LINX					
ARL2201	<input type="checkbox"/>	Remote LINX - DLX - REM110 = Drive only - 1 Drive function with Drive only power module	NC : 2229, 2230, 2247, 2257, 2233, 2240, 2270, 2245	◆	 REM110
ARL2203	<input type="checkbox"/>	Remote LINX REM211 : Driving and control of the cylinders	NC : 2229, 2231, 2232, 2230, 2247, 2257, 2233, 2240, 2270	○	 REM211
ARL2204	<input type="checkbox"/>	Remote LINX REM216 : Driving, control of cylinders and lighting	NC : 2229, 2231, 2232, 2230, 2247, 2257, 2233, 2240, 2270	○	 REM216
ARL2205	<input type="checkbox"/>	Remote LINX REM400 : 3.5 "color touch screen and bluetooth - Driving, control of jacks and lights, mouse emulation	NC : 2220	1 309,00	 REM400 Bluetooth
ARL2206	<input type="checkbox"/>	Screen control LINX REM500 : 3.5 " color touch screen and bluetooth - Driving, cylinder and lighting control, mouse emulation	NC : 2220, 2270	1 969,67	 REM500 Bluetooth
REM400 option					
ARL2270	<input type="checkbox"/>	"Assignable Toggle Switch Module for REM400 (DLX-SW400TGL) as default set to left: ON/OFF, right speed dial"		390,52	 2270
Remote mounting position (REM211/216/400)					
ARL1207	<input type="checkbox"/>	Reversible right fixation, no retractable	NC : 1404	○	
ARL1208	<input type="checkbox"/>	Reversible left fixation, no retractable	NC : 1405	○	
ARL1707	<input type="checkbox"/>	Retractable on right + height adjustable, consolidated	NC : 1404	◆	
ARL1708	<input type="checkbox"/>	Retractable on left + height adjustable, consolidated	NC : 1405	○	
ARL1709	<input type="checkbox"/>	Maxx resolve , swing away in/out - RH	NC : 1404, (2231/2232+2207/2213), (2233/2240+2235/2213/2241), (2257+2275)	○	
ARL1710	<input type="checkbox"/>	Maxx resolve , swing away in/out - LH	NC : 1405, (2231/2232+2208/2214), (2233/2240+2236/2214/2242), (2257+2276)	○	
ARL2213	<input type="checkbox"/>	Centre Mount, swing-away to RH, Nucleus	NC : 1404, 1405, 1415	787,68	
ARL2214	<input type="checkbox"/>	Centre Mount, swing-away to LH, Nucleus	NC : 1404, 1405, 1339	787,68	
ARL2227	<input type="checkbox"/>	Fixation in right for third person(moving the manipulator)	NC : 2219, 2220, 2108, 1287, 2128	161,14	
ARL2228	<input type="checkbox"/>	Fixation in left for third person(moving the manipulator)	NC : 2219, 2220, 2108, 1286, 2128	161,14	
AVZ2239	<input type="checkbox"/>	Custom Installation, thank you specify your request:		On demand only	
Mounting the LINX REM500 Control Screen					
ARL2209	<input type="checkbox"/>	Swing away RH, multi-adjustable	NC : 1404, 1415	◆	
ARL2210	<input type="checkbox"/>	Swing away LH, multi-adjustable	NC : 1405, 1339	○	
PW-4005	<input type="checkbox"/>	Option 2209/2210 avec tige de fixation pour REM500 rallongée de 200 mm		On demand only	
ARL2213	<input type="checkbox"/>	Centre Mount, swing-away to RH, Nucleus	NC : 1404, 1405, 1415	749,76	
ARL2214	<input type="checkbox"/>	Centre Mount, swing-away to LH, Nucleus	NC : 1404, 1405, 1339	749,76	
AVZ2239	<input type="checkbox"/>	Custom Installation, thank you specify your request:		On demand only	
Dual LINX remote (User + third person)					
ARL2220	<input type="checkbox"/>	Dual Control LINX (REM050 - use driving profile 2 of the REM211/216 - speed limited to 6km/h)	NC : 1221, 1222, 2227, 2228	677,02	 REM050
ARL2219	<input type="checkbox"/>	Dual Compact LINX control- 3 driving profiles dedicated and cylinder control	NC : 1221, 1222, 2227, 2228	1 315,64	 2219
ARL2245	<input type="checkbox"/>	Dual intuitive LINX control- dedicated driving profile	NC : 1207, 1208, 2227, 2228	1 638,86	
ARL1207	<input type="checkbox"/>	Fixing on the right - only with REM050 and Compact		◆	
ARL1208	<input type="checkbox"/>	Fixing on the left - only with REM050 and Compact		○	
ARL1221	<input type="checkbox"/>	Right fixations, removable - only with intuitive LINX control		◆	
ARL1222	<input type="checkbox"/>	Left fixations, removable - only with intuitive LINX control		○	 2245
If multiple joysticks are to be mounted on the center mount mount (2213/2214), select option 2215					
Mo-Vis special controls - refer to the order sheet					
					
Compact Proportional Joysticks - Only with REM400 and REM500					
ARL2231	<input type="checkbox"/>	LINX Compact proportional joystick (deflection force: 160 g)		1 371,56	
ARL2232	<input type="checkbox"/>	LINX Compact Proportional Low Force joystick (deflection force: 112 g)		1 509,00	 2231
ARL2207	<input type="checkbox"/>	Fixing on the right	NC : 1404	◆	
ARL2208	<input type="checkbox"/>	Fixing on the left - only with REM050 and Compact	NC : 1405	○	
ARL2213	<input type="checkbox"/>	Central fixing, retractable on the right	NC : 1404, 1405, 1415	825,59	
ARL2214	<input type="checkbox"/>	Central fixing, retractable on the left	NC : 1404, 1405, 1339	825,59	
AVZ2215	<input type="checkbox"/>	Custom Installation, thank you specify your request:		On demand only	
Chin control - Only with REM400 and REM500					
ARL2229	<input type="checkbox"/>	Proportional Chin Joystick (ASL138) + egg switch	NC : 2128	3 463,51	
ARL1289	<input type="checkbox"/>	Swing Away Bracket RH, side manual (ASL628) (ONLY IN COMBINATION WITH HEADREST 2125)		◆	
ARL1288	<input type="checkbox"/>	Swing Away Bracket LH, side manual (ASL628) (ONLY IN COMBINATION WITH HEADREST 2125)		○	
ARL1287	<input type="checkbox"/>	Swing Away Bracket RH, powered	NC : 2125, 2227, 1404, 1415, 1312	1 662,56	
ARL1286	<input type="checkbox"/>	Swing Away Bracket LH, powered	NC : 2125, 2228, 1405, 1339, 1363	1 662,56	

NEW



2209 / 2210

REM050

















2219








2245

2231



1288 1286
1289 1287

Additional options LINX						
ARL2230	<input type="checkbox"/>	Head Control with ultrasonic proximity sensors (ATOM, ASL104) with standard wings M3	NC : 2233, 2092, 2324, 2325, 2327, 2257, 2240	6 494,79		2230
ARL2247	<input type="checkbox"/>	Head Control with ultrasonic proximity sensors (PROTON, ASL104P) with PROTON wings	NC : 2233, 2092, 2324, 2325, 2327, 2257, 2240	6 494,79		2247
Four-Switch Proximity Array (with ATOM technology)						
ARL2257	<input type="checkbox"/>	Four-Switch Proximity Array (ASL106)	NC : 2128, 2233, 2240	7 358,29		2257
ARL2275	<input type="checkbox"/>	Centre Mount, swing-away to RH, Nucleus (incl. Eclipse Tray ASL619, 360x180 mm)		○		
ARL2276	<input type="checkbox"/>	Centre Mount, swing-away to LH, Nucleus (incl. Eclipse Tray ASL619, 360x180 mm)		○		
ARV2215	<input type="checkbox"/>	Individual mounting option per request (Special) - REQUIRES ADDITIONAL INFORMATION / SPECIFICATION				On demand only
Micro extremity control						
ARL2233	<input type="checkbox"/>	MEC Proportional Joystick (Micro Extremity Control ASL130)	NC : 2128, 2240	3 872,04		2233
ARL2235	<input type="checkbox"/>	Tray Mount RH (100x150 mm)		○		
ARL2236	<input type="checkbox"/>	Tray Mount LH (100x150 mm)		○		
ARL2213	<input type="checkbox"/>	Centre Mount, swing-away to RH, Nucleus	NC : 1404, 1405, 2310, 2311	○		
ARL2214	<input type="checkbox"/>	Centre Mount, swing-away to LH, Nucleus	NC : 1404, 1405, 2310, 2311	○		
ARL2241	<input type="checkbox"/>	Centre Mount, swing-away to RH, Nucleus (incl. Tray 100x150 mm)	NC : 1404, 1405, 2310, 2311	825,59		
ARL2242	<input type="checkbox"/>	Centre Mount, swing-away to LH, Nucleus (incl. Tray 100x150 mm)		825,59		
AVZ2215	<input type="checkbox"/>	Individual Mounting option per request (Special)				On demand only
Heavy Duty Remote Joystick						
ARL2240	<input type="checkbox"/>	Proportional Heavy Duty Remote Joystick with mode switch (ASL133)	NC : 2128	3 115,64		2240
ARL2235	<input type="checkbox"/>	Tray Mount RH (ASL603, 100x150 mm)		○		
ARL2236	<input type="checkbox"/>	Tray Mount LH (ASL603, 100x150 mm)		○		
ARL2213	<input type="checkbox"/>	Centre Mount, swing-away to RH, Nucleus		○		
ARL2214	<input type="checkbox"/>	Centre Mount, swing-away to LH, Nucleus		○		
ARL2241	<input type="checkbox"/>	Centre Mount, swing-away to RH, Nucleus (incl. Tray ASL603, 100x150 mm)		825,59		
ARL2242	<input type="checkbox"/>	Centre Mount, swing-away to LH, Nucleus (incl. Tray ASL603, 100x150 mm)		825,59		
ARV2215	<input type="checkbox"/>	Individual mounting option per request (Special) - REQUIRES ADDITIONAL INFORMATION / SPECIFICATION				On demand only
Additional options LINX						
ARL2251	<input type="checkbox"/>	10-Way Switch DLX-SW10-A for direct Powered Seating Access (includes loom to connect + additional jack for mode switch)		610,43		2251
ARL2217	<input type="checkbox"/>	Bracket RH, mounted for user	NC : 2209, 2213, 1415	○		
ARL2218	<input type="checkbox"/>	Bracket LH, mounted for user	NC : 2210, 2214	○		
ARL2227	<input type="checkbox"/>	Bracket RH, mounted for attendant	NC : 1287, 2128	○		
ARL2228	<input type="checkbox"/>	Bracket LH, mounted for attendant	NC : 1286, 2128	○		
ARL2225	<input type="checkbox"/>	Without mounting		○		
ARL2252	<input type="checkbox"/>	Loom providing jack sockets for "Drive" and "Mode" (includes connection for 10-Way Switch)		99,53		
Accessories LINX						
ARL2253	<input type="checkbox"/>	USB Charger Port DLX-USB02-A	NC : 2110, Bodypoint	271,09		2253
ARL2207	<input type="checkbox"/>	Fixing on the right	NC : 1404	○		
ARL2208	<input type="checkbox"/>	Fixing on the left	NC : 1405	○		
Others accessories and contactors						
ARL2300	<input type="checkbox"/>	To be included with the armchair		○		
AVZ2301	<input type="checkbox"/>	To connect and program (Special)				On demand only
Round and flat switch (diameter 63 mm - delivered unassembled - take option 2252 obligatorily if no REM400 or REM500)						
ARL1685	<input type="checkbox"/>	Red Buddy Button		149,76		
ARL1686	<input type="checkbox"/>	Yellow Buddy Button		149,76		
ARL1687	<input type="checkbox"/>	Green Buddy Button		149,76		
ARL1690	<input type="checkbox"/>	Blue Buddy Button		149,76		
Egg switch (option 2252 required if no REM400)						
ARL2254	<input type="checkbox"/>	Egg switch, black		119,43		
Mini contactors round and flat (diameter 30 mm - delivered unassembled - to take option 2252 obligatorily if not REM400 or REM500)						
ARL1711	<input type="checkbox"/>	Mini contactor Red		149,76		
ARL1712	<input type="checkbox"/>	Mini contactor Yellow		149,76		
ARL1713	<input type="checkbox"/>	Mini contactor Green		149,76		
ARL1714	<input type="checkbox"/>	Mini contactor Orange		149,76		
ARL1715	<input type="checkbox"/>	Mini contactor Blue		149,76		
ARL1716	<input type="checkbox"/>	Mini contactor Black		149,76		2258
Remote Stop Switch						
ARL2258	<input type="checkbox"/>	Remote Stop Switch (ASL504)		955,45		2721 2722
Bodypoint						
ARL2721	<input type="checkbox"/>	3 inch U-Shaped, Joystick Handle, Bodypoint PC101A		100,00		2723
ARL2722	<input type="checkbox"/>	4 inch U-Shaped, Joystick Handle, Bodypoint PC102A		100,00		
ARL2723	<input type="checkbox"/>	Domed Rubber, Joystick Handle, Bodypoint PC107A		100,00		
ARL2724	<input type="checkbox"/>	Mushroom Grooved, Joystick Handle, Bodypoint PC110A		100,00		2724

DRIVE UNIT OPTIONS				
Shroud Colors				
ARP2640	<input type="checkbox"/>	Obsidian black		○
ARP2641	<input type="checkbox"/>	Ruby red		○
ARP2642	<input type="checkbox"/>	Purple Passion		○
ARP2643	<input type="checkbox"/>	Peacock blue		○
ARP2644	<input type="checkbox"/>	Artic blue		○
				
Rim insert colours				
ARP2650	<input type="checkbox"/>	Obsidian black		○
ARP2651	<input type="checkbox"/>	Ruby red		○
ARP2652	<input type="checkbox"/>	Purple Passion		○
ARP2653	<input type="checkbox"/>	Peacock blue		○
ARP2654	<input type="checkbox"/>	Artic blue		○
				
Performance				
Forks				
ARL2631	<input type="checkbox"/>	Single sided fork (new) incl. black castor		456,87
ARL2632	<input type="checkbox"/>	Double sided fork		◆
Rear wheels type Storm*4				
ARL0704	<input type="checkbox"/>	14"x3" Black Tires, Pneumatic		◆
ARL0705	<input type="checkbox"/>	14" x 3" Black Solid Tires		71,09
ARL0706	<input type="checkbox"/>	14" x 3" Puncture protect		○
Motor type / Speed Options				
ARL1282	<input type="checkbox"/>	OPS Drive 6 km/h (4-pole)		◆
ARL1283	<input type="checkbox"/>	OPS Drive 10 km/h (4-pole)		○
Battery				
ARL1257	<input type="checkbox"/>	50 Ah Gel		◆
Charger				
ARL1313	<input type="checkbox"/>	OptiCharge Charger 10A		◆
GYROSCOPE				
G-Trac				
ARL1215	<input type="checkbox"/>	G-Trac module (Directional control of the trajectory while driving)		1 188,63
				
POSITIONING OPTIONS				
<i>For Bodypoint accessories, please refer to the Bodypoint specific pricelist.</i>				
				
OPTIONS				
Lights				
ARL1367	<input type="checkbox"/>	Standard security light system equipment Storm*3 type - Blinkers, position lights, warning (check a LiNX REM216, REM400 or REM500 manipulator)		721,33
ARL1437	<input type="checkbox"/>	LED Security light system equipment Storm*3 type - Blinkers, position lights, warning (check a LiNX REM216, REM400 or REM500 manipulator)		721,33
ARL1254	<input type="checkbox"/>	Without light system		◆
Transportation Kit				
ARL1450	<input type="checkbox"/>	Preparation for DAHL-Docking station, (Adequate headrest is compulsory) IN COMBINATION WITH 30°TILT OR TILT/LIFTMODULE (1093/1094) MAX USER WEIGHT IS LIMITED TO 136 KG!		738,39
				
Kerb rider				
ARL1493	<input type="checkbox"/>	4-Point tie-down (For wheelchair transportation without user)		◆
ARL1494	<input type="checkbox"/>	4-Point tie-down (Tested version for using wheelchair as a vehicle seat according to ISO 7176-19:2001) (Adequate headrest is compulsory)		○
 1493				
Fixation belt				
ARL1329	<input type="checkbox"/>	Fixation Belt with Auto Lock	NC : Bodypoint belt	◆
ARL2113	<input type="checkbox"/>	Fixation beltwith auto lock with adjustable attachment points on the seat	NC : 2110, Bodypoint	57,82
ARL1332	<input type="checkbox"/>	H-Belt	NC : 2110	311,85
 1329				

Positioning belt Bodypoint (fixations includes)			
ARL2701	<input type="checkbox"/>	Evoflex Pelvic Stabilizer, Rehab Latch Size L (padded length 620 mm)	156,40
ARL2702	<input type="checkbox"/>	Evoflex Pelvic Stabilizer, Rehab Latch Size M (padded length 460 mm)	156,40
ARL2703	<input type="checkbox"/>	2-Point Hip Belt, Ctr-Pull, Push Butt, Cinch-Mount Size L (padded length 620 mm)	133,65
ARL2704	<input type="checkbox"/>	2-Point Hip Belt, Ctr-Pull, Push Butt, Cinch-Mount Size M (padded length 460 mm)	133,65
ARL2705	<input type="checkbox"/>	2-Point Hip Belt, Dual-Pull, Side-Release Butt. Cinch-Mount Size L (padded length 620 mm)	116,59
ARL2706	<input type="checkbox"/>	2-Point Hip Belt, Dual-Pull, Side-Release Butt. Cinch-Mount Size M (padded length 460 mm)	116,59
Rearview mirror			
ARL1415	<input type="checkbox"/>	Right	79,62
ARL1339	<input type="checkbox"/>	Left	79,62
Caneholder			
ARL1312	<input type="checkbox"/>	Right	77,73
ARL1363	<input type="checkbox"/>	Left	77,73
Swing away tray			
ARL1404	<input type="checkbox"/>	Right	579,15
ARL1405	<input type="checkbox"/>	Left	579,15
Ramps			
1440530,00	<input type="checkbox"/>	Mono fiberglass ramp 2000x820 mm - weight 16.3 kg (weight max.300kg)	1 787,68
1654130,00	<input type="checkbox"/>	Mono folding ramp in aluminum: foldable in two in length, simple to position, carrying handle. 13.9 kg capacity maximum: 300 kg	426,54



2701, 2702



2703, 2704



2705, 2706



1404
1405



1440530



1654130