

Please contact Invacare EU Export Customer Services on :-
Tel : +33 247 626980 ; Email : serviceclient_export@invacare.com
 Or visit our website : www.invacare.eu.com



Invacare® TDX® SP2^{NB}* AA2

Mixt Power wheelchair 6 wheels



CE



Descriptive :

- Weight : from 125kg
- Max user weight : 150 kg
- Warranty: 2 years except batteries and wear parts
- New manipulator supports

Date :

User Name :

Customer Code:





Dealer stamp :









Customization Service Invacare Unique
 Please indicate your quote number or special manufacturing number :

Indicative Public Rate - Use the online configurator on Invacare Pro to generate quotes or orders free from incompatibilities.

please make your selection with a cross in the box Standard configuration Free of charge

CODE	DESCRIPTION	NC : Non Compatible (nc : 9999) not compatible with the reference 9999	EUROS	
ARM0016	<input type="checkbox"/> Invacare® TDX® SP2^{NB} AA2 <input type="checkbox"/> Power Module : 120 Ah Motors : 640W, 4 poles - Autonomy : +/- 26 km (50Ah)		5 260,66	
MODULITE MODULAR SEAT				
Seat type				
ARM2111	<input type="checkbox"/> Rigid Modulite Seat , width and depth adjustable, width adjustable armrests, (+25 mm per side) Width : 380 to 530 mm, adjustable in steps of 50 mm Depth : 410 to 510 mm STEPLESS ADJUSTABLE		◆	 2111
ARM2112	<input type="checkbox"/> Flexible Modulite Seat , tension, width and depth adjustable, width adjustable armrests, (+25 mm per side) - + 30 mm seat height Width : 380 to 530 mm, adjustable in steps of 50 mm Depth : 410 to 510 mm STEPLESS ADJUSTABLE		○	 2112
Seat width (Factory preset)				
	330mm (take seat width 380 mm (2121) + Inside curved armrest (2183))	NC : 2143, 2138+2142/2147/2144		
ARM2121	<input type="checkbox"/> 380 mm	NC : 2143, 2138+2142/2147/2144, 2701, 2703, 2705	○	
ARM2122	<input type="checkbox"/> 430 mm	NC : 2138/2142/2147, 2701, 2703, 2705	◆	
ARM2123	<input type="checkbox"/> 480 mm	NC : 2138+2142/2147, 2702, 2704, 2706	○	
ARM2124	<input type="checkbox"/> 530 mm	NC : Matrx backrests, 2143, 2702, 2704, 2706	○	
Seat width (Factory preset)				
ARM2129	<input type="checkbox"/> Standard Depth Package (SD range 410 - 510 mm)	NC : 2138	◆	
ARM2130	<input type="checkbox"/> Extended Depth Package (SD range 510 - 560 mm)	NC : 2132, 2134	○	
Seat Depth (Factory preset)				
ARM2132	<input type="checkbox"/> 410 mm	NC : 2196, 2197, 2198, 0556+wedge-thight, Bodypoint belt	○	
ARM2134	<input type="checkbox"/> 460 mm	NC : 0556+wedge-thight	◆	
ARM2136	<input type="checkbox"/> 510 mm	NC : 2143, 0556+wedge-thight	○	
ARM2138	<input type="checkbox"/> 560 mm (only with seat width 530 mm)	NC : 2143	384,83	
Seat cushion				
ARM2142	<input type="checkbox"/> Seat cushion Flo-tech Lite (for width from 380 to 480 mm, height 75 mm, max weight 127 kg) / Contour (for width 530 mm, height 100 mm, max weight 152 kg)		◆	 2142
ARM2143	<input type="checkbox"/> Seat cushion Flo-tech Contour Visco 430 x 430 mm (hauteur 90 mm, max weight 100 kg)	NC : 2155	76,78	
ARM2147	<input type="checkbox"/> Seat cushion Matrx Libra , (height 90mm, max weight 136kg)	NC : 2155	293,84	
ARM2144	<input type="checkbox"/> Seat cushion Matrx Vi (micro ventilated cover)	NC : 2155	293,84	
Backposts				
ARM2162	<input type="checkbox"/> Height 540 mm		○	
ARM2163	<input type="checkbox"/> Height 480 mm	NC : 2052, 2053, 2173	○	2147 2144
Pusch handles				
ARM2107	<input type="checkbox"/> Pusch handles		◆	
ARM2108	<input type="checkbox"/> Without pusch handles - only for Flex 3 backrests	NC : 1307, 1332, 2220, 2219, 2245, 2227, 2228	○	


Backrest support					
ARM2171	<input type="checkbox"/>	Tension adjustable backrest,bi-material padded incl. Back pocket	NC : 1288, 1289, 1445, 2052, 2053, 2152, 2155, Elan headrest	◆	 2171 2173
ARM2179	<input type="checkbox"/>	Flex3 Tension Adjustable, delivered with Lateral back cushion, Dartex coating (extra charge)	NC : 2151,2153,2155,2192 2193,2194,1445,1446,2229, Elan headrest	226,54	
ARM2173	<input type="checkbox"/>	Rigid backrest Flex 3 width and height adjustable (560 to 790 mm) with Laguna backrest cushion	NC : 2128	○	
ARM2174	<input type="checkbox"/>	Matrx Posture Back , height 400 mm - incl. Back pocket		798,10	
ARM2175	<input type="checkbox"/>	Matrx Posture Back , height 500 mm - incl. Back pocket		798,10	
ARM2176	<input type="checkbox"/>	Matrx Elite , height 500 mm - incl. Back pocket		798,10	
ARM2177	<input type="checkbox"/>	Matrx Elite TR , height 500 mm - incl. Back pocket		798,10	
ARM2178	<input type="checkbox"/>	Matrx Elite Deep , height 500 mm - incl. Back pocket		798,10	
COMMON OPTIONS FOR MODULITE SEATING					
Backrest cushion and / or seat upholstery (depending on configuration)					
ARM2151	<input type="checkbox"/>	Nylon noir		◆	 2191 2198 2195 2196 2197
ARM2152	<input type="checkbox"/>	Dartex noir		71,09	
ARM2155	<input type="checkbox"/>	Mesh black		100,47	
Armrest					
ARM2191	<input type="checkbox"/>	Height adjustable armrest 290 to 360 mm, in depth and removable, by pair		○	
ARM2181	<input type="checkbox"/>	Height adjustable armrest 340 to 400 mm, in depth and removable, by pair	NC : 2195, 2196, 2197, wedge-thight	70,14	
ARM2198	<input type="checkbox"/>	Enveloping armrest, Dartex coating, by pair		284,36	
ARM2183	<input type="checkbox"/>	Inside curved armrest, up to 50 mm width, 25 mm per side	NC : wedge-thight	137,44	
ARM2193	<input type="checkbox"/>	Lifting armrest, ajustable height 230 - 360 mm		◆	
ARM2192	<input type="checkbox"/>	Lifting and parallel armrest, ajustable height 230 - 300 mm	NC : 1445	372,51	
ARM2194	<input type="checkbox"/>	Lifting and parallel armrest, ajustable height 300 - 360 mm	NC : 1445	372,51	
Armpad					
ARM2195	<input type="checkbox"/>	Standard armpad, length 325 mm, by pair		◆	
ARM2196	<input type="checkbox"/>	Long armpad, length 375 mm, by pair		91,00	
ARM2197	<input type="checkbox"/>	Ergonomic long armpad, length 397 mm, by pair	NC : 2230, 2247	133,65	
Hemiplegic gutter					
	<input type="checkbox"/>	Hemiplegic gutter in special manufacturing		On demand only	 Hemi gutter Concave gutter hemi
	<input type="checkbox"/>	Hemi concave gutter with flat or curved horn palmar support and 360° right or left reversible rotator in 18° steps		On demand only	
Seat accessories					
ARM2184	<input type="checkbox"/>	Left wedge-thight, 140x100 mm	NC : Bodypoint	290,05	
ARM2186	<input type="checkbox"/>	Left wedge-thight, 230x100 mm	NC : Bodypoint	290,05	
ARM2188	<input type="checkbox"/>	Left wedge-thight, 330x100 mm	NC : Bodypoint	290,05	
ARM2185	<input type="checkbox"/>	Right wedge-thight 140x100 mm	NC : Bodypoint	290,05	
ARM2187	<input type="checkbox"/>	Right wedge-thight 230x100 mm	NC : Bodypoint	290,05	
ARM2189	<input type="checkbox"/>	Right wedge-thight 330x100 mm	NC : Bodypoint	290,05	
Wedge-thight support height					
ARM2164	<input type="checkbox"/>	Wedge-thight support 155 mm		◆	
ARM2165	<input type="checkbox"/>	Wedge-thight support 206 mm		○	
Headrest and accessories					
ARM1350	<input type="checkbox"/>	Neckrest depth adjustable, Dartex coating	NC : 2229, 2230, 2247	◆	 1432 1427 1445
ARM1432	<input type="checkbox"/>	Neckrest depth and width adjustable	NC : 2229, 2230, 2247	○	
ARM1427	<input type="checkbox"/>	Multi adjuastable neckrest Kontour with side earflaps, dartex coating	NC : 2229, 2230, 2247	361,14	
ARM2324	<input type="checkbox"/>	Headrest Elan Standard 10" - Black cover	NC : 2230, 2247	427,49	
ARM2325	<input type="checkbox"/>	Headrest Elan Occipital 9" - Black cover	NC : 2230, 2247	427,49	
ARM2327	<input type="checkbox"/>	Headrest Elan 4 points 11" - Black cover	NC : 2230, 2247	559,24	
ARM1307	<input type="checkbox"/>	Push bar (dia 22 mm) in conjunction with telescopic backposts		51,18	
ARM1445	<input type="checkbox"/>	Lateral support with extended arm, Dartex upholstery, pair	NC : Matrx backrests	385,78	
SEAT ADJUSTMENTS FOR MODULITE SEAT					
Seat lifter / Seat tilt					
ARM1092	<input type="checkbox"/>	Powered tilt 0° à 20°	NC : 2054	○	 NEW NEW
ARM1095	<input type="checkbox"/>	Powered "fixed pivot" Tilt 20°, heavy duty	NC : 2054	○	
ARM1093	<input type="checkbox"/>	Powered tilt with CoG shift 0° à 30°	NC : 0012, 0071, 0072, 0073, 0074, 2110, 2201, 1924, (1922/1923/1924/1496+1450/1494)	○	
ARM2052	<input type="checkbox"/>	Powered tilt with CoG shift 0° à 50°	NC : 0012, 2110, 0354, 0364, 2201, 1922/1496+1450/1494),2161, 2163, 2171	◆	
ARM1094	<input type="checkbox"/>	Electric with compensation from 0° to 30° + Lift 300 mm - Electrically lifting seat (Max weight 150 kg) from 470 to 770 mm	NC : 2110, 2201, 1924, (1922/1923/1924+1350/1432/1427+1450/1494)	1 667,30	
ARM2053	<input type="checkbox"/>	Electric with compensation from 0° to 45° + Lift 300 mm - Electrically lifting seat (Max weight 136 kg) from 470 to 770 mm	NC : 2110, 0354, 0364, (2054+0556/0589), 2201, 2202, (1922+1350/1432/1427/1496+1450/1494), 2161, 2163, 2171, 0012	1 667,30	

Height floor-plate for electric from 0 ° to 20 °				
ARM0354	<input type="checkbox"/> 450 mm		○	
ARM0364	<input type="checkbox"/> 475 mm		○	
Seat Tilt Option (only if option 1093 or 1094 has been selected)				
ARM2054	<input type="checkbox"/> 5° Fixed Anterior Tilt, Assist mount (will reduce max tilt angle by 5°)		488,15	
Backrest recliner				
ARM0977	<input type="checkbox"/> Electric from 0° to 30°		◆	0977
FOOTREST / LEGRESTS				
Legrest / Footrest (pair) - Centre mounted legrests (incl calf pads)				
ARM0556	<input type="checkbox"/> Centre mount legrest, angle settable	NC : 1094+2054, 0517		○
ARM0589	<input type="checkbox"/> LNX Power centre mount legrest, length compensating	NC : 1094+2054	1 536,49	
Footplates (pair)				
ARM2365	<input type="checkbox"/> Angle & width adjustable footplates S (127 W x 190 mm D / 5"x7.5")			○
ARM0559	<input type="checkbox"/> Angle & width adjustable footplates M (140 W x 240 mm D / 5.5"x9.5")			◆
ARM0516	<input type="checkbox"/> Angle & width adjustable footplates L (150 W x 290 mm D / 6"x11.5")		143,13	
ARM0517	<input type="checkbox"/> Angle adjustable foot platform M (305 W x 275 mm D / 12"x10.75")		143,13	
Footrest Hanger Type / Pairs				
ARM0533	<input type="checkbox"/> Hanger Vari A pair			◆
ARM0531	<input type="checkbox"/> Hanger ADElectric 0° - 80° pair		879,62	
Footplate type / Pairs				
ARM0504	<input type="checkbox"/> Angle Adjustable Footplate pair			◆
ARM0513	<input type="checkbox"/> Angle and depth adjustable Footplate pair		122,27	
REMOTE LINX				
Main control unit only for Electronic LINX				
ARM2203	<input type="checkbox"/> Remote LINX REM211 : Driving and control of the cylinders	NC : 2229, 2231, 2232, 2230, 2247, 2257, 2233, 2240, 2270, 2219, 2245		◆
ARM2204	<input type="checkbox"/> Remote LINX REM216 : Driving, control of cylinders and lighting	NC : 2229, 2231, 2232, 2230, 2247, 2257, 2233, 2240, 2270, 2219, 2245		○
ARM2205	<input type="checkbox"/> Remote LINX REM400 : 3.5 "color touch screen and bluetooth - Driving, control of jacks and lights, mouse emulation	NC : 2220	1 208,53	
ARM2206	<input type="checkbox"/> Screen control LINX REM500 : 3.5 " color touch screen and bluetooth - Driving, cylinder and lighting control, mouse emulation	NC : 2220, 2270	1 777,25	
REM400 option				
ARM2270	<input type="checkbox"/> "Assignable Toggle Switch Module for REM400 (DLX-SW400TGL) as default set to left: ON/OFF, right speed dial"		340,28	
Remote mounting position (REM211/216/400)				
ARM1207	<input type="checkbox"/> Reversible right fixation, no retractable	NC : 1404		○
ARM1208	<input type="checkbox"/> Reversible left fixation, no retractable	NC : 1405		○
ARM1707	<input type="checkbox"/> Retractable on right + height adjustable, consolidated	NC : 1404		◆
ARM1708	<input type="checkbox"/> Retractable on left + height adjustable, consolidated	NC : 1405		○
ARM1709	<input type="checkbox"/> Maxx resolve , swing away in/out - RH	NC 1404, (2231/2232+2207/2213), (2233/2240+2235/2213/2241), (2257+2275)		○
ARM1710	<input type="checkbox"/> Maxx resolve , swing away in/out - LH	NC 1405, (2231/2232+2208/2214), (2233/2240+2236/2214/2242), (2257+2276)		○
ARM2213	<input type="checkbox"/> Montage central, escamotable à droite	NC : 1404, 1405, 1415	787,68	
ARM2214	<input type="checkbox"/> Montage central, escamotable à gauche	NC : 1404,1405, 1339	787,68	
ARM2227	<input type="checkbox"/> Fixation in right for third person(moving the manipulator)	NC : 2219, 2220, 2108, 1287, 2128	33,85	
ARM2228	<input type="checkbox"/> Fixation in left for third person(moving the manipulator)	NC : 2219, 2220, 2108, 1286, 2128	33,85	
AVZ2239	<input type="checkbox"/> Custom Installation, thank you specify your request:		On demand only	
Mounting the LINX REM500 Control Screen				
ARM2209	<input type="checkbox"/> Swing away RH, multi-adjustable	NC : 1404, 1415		◆
ARM2210	<input type="checkbox"/> Swing away LH, multi-adjustable	NC : 1405, 1339		○
PW-4005	<input type="checkbox"/> Option 2209/2210 avec tige de fixation pour REM500 rallongée de 200 mm		On demand only	
ARM2213	<input type="checkbox"/> Centre Mount, swing-away to RH, Nucleus	NC : 1404, 1405, 1415	787,68	
ARM2214	<input type="checkbox"/> Centre Mount, swing-away to LH, Nucleus	NC : 1404,1405, 1339	787,68	
AVZ2239	<input type="checkbox"/> Custom Installation, thank you specify your request:		On demand only	
Dual LINX remote (User + third person)				
ARM2220	<input type="checkbox"/> Dual Control LINX (REM050 - use driving profile 2 of the REM211/216 - speed limited to 6km/h)	NC : 1221, 1222, 2227, 2228	677,02	
ARM2219	<input type="checkbox"/> Dual Compact LINX control- 3 driving profiles dedicated and cylinder control	NC : 1221, 1222, 2227, 2228	1 354,05	
ARM2245	<input type="checkbox"/> Dual intuitive LINX control- dedicated driving profile	NC : 1207, 1208, 2227, 2228	1 354,05	
ARM1207	<input type="checkbox"/> Fixing on the right - only with REM050 and Compact			◆
ARM1208	<input type="checkbox"/> Fixing on the left - only with REM050 and Compact			○
ARM1221	<input type="checkbox"/> Right fixations, removable - only with intuitive LINX control			◆
ARM1222	<input type="checkbox"/> Left fixations, removable - only with intuitive LINX control			○



0977



If multiple joysticks are to be mounted on the center mount mount (2213/2214), select option 2215			
Mo-Vis special controls - refer to the order sheet			
Compact Proportional Joysticks - Only with REM400 and REM500			
ARM2231	<input type="checkbox"/>	LiNX Compact proportional joystick (deflection force: 160 g)	1 371,56
ARM2232	<input type="checkbox"/>	LiNX Compact Proportional Low Force joystick (deflection force: 112 g)	1 509,00
ARM2207	<input type="checkbox"/>	Fixing on the right	NC : 1404
ARM2208	<input type="checkbox"/>	Fixing on the left - only with REM050 and Compact	NC : 1405
ARM2213	<input type="checkbox"/>	Central fixing, retractable on the right	NC : 1404, 1405, 1415
ARM2214	<input type="checkbox"/>	Central fixing, retractable on the left	NC : 1404, 1405, 1339
AVZ2215	<input type="checkbox"/>	Custom Installation, thank you specify your request:	On demand only
Additional options LINX			
ARM2230	<input type="checkbox"/>	Head Control with ultrasonic proximity sensors (ATOM, ASL104) with standard wings M3	NC : 2233, 2092, 2323, 2324, 2322, 2325, 2326, 2327, 2257, 2240
ARM2247	<input type="checkbox"/>	Head Control with ultrasonic proximity sensors (PROTON, ASL104P) with PROTON wings	NC : 2233, 2092, 2323, 2324, 2322, 2325, 2326, 2327, 2257, 2240
Four-Switch Proximity Array (with ATOM technology)			
ARM2257	<input type="checkbox"/>	Four-Switch Proximity Array (ASL106)	NC : 2128, 2233, 2240
ARM2275	<input type="checkbox"/>	Centre Mount, swing-away to RH, Nucleus (incl. Eclipse Tray ASL619, 360x180 mm)	○
ARM2276	<input type="checkbox"/>	Centre Mount, swing-away to LH, Nucleus (incl. Eclipse Tray ASL619, 360x180 mm)	○
ARV2215	<input type="checkbox"/>	Individual mounting option per request (Special) - REQUIRES ADDITIONAL INFORMATION / SPECIFICATION	On demand only
Wireless Accessories for ATOM			
ARM2250	<input type="checkbox"/>	Wireless Mouse Emulator (ASL558)	1 506,16
Micro extremity control			
ARM2233	<input type="checkbox"/>	MEC Proportional Joystick (Micro Extremity Control ASL130)	NC : 2128, 2240
ARM2235	<input type="checkbox"/>	Tray Mount RH (100x150 mm)	○
ARM2236	<input type="checkbox"/>	Tray Mount LH (100x150 mm)	○
ARM2213	<input type="checkbox"/>	Centre Mount, swing-away to RH, Nucleus	NC : 1404, 1405, 2310, 2311
ARM2214	<input type="checkbox"/>	Centre Mount, swing-away to LH, Nucleus	NC : 1404, 1405, 2310, 2311
ARM2241	<input type="checkbox"/>	Centre Mount, swing-away to RH, Nucleus (incl. Tray 100x150 mm)	NC : 1404, 1405, 2310, 2311
ARM2242	<input type="checkbox"/>	Centre Mount, swing-away to LH, Nucleus (incl. Tray 100x150 mm)	787,68
AVZ2215	<input type="checkbox"/>	Individual Mounting option per request (Special)	On demand only
Heavy Duty Remote Joystick			
ARM2240	<input type="checkbox"/>	Proportional Heavy Duty Remote Joystick with mode switch (ASL133)	NC : 2128
ARM2235	<input type="checkbox"/>	Tray Mount RH (ASL603, 100x150 mm)	○
ARM2236	<input type="checkbox"/>	Tray Mount LH (ASL603, 100x150 mm)	○
ARM2213	<input type="checkbox"/>	Centre Mount, swing-away to RH, Nucleus	○
ARM2214	<input type="checkbox"/>	Centre Mount, swing-away to LH, Nucleus	○
ARM2241	<input type="checkbox"/>	Centre Mount, swing-away to RH, Nucleus (incl. Tray ASL603, 100x150 mm)	787,68
ARM2242	<input type="checkbox"/>	Centre Mount, swing-away to LH, Nucleus (incl. Tray ASL603, 100x150 mm)	787,68
ARV2215	<input type="checkbox"/>	Individual mounting option per request (Special) - REQUIRES ADDITIONAL INFORMATION / SPECIFICATION	On demand only
Additional options LINX			
ARM2251	<input type="checkbox"/>	10-Way Switch DLX-SW10-A for direct Powered Seating Access (includes loom to connect + additional jack for mode switch)	NC : 2209, 2213
ARM2217	<input type="checkbox"/>	Bracket RH, mounted for user	NC : 2209, 2213, 1415
ARM2218	<input type="checkbox"/>	Bracket LH, mounted for user	NC : 2210, 2214
ARM2227	<input type="checkbox"/>	Bracket RH, mounted for attendant	NC : 1287, 2128
ARM2228	<input type="checkbox"/>	Bracket LH, mounted for attendant	NC : 1286, 2128
ARM2225	<input type="checkbox"/>	Without mounting	○
ARM2252	<input type="checkbox"/>	Loom providing jack sockets for "Drive" and "Mode" (includes connection for 10-Way Switch)	87,20
Accessories LINX			
ARM2253	<input type="checkbox"/>	USB Charger Port DLX-USB02-A	NC : 2110, Belt bodypoint
ARM2207	<input type="checkbox"/>	Fixing on the right	NC : 1404
ARM2208	<input type="checkbox"/>	Fixing on the left	NC : 1405



2231
2232



2230



2247



2257



2250



2233




2240















2251



2253

Others accessories and contactors			
ARM2300	<input type="checkbox"/>	To be included with the armchair	○
AVZ2301	<input type="checkbox"/>	To connect and program (Special)	On demand only
Round and flat switch (diameter 63 mm - delivered unassembled - take option 2252 obligatorily if no REM400 or REM500)			
ARM1685	<input type="checkbox"/>	Red Buddy Button	149,76
ARM1686	<input type="checkbox"/>	Yellow Buddy Button	149,76
ARM1687	<input type="checkbox"/>	Green Buddy Button	149,76
ARM1690	<input type="checkbox"/>	Blue Buddy Button	149,76
Egg switch (option 2252 required if no REM400)			
ARM2254	<input type="checkbox"/>	Egg switch, black	118,48
Mini contactors round and flat (diameter 30 mm - delivered unassembled - to take option 2252 obligatorily if not REM400 or REM500)			
ARM1711	<input type="checkbox"/>	Mini contactor Red	149,76
ARM1712	<input type="checkbox"/>	Mini contactor Yellow	149,76
ARM1713	<input type="checkbox"/>	Mini contactor Green	149,76
ARM1714	<input type="checkbox"/>	Mini contactor Orange	149,76
ARM1715	<input type="checkbox"/>	Mini contactor Blue	149,76
ARM1716	<input type="checkbox"/>	Mini contactor Black	149,76
Remote Stop Switch			
ARM2258	<input type="checkbox"/>	Remote Stop Switch (ASL504)	831,28
Bodypoint			
ARM2721	<input type="checkbox"/>	3 inch U-Shaped, Joystick Handle, Bodypoint PC101A	100,00
ARM2722	<input type="checkbox"/>	4 inch U-Shaped, Joystick Handle, Bodypoint PC102A	100,00
ARM2723	<input type="checkbox"/>	Domed Rubber, Joystick Handle, Bodypoint PC107A	100,00
ARM2724	<input type="checkbox"/>	Mushroom Grooved, Joystick Handle, Bodypoint PC110A	100,00
DRIVE UNIT OPTIONS			
Shroud colours			
ARP2640	<input type="checkbox"/>	Obsidian black	○
ARP2641	<input type="checkbox"/>	Ruby red	○
ARP2642	<input type="checkbox"/>	Purple Passion	○
ARP2643	<input type="checkbox"/>	Peacock blue	○
ARP2644	<input type="checkbox"/>	Artic blue	○
Rim insert colours			
ARP2650	<input type="checkbox"/>	Obsidian black	○
ARP2651	<input type="checkbox"/>	Ruby red	○
ARP2652	<input type="checkbox"/>	Purple Passion	○
ARP2653	<input type="checkbox"/>	Peacock blue	○
ARP2654	<input type="checkbox"/>	Artic blue	○
Performance			
Forks			
ARM2631	<input type="checkbox"/>	Single sided fork (new) incl. black castor	399,05
ARM2632	<input type="checkbox"/>	Double sided fork	◆
Centre / Drive wheels			
ARO0704	<input type="checkbox"/>	14"x3" Black Tires, Pneumatic	◆
ARO0705	<input type="checkbox"/>	14"x3" Black Tires, Solid tire	71,09
ARO0706	<input type="checkbox"/>	14"x3" Black Tires Puncture Protect	○
Motor type / Speed Options			
ARM1282	<input type="checkbox"/>	OPS Drive 6 km/h (4-pole)	◆
ARM1283	<input type="checkbox"/>	OPS Drive 10 km/h (4-pole)	○
Battery			
ARM1257	<input type="checkbox"/>	50 Ah Gel	◆
Charger			
ARM1313	<input type="checkbox"/>	OptiCharge Charger 10A	◆
GYROSCOPE			
G-Trac			
ARM1215	<input type="checkbox"/>	G-Trac modul (Directional control of the trajectory while driving)	1 090,05
POSITIONING OPTIONS			
<i>For Bodypoint accessories, please refer to the Bodypoint specific pricelist.</i>			
OPTIONS			
Lights			
ARM1437	<input type="checkbox"/>	LED Light system with Indicators 30 Lux headlights	492,89
ARM2837	<input type="checkbox"/>	LED Light system extra bright with Indicators 60 Lux headlights	663,51
ARM1254	<input type="checkbox"/>	Without light system	◆
Transportation Kit			
ARM1450	<input type="checkbox"/>	Preparation for DAHL-Docking station, (Adequate headrest is compulsory) IN COMBINATION WITH 30°TILT OR TILT/LIFTMODULE (1093/1094) MAX USER WEIGHT IS LIMITED TO 136 KG!	738,39
Taxi hanger			
ARM1494	<input type="checkbox"/>	Accroche-taxis conformes à la norme ISO7176-19 : 2001 pour le transport des personnes	◆



Fixation belt					
ARM1329	<input type="checkbox"/>	Fixation Belt with Auto Lock	NC : Belt bodypoint	◆	 1329
ARM2113	<input type="checkbox"/>	Fixation beltwith auto lock with adjustable attachment points on the seat	NC : Belt bodypoint	57,82	1329
ARM1332	<input type="checkbox"/>	H-Belt		311,85	1329
Ceintures de positionnement Bodypoint (fixations incluses)					
ARM2701	<input type="checkbox"/>	Evoflex Pelvic Stabilizer, Rehab Latch Size L (padded length 620 mm)		156,40	 2701, 2702
ARM2702	<input type="checkbox"/>	Evoflex Pelvic Stabilizer, Rehab Latch Size M (padded length 460 mm)		156,40	
ARM2703	<input type="checkbox"/>	2-Point Hip Belt, Ctr-Pull, Push Butt, Cinch-Mount Size L (padded length 620 mm)		133,65	 2703, 2704
ARM2704	<input type="checkbox"/>	2-Point Hip Belt, Ctr-Pull, Push Butt, Cinch-Mount Size M (padded length 460 mm)		133,65	
ARM2705	<input type="checkbox"/>	2-Point Hip Belt, Dual-Pull, Side-Release Butt. Cinch-Mount Size L (padded length 620 mm)		116,59	 2705, 2706
ARM2706	<input type="checkbox"/>	2-Point Hip Belt, Dual-Pull, Side-Release Butt. Cinch-Mount Size M (padded length 460 mm)		116,59	
Rearview mirror					
ARM1415	<input type="checkbox"/>	Right		70,14	
ARM1339	<input type="checkbox"/>	Left		70,14	
Back Hook					
ARM2128	<input type="checkbox"/>	Bag hooks (on Modulite Seat) (max load up to 6 kg = impact on max user weight)		150,71	 2128
Caneholder					
ARM1312	<input type="checkbox"/>	Right		68,25	
ARM1363	<input type="checkbox"/>	Left		68,25	
Swing away tray					
ARM1404	<input type="checkbox"/>	Right		503,32	 1404
ARM1405	<input type="checkbox"/>	Left		503,32	1405
RAMPS					
1654128	<input type="checkbox"/>	Basic ramp 2 telescopic parts in aluminum and non-slip coating. Folded dimensions: 1210 x 194 mm. 8.8 kg per pair - maximum capacity: 270 kg		402,84	 1654128
1654129	<input type="checkbox"/>	Quick2go Compact 3-part aluminum telescopic ramp with non-slip coating Folded dimensions: 870 x 237 mm 13.6 kg per pair - maximum capacity: 260 kg		805,69	 1654129
1654130	<input type="checkbox"/>	Aluminium folding mono ramp Folded dimensions: 1824 x 714 mm 13.9 kg - maximum capacity: 300 kg		426,54	 1654130