

Invacare® Storm®4 & Storm®4 X-plore AA2

Please contact Invacare EU Export Customer Services on :-
Tel : +33 247 626980; Email : serviceclient_export@invacare.com
 Or visit our website : www.invacare.eu.com



Invacare® Storm®4 & Storm®4 X-plore AA2

Electric wheelchair with rear wheel drive for indoor and outdoor use



Description:

- New LINX electronics as standard, programmable and upgradeable.
- Modulite seat with a choice of :
 - Rigid or adjustable seat tension
 - Rigid or adjustable backrest in tension
 - Adjustable seat width from 380 to 530 mm
 - Seat depth from 410 to 510 mm, continuously adjustable
- Optional True Track Plus motors
- Chair weight: from 175 kg
- Maximum user weight: 150kg.
- 2 year warranty excluding batteries and wearing parts

Date :

User name :

Customer Code :

Dealer stamp:



Customization Service Invacare Unique

Please indicate your quote number or special manufacturing number :



Indicative Public Rate - Use the online configurator on Invacare Pro to generate quotes or orders free from incompatibilities.

- Please make your selection with a cross in the box Standard feature Free of Charge

CODE	DESIGNATION	NC : Non Compatible NC : 9999 : non compatible with reference 9999	EUROS
ATC0016	<input type="checkbox"/> <i>Invacare® Storm®4 AA2</i>		10 325,12
ATC0019	<input type="checkbox"/> <i>Invacare® Storm®4 X-plore AA2</i>	NC : 1030	11 612,35

Invacare® Modulite Seat Unit

SEATING TYPE

ATC2111	<input type="checkbox"/> Telescopic Seat Frame and Plate with Side Rails width 380 to 530 mm Additional 50 mm by arms	<input checked="" type="checkbox"/>	 2111
ATC2112	<input type="checkbox"/> Telescopic Seat Frame + Sling Seat with Side Rails width 380 to 530 mm; + 30 mm seat height Additional 50 mm by arms	<input type="checkbox"/>	 2112


SEAT WIDTH SETTING FOR ADJUSTABLE SEAT FRAME

	330mm (choose seat width 380 mm 2121 and inward curved armrests 2183)	NC : 2143, 2701, 2703, 2705	
ATC2121	<input type="checkbox"/> 380 mm	NC : 2143, 2701, 2703, 2705	<input type="checkbox"/>
ATC2122	<input type="checkbox"/> 430 mm	NC : 2701, 2703, 2705	<input checked="" type="checkbox"/>
ATC2123	<input type="checkbox"/> 480 mm	NC : 2702, 2704, 2706	<input type="checkbox"/>
ATC2124	<input type="checkbox"/> 530 mm	NC : MatrX backrest, 2143, 2702, 2704, 2706	<input type="checkbox"/>

SEAT DEPTH SETTING

ATC2132	<input type="checkbox"/> 410 mm	NC : 2196, 2197, 2198, Bodypoint	<input type="checkbox"/>
ATC2134	<input type="checkbox"/> 460 mm		<input checked="" type="checkbox"/>
ATC2136	<input type="checkbox"/> 510 mm - Seat rail extended by 35 mm for a chair ordered with a depth of 510 mm and a Flex 3 backrest	NC : 2143	<input type="checkbox"/>

SEAT CUSHION

ATC2142	<input type="checkbox"/> Matrix Flo-tech Cushion - Lite (75mm up to 127 kg); Contour (100mm up to 191 kg)		<input checked="" type="checkbox"/>	 2143
ATC2143	<input type="checkbox"/> Matrix Flo-tech Contour Visco; (2-way stretch material) - 430 x 430 mm [max. user weight 125 kg]	NC : 2155		76,78
ATC2147	<input type="checkbox"/> Matrix Libra Cushion, 90 mm thick Standard (up to 136 kg)/HD (up to 227 kg) Extended lead time: + 4 days	NC : 2155		293,84
ATC2144	<input type="checkbox"/> Matrix Vi Cushion (Mesh fabric)	NC : 2155		293,84



BACKREST SUPPORT			
ATC2162	<input type="checkbox"/>	Backposts short (540 mm)	○
ATC2163	<input type="checkbox"/>	Backposts tall (480 mm)	○
NC : 2173			
PUSH HANDLES for BACKPOSTS			
ATC2107	<input type="checkbox"/>	Backposts with push handles	◆
ATC2108	<input type="checkbox"/>	Backposts without push handles	○
NC : 1307, 1332, 2223, 2220, 2219, 2245			
BACKREST UPHOLSTERY / CUSHION			
ATC2171	<input type="checkbox"/>	Tension Adjustable - tall = 540 mm /short = 480 mm	◆
ATC2179	<input type="checkbox"/>	Flex3 Tension Adjustable - tall = 540 mm /short = 480 mm	203,79
NC : 1445, 2152, 2155, 2229, 2230, 2247			
ATC2173	<input type="checkbox"/>	Flex3 adjustable Backrest Plates with Laguna Backrest cushion	○
NC : 2151, 2155, 2192, 2193, 2194, 1445, 2322, 2323, 2324, 2325, 2326, 2327, Elan headrest			
ATC2174	<input type="checkbox"/>	Matrx Posture Back, height 400 mm (Mesh fabric)	798,10
ATC2175	<input type="checkbox"/>	Matrx Posture Back, height 500 mm (Mesh fabric)	798,10
ATC2176	<input type="checkbox"/>	Matrx Elite Back , height 500 mm (Mesh fabric)	717,54
ATC2177	<input type="checkbox"/>	Matrx Elite TR Back, height 500 mm (Mesh fabric)	717,54
ATC2178	<input type="checkbox"/>	Matrx Elite Deep Back, height 500 mm (Mesh fabric)	717,54
Find the trunk supports and all the accessories on the Matrx measurement sheet!			
UPHOLSTERY COLOUR			
ATC2151	<input type="checkbox"/>	Black Fabric	◆
ATC2152	<input type="checkbox"/>	LK Version, Black with orange seam	○
ATC2153	<input type="checkbox"/>	Black Plush	○
ATC2155	<input type="checkbox"/>	Black Spacer Fabric	○
ARMREST (Pair)			
ATC2191	<input type="checkbox"/>	T-Arm detachable, Standard - Adjustment range 245 - 315 mm	◆
ATC2181	<input type="checkbox"/>	T-Arm detachable, Extended height - Adjustment range 295 - 365 mm	60,66
ATC2198	<input type="checkbox"/>	Padded Armrest with integrated cloth guard	247,39
ATC2183	<input type="checkbox"/>	Inrigged Armrests - Reduces SW by 25 mm each side	○
ATC2193	<input type="checkbox"/>	Flip-up Armrest - For 150 kg max user weight	○
NC : 2195, 2196, 2197, hip support			
NC : hip support			
NC : 1445			
ATC2192	<input type="checkbox"/>	Following Armrest Adjustment range from 230 - 300 mm For 150 kg max user weight	302,37
ATC2194	<input type="checkbox"/>	Following Armrest Adjustment range from 300 - 360 mm For 150 kg max user weight	302,37
NC : 1445			
ARMPAD (Pair)			
ATC2195	<input type="checkbox"/>	Short Armpad (325 mm)	◆
ATC2196	<input type="checkbox"/>	Long Armpad (375 mm)	78,67
ATC2197	<input type="checkbox"/>	Long Ergonomic Armpad (397 mm)	113,74
Hemiplegic gutters			
	<input type="checkbox"/>	Hemiplegic gutter in special manufacture	On demand
	<input type="checkbox"/>	Hemi concave gutter with flat or curved horn palmar support and 360° right or left reversible rotator, in 18° steps	On demand
HIP SUPPORTS			
ATC2184	<input type="checkbox"/>	Hip Support LH, pad size 140 x 100 mm	290,05
ATC2186	<input type="checkbox"/>	Hip Support LH, pad size 230 x 100 mm	290,05
ATC2188	<input type="checkbox"/>	Hip Support LH, pad size 330 x 100 mm	290,05
ATC2185	<input type="checkbox"/>	Hip Support RH, pad size 140 x 100 mm	290,05
ATC2187	<input type="checkbox"/>	Hip Support RH, pad size 230 x 100 mm	290,05
ATC2189	<input type="checkbox"/>	Hip Support RH, pad size 330 x 100 mm	290,05
NC : Bodypoint			



FOLDING BACKREST



2171



2173



2191



2198



Hemi gutter



Concave gutter hemi

MOUNTING HARDWARE FOR HIP SUPPORTS			
ATC2164	<input type="checkbox"/>	Mounting hardware for hip supports (6,1" / 155 mm high)	◆
ATC2165	<input type="checkbox"/>	Mounting hardware for hip supports (8,1" / 206 mm high)	○
HEADREST/NECKREST (Black wipedown cover)			
ATC1307	<input type="checkbox"/>	Push bar (dia 22 mm) in conjunction with telescopic backposts	43,60
ATC1350	<input type="checkbox"/>	Neckrest depth adjustable	◆
ATC1432	<input type="checkbox"/>	Headrest sideways adjustable	○
ATC1427	<input type="checkbox"/>	Headrest with cheek support	314,69
ATC2324	<input type="checkbox"/>	Elan Standard Pad 255 mm / 10" wide w/standard cover (ESP26)	383,89
ATC2325	<input type="checkbox"/>	Elan Occipital Pad 230x180 mm / 9"x7" w/standard cover (EOP23)	427,49
ATC1445	<input type="checkbox"/>	Lateral Support with extended arm, multi-adjustable pad NC : Matrx backrests	301,42
 1350  1432  1427  2325  1445			
SEAT HEIGHT & SEAT RISER			
SEAT HEIGHT			
ATC1023	<input type="checkbox"/>	Fix Seat Height 450 mm	◆
ATC1025	<input type="checkbox"/>	Fix Seat Height 480 mm	○
ATC1030	<input type="checkbox"/>	Electr. Seat Riser (400 - 650 mm) NC : Version X-plore	1 895,73
ATC1040	<input type="checkbox"/>	Electr. Seat Riser (440 - 690 mm) incl. Adapter	1 895,73
 1030			
SEAT TILT			
ATC1002	<input type="checkbox"/>	Manual Seat Tilt by spindle	◆
ATC1014	<input type="checkbox"/>	Electrical Tilt 0° to 25°	787,68
BACKREST RECLINER			
ATC0977	<input type="checkbox"/>	Powered Recliner	◆
LEGRESTS / FOOTRESTS			
Tilt-adjustable central legrest with calf support and angle-adjustable paddle			
PW-2006	<input type="checkbox"/>	Manual LNX (adjustable from 1.5° to 63°) NC : hip support	On demand
PW-2007	<input type="checkbox"/>	Electric LNX with compensation, positioned at 90° adjustable to +7°/-7°.	On demand
			
FOOTREST HANGER TYPE / PAIRS			
ATC0533	<input type="checkbox"/>	Hanger Vari A pair	◆
ATC0531	<input type="checkbox"/>	Hanger ADE 0° - 80° pair NC : 0522	878,67
 0533			
FOOTPLATE TYPE / PAIRS			
ATC0504	<input type="checkbox"/>	Angle Adjustable Footplate pair	◆
ATC0513	<input type="checkbox"/>	Angle and depth adjustable Footplate pair	107,11
REMOTES LINX			
LINX PRIMARY REMOTES with proportional Joystick + BRACKETS			
ATC2203	<input type="checkbox"/>	Remote LiNX DLX-REM211 = Drive & Actuators NC : 2331, 2232, 2229, 2270	-984,83
ATC2204	<input type="checkbox"/>	Remote LiNX DLX-REM216 = Drive, Actuators & Lights NC : 2331, 2232, 2229, 2270	-984,83
ATC2205	<input type="checkbox"/>	Rehab Remote LiNX, touch-screen user interface DLX-REM400 NC : 2220	○
ATC2206	<input type="checkbox"/>	Rehab Remote LiNX without joystick for alternative access users DLX-REM500 NC : 2220, 2270	576,30
 REM211  REM216  REM400  REM500			
REM400 TOGGLE OPTION			
ATC2270	<input type="checkbox"/>	Assignable Toggle Switch Module f. REM400 (DLX-SW400TGL)	340,28
REMOTE MOUNTING POSITION			
ATC1207	<input type="checkbox"/>	Standard Bracket RH NC : 1404	○
ATC1208	<input type="checkbox"/>	Standard Bracket LH NC : 1405	○
ATC1707	<input type="checkbox"/>	Swing Away Bracket RH NC : 1404	◆
ATC1708	<input type="checkbox"/>	Swing Away Bracket LH NC : 1405	○
ATC1709	<input type="checkbox"/>	Maxx resolve , swing away in/out - RH NC : 1404, (2231/2232 + 2207/2213), (2233 + 2235/2213/2241)	○
ATC1710	<input type="checkbox"/>	Maxx resolve , swing away in/out - LH NC : 1405, (2231/2232 + 2208/2214), (2233 + 2236/2214/2242)	○
ATC2213	<input type="checkbox"/>	Centre Mount, swing-away to RH, Nucleus NC : 1404, 1405, 1415	685,31
ATC2214	<input type="checkbox"/>	Centre Mount, swing-away to LH, Nucleus NC : 1404, 1405, 1339	685,31
ATC2227	<input type="checkbox"/>	Bracket RH, mounted for Attendant NC : 2219, 2220, 1287, 2128	33,85
ATC2228	<input type="checkbox"/>	Bracket LH, mounted for Attendant NC : 2219, 2220, 1286, 2128	33,85
ATZ2229	<input type="checkbox"/>	Individual mounting option per request (Special)	On demand
 2270 			

LINX REM500 (DISPLAY ONLY) BRACKETS			
ATC2209	<input type="checkbox"/>	Swing away RH, multi-adjustable	NC : 1404
ATC2210	<input type="checkbox"/>	Swing away LH, multi-adjustable	NC : 1405
PW-4005	<input type="checkbox"/>	Option 2209/2210 with mounting rod for REM500 extended by 200 mm	On demand
ATC2213	<input type="checkbox"/>	Centre Mount, swing-away to RH, Nucleus	NC : 1404, 1405, 1415
ATC2214	<input type="checkbox"/>	Centre Mount, swing-away to LH, Nucleus	NC : 1404, 1405, 1339
ATZ2239	<input type="checkbox"/>	Individual mounting option per request (Special)	On demand



2209
2210

DUAL CONTROL LINX + BRACKETS			
ATC2220	<input type="checkbox"/>	Dual Control LiNX (DLX-REM050 as secondary remote)	NC : 1221, 1222
ATC2219	<input type="checkbox"/>	Compact Dual Control LiNX (DLX-ACU200)	NC : 1221, 1222, 2227, 2228
ATC2245	<input type="checkbox"/>	Invacare LiNX IDC Dual control	NC : 1207, 1208, 2227, 2228
ATC1207	<input type="checkbox"/>	Standard Bracket RH	◆
ATC1208	<input type="checkbox"/>	Standard Bracket LH	○
ATC1221	<input type="checkbox"/>	Bracket RH, detachable	◆
ATC1222	<input type="checkbox"/>	Bracket LH, detachable	○



REM050



2219
2245

If multiple joysticks are to be mounted on the retractable center mount bracket (2213/2214), select option 2215

[Mo-Vis special controls - refer to the order sheet](#)



LINX - COMPACT REMOTES + BRACKETS			
ATC2231	<input type="checkbox"/>	Proportional Compact Remote DLX-CR400	1 191,47
ATC2232	<input type="checkbox"/>	Proportional Compact Remote Low Force DLX-CR-400LF	1 312,80
ATC2207	<input type="checkbox"/>	RH Mount	NC : 1404
ATC2208	<input type="checkbox"/>	LH Mount	NC : 1405
ATC2213	<input type="checkbox"/>	Centre Mount, swing-away to RH (Nucleus)	NC : 1404, 1405, 1415
ATC2214	<input type="checkbox"/>	Centre Mount, swing-away to LH (Nucleus)	NC : 1404, 1405, 1339
ATZ2215	<input type="checkbox"/>	Individual mounting option per request (Special)	On demand



2231
2232

CHIN CONTROL + BRACKETS			
ATC2229	<input type="checkbox"/>	Proportional Chin Joystick (ASL138)	NC : 2128
ATC1289	<input type="checkbox"/>	Swing Away Bracket RH, side manual (ASL628)	◆
ATC1288	<input type="checkbox"/>	Swing Away Bracket LH, side manual (ASL628)	○
ATC1287	<input type="checkbox"/>	Swing Away Bracket RH, powered	NC : 2227, 1404, 1415, 1312
ATC1286	<input type="checkbox"/>	Swing Away Bracket LH, powered	NC : 2228, 1405, 1339, 1363



1288 1286
1289 1287

HEAD CONTROL ATOM Technology			
ATC2230	<input type="checkbox"/>	Head Control with ultrasonic proximity sensors (ATOM, ASL104) with standard wings M3	NC : 2233, 2092, 2324, 2325, 2257, 2240
ATC2247	<input type="checkbox"/>	Head Control with ultrasonic proximity sensors (PROTON, ASL104P) with PROTON wings	NC : 2233, 2092, 2324, 2325, 2257, 2240



2230



2247

MICRO EXTREMITY CONTROL			
ATC2233	<input type="checkbox"/>	MEC Proportional Joystick (Micro Extremity Control ASL130)	NC : 2240
ATC2235	<input type="checkbox"/>	Tray Mount RH (100x150 mm)	○
ATC2236	<input type="checkbox"/>	Tray Mount LH (100x150 mm)	○
ATC2213	<input type="checkbox"/>	Centre Mount, swing-away to RH, Nucleus	NC : 1404, 1405, 2310, 2311
ATC2214	<input type="checkbox"/>	Centre Mount, swing-away to LH, Nucleus	NC : 1404, 1405, 2310, 2311
ATC2241	<input type="checkbox"/>	Centre Mount, swing-away to RH, Nucleus	NC : 1404, 1405, 2310, 2311
ATC2242	<input type="checkbox"/>	Centre Mount, swing-away to LH, Nucleus	NC : 1404, 1405, 2310, 2311
ATZ2215	<input type="checkbox"/>	Individual Mounting option per request (Special)	On demand











2233

LINX 10-WAY SWITCH			
ATC2251	<input type="checkbox"/>	10-Way Switch DLX-SW10-A f. direct Powered Seating Access	530,81
ATC2217	<input type="checkbox"/>	Bracket RH, mounted for user	NC : 2209, 2213, 1415
ATC2218	<input type="checkbox"/>	Bracket LH, mounted for user	NC : 2210, 2214
ATC2227	<input type="checkbox"/>	Bracket RH, mounted for attendant	NC : 1287
ATC2228	<input type="checkbox"/>	Bracket LH, mounted for attendant	NC : 1286
ATC2225	<input type="checkbox"/>	Without mounting	○
ATC2252	<input type="checkbox"/>	Loom providing jack sockets for "Drive" and "Mode"	87,20



2251

LINX ACCESSORIES					
ATC2253	<input type="checkbox"/>	USB Charger Port DLX-USB02-A	NC : Bodypoint	236,02	 2253
ATC2207	<input type="checkbox"/>	RH Mount		○	
ATC2208	<input type="checkbox"/>	LH Mount		○	
FURTHER COMPONENTS / ACCESSORIES					
ATC2300	<input type="checkbox"/>	To be enclosed only		○	
ATZ2301	<input type="checkbox"/>	To be connected and programmed (Special)		On demand	
BUDDY BUTTONS					
ATC1685	<input type="checkbox"/>	Red Buddy Button		130,81	
ATC1686	<input type="checkbox"/>	Yellow Buddy Button		130,81	
ATC1687	<input type="checkbox"/>	Green Buddy Button		130,81	
ATC1690	<input type="checkbox"/>	Blue Buddy Button		130,81	
EGG SWITCH					
ATC2254	<input type="checkbox"/>	Egg Switch, black		103,32	 2721 2722  2723  2724
PIKO BUTTONS					
ATC1711	<input type="checkbox"/>	Red Piko Button		130,81	
ATC1712	<input type="checkbox"/>	Yellow Piko Button		130,81	
ATC1713	<input type="checkbox"/>	Green Piko Button		130,81	
ATC1714	<input type="checkbox"/>	Orange Piko Button		130,81	
ATC1715	<input type="checkbox"/>	Blue Piko Button		130,81	
ATC1716	<input type="checkbox"/>	Black Piko Button		130,81	
BODYPOINT JOYSTICK KNOBS					
ATC2721	<input type="checkbox"/>	3 inch U-Shaped, Joystick Handle, Bodypoint PC101A		100,00	
ATC2722	<input type="checkbox"/>	4 inch U-Shaped, Joystick Handle, Bodypoint PC102A		100,00	
ATC2723	<input type="checkbox"/>	Domed Rubber, Joystick Handle, Bodypoint PC107A		100,00	
ATC2724	<input type="checkbox"/>	Mushroom Grooved, Joystick Handle, Bodypoint PC110A		100,00	
DRIVE UNIT DETAILS					
SHROUD COLOURS					
ATC0202	<input type="checkbox"/>	Blue		○	
ATC0228	<input type="checkbox"/>	Black		○	
ATC0220	<input type="checkbox"/>	Champagne		○	
ATC0204	<input type="checkbox"/>	Transparent Cherry Red		217,06	
ATZ0299	<input type="checkbox"/>	Special Shroud Colour (RAL code required)		764,93	
CASTORS					
ATC0851	<input type="checkbox"/>	3.00 - 6 Pneumatic, Grey		◆	
ATC0853	<input type="checkbox"/>	3.00 - 6 Puncture Proof sealed, Grey		130,81	
ATC0855	<input type="checkbox"/>	3.00 - 6 Puncture Proof (solid inlay), Grey		150,71	
DRIVE WHEEL					
ATC0771	<input type="checkbox"/>	3.00 - 8 Pneumatic, Grey		◆	
ATC0773	<input type="checkbox"/>	3.00 - 8 Puncture Proof(sealed), Grey		130,81	
ATC0750	<input type="checkbox"/>	3.00 - 8 Puncture Proof (solid inlay), Grey		238,86	
PERFORMANCES					
MOTOR TYPE					
ATC1277	<input type="checkbox"/>	6 km/h OPS Drive Motor		◆	 1240 1241 1242
ATC1285	<input type="checkbox"/>	10 km/h OPS Drive Motor		◆	
ATC1223	<input type="checkbox"/>	10 km/h Setting for DuraWatt High Speed Motor		○	
BATTERY					
ATC1364	<input type="checkbox"/>	73,5 Ah Gel		◆	
ATB1313	<input type="checkbox"/>	Opti Charge Charger 10A (IP44)		◆	
ATA1314	<input type="checkbox"/>	10A Opticharge Charger (UK)		○	
REAR SUSPENSION					
ATC1240	<input type="checkbox"/>	Suspension low (up to 80kg user weight)		○	
ATC1241	<input type="checkbox"/>	Suspension middle (from 70kg up to 100kg user weight)		◆	
ATC1242	<input type="checkbox"/>	Suspension hard (from 90kg up to 150kg user weight)		○	
SUSPENSION Storm4 X-plore					
ATC1233	<input type="checkbox"/>	REAR SUSPENSION		◆	 G-Trac Technology
ATC1238	<input type="checkbox"/>	Front suspension (up to 100 kg)		◆	
ATC1239	<input type="checkbox"/>	Front suspension (above 100 kg)		○	
G-TRAC					
G-Trac					
ATC1215	<input type="checkbox"/>	G-Trac Module		1 035,07	
POSITIONING OPTIONS					
Consider Bodypoint positioning accessories: belts, harnesses, ankle supports.					

OPTIONS			
LIGHT SYSTEM			
ATC1437	<input type="checkbox"/>	LED Light system with indicators	650,24
ATC1254	<input type="checkbox"/>	Without Light system	◆
ANTI-TIPPER			
ATC1205	<input type="checkbox"/>	Anti-tipper (standard version)	◆
ATC1204	<input type="checkbox"/>	Flip-down anti-tipper	144,08
KERB RIDER			
ATC1244	<input type="checkbox"/>	Kerb Rider	NC : 1450 291,00
TRANSPORTATION KIT			
ATC1450	<input type="checkbox"/>	Preparation for DAHL-Docking station (Adequate headrest is compulsory) The Dahl Docking Station allows the wheelchair to be docked in one of the following vehicles approved according to the requirements of the European Directive EEC-2007-46: VW Crafter, VW Transporter/Caravelle T5, Mercedes Vito/Viano 639, MB Sprinter 906, Ford Transit, Opel Vivaro and Renault Traffic, Citroen Jumpy, Peugeot Expert, Fiat Scudo, VW Caddy, Citroen Berlingo, Peugeot Partner... A headrest is required when transporting the person in an electric wheelchair a power wheelchair, please select one as an option in the seat accessories.	○
TAXI HOOK			
ATC1494	<input type="checkbox"/>	4-Point tie-down (Tested version for using wheelchair as a vehicle seat according to ISO 7176-19) (Adequate headrest is compulsory)	◆
LAP BELT			
ATC1329	<input type="checkbox"/>	Lap Belt with Auto Lock	◆
ATC2113	<input type="checkbox"/>	Lap belt with auto lock (flexible mount in side rails)	19,91
ATC1332	<input type="checkbox"/>	H-Belt	271,09
BODYPOINT PELVIC BELTS			
ATC2701	<input type="checkbox"/>	Evoflex Pelvic Stabilizer, Rehab Latch Size L	156,40
ATC2702	<input type="checkbox"/>	Evoflex Pelvic Stabilizer, Rehab Latch Size M	156,40
ATC2703	<input type="checkbox"/>	2-Point Hip Belt, Ctr-Pull, Push Butt, Cinch-Mount Size L	133,65
ATC2704	<input type="checkbox"/>	2-Point Hip Belt, Ctr-Pull, Push Butt, Cinch-Mount Size M	133,65
ATC2705	<input type="checkbox"/>	2-Point Hip Belt, Dual-Pull, Side-Release Butt. Cinch-Mount Size L	116,59
ATC2706	<input type="checkbox"/>	2-Point Hip Belt, Dual-Pull, Side-Release Butt. Cinch-Mount Size M	116,59
REARVIEW MIRROR			
ATC1415	<input type="checkbox"/>	Rearview mirror RH	70,14
ATC1339	<input type="checkbox"/>	Rearview mirror LH	70,14
BAG HOOKS			
ATC2128	<input type="checkbox"/>	Bag hooks (on Modulite Seat)	150,71
CANEHOLDER			
ATC1312	<input type="checkbox"/>	RH	68,25
ATC1363	<input type="checkbox"/>	LH	68,25
FENDER			
ATC1416	<input type="checkbox"/>	Fender for castors	116,59
ATC1417	<input type="checkbox"/>	Fender for rear/drive wheels	144,08
TRAY			
ATC1404	<input type="checkbox"/>	Swing Away RH	503,32
ATC1405	<input type="checkbox"/>	Swing Away LH	503,32
Tool kit			
ATC1333	<input type="checkbox"/>	Tool kit	30,33
Accessories			
SP1522428	<input type="checkbox"/>	Storm®4 labelled stickers for front arms - Blue (pair)	40,76
SP1523651	<input type="checkbox"/>	Storm®4 labelled stickers for front arms - black (pair)	40,76
SP1529145	<input type="checkbox"/>	Storm®4 labelled stickers for front arms - Champagne (pair)	40,76
SP1529393	<input type="checkbox"/>	Storm®4 labelled stickers for front arms - Red (pair)	40,76
SP1529397	<input type="checkbox"/>	Storm®4 labelled stickers for front arms - Green (pair)	40,76



1437



1244



1329



2701, 2702



2703, 2704






2705, 2706



1416

Invacare® Storm 4 & X-plore AA2 Assise	Hauteur d'assise sol/plaque d'assise (en mm)				
	Assise RECARO Storm 4 ATC1152	Assise RECARO Storm 4 X-plore ATC1152	Assise Modulite Standard ATC2110	Assise Modulite modulable rigide ATC2111	Assise Modulite modulable souple ATC2112
Type d'assise (fixe ou avec lift)					
ATB1023 : Hauteur d'assise fixe 450 mm	450 mm	450 mm	450 mm	450 mm	480 mm
ATB1025 : Hauteur d'assise fixe 480	480 mm	480 mm	480 mm	480 mm	510 mm
ATB1030 : Lift de 400 à 650 mm	400 à 650 mm	nc	400 à 650 mm	400 à 650 mm	430 à 680 mm
ATB1040 : Lift de 440 à 690 mm	440 à 690 mm	440 à 690 mm	440 à 690 mm	440 à 690 mm	470 à 720 mm

RAMPS

1440530	<input type="checkbox"/>	Fiberglass Folding Mono Ramp Folded dimensions: 2000 x 230 mm 16.3 kg - maximum capacity: 300 kg	1 787,68	 1440530
1654128	<input type="checkbox"/>	Basic ramp 2 telescopic parts in aluminum and non-slip coating. Folded dimensions: 1210 x 194 mm. 8.8 kg per pair - maximum capacity: 270 kg	298,58	 1654128
1654129	<input type="checkbox"/>	Quick2go Compact 3-part aluminum telescopic ramp with non-slip coating Folded dimensions: 870 x 237 mm 13.6 kg per pair - maximum capacity: 260 kg	559,24	 1654129
1654130	<input type="checkbox"/>	Aluminium folding mono ramp Folded dimensions: 1824 x 714 mm 13.9 kg - maximum capacity: 300 kg	317,54	 1654130