

Please contact Invacare EU Export Customer Services on :-
Tel : +33 247 626980 ; Email : serviceclient_export@invacare.com
 Or visit our website : www.invacare.eu.com



Invacare® Action® 5 Manual Folding Aluminum Wheelchair



Date :
 Purchase Order :
 Customer Code :
 Distributor Stamp :



Description:

- Patented horizontal folding system: Improves the compactness and rigidity of the chair
- Fixed, angle-adjustable or folding and angle-adjustable backrest
- Seat width up to 530 mm
- Max user weight: 130 kg
- Complete weight: from 12.3 kg
- Transport weight: from 8.3 kg
- 2-year warranty period excluding wear parts



Invacare Unique Customization Service
 Please specify the quote or special production number:

- Please make your selection with a cross in the box ◆ Standard feature ○ Free of charge option

CODE	DESCRIPTION	NC : Non Compatible NC : 9999 = not compatible with the reference 9999	Euros	
SJC0110	<input type="checkbox"/> Invacare® Action® 5 - Fixed Backrest		1616,11	
SJC0115	<input type="checkbox"/> Invacare® Action® 5 - Angle Adjustable Backrest		1725,12	
SJC0120	<input type="checkbox"/> Invacare® Action® 5 - Angle Adjustable and Folding Backrest		1935,55	
ALBER (Only Compatible with 24" wheels and 0° camber)				
SJC0180	<input type="checkbox"/> BRACKET FOR TWION AND E-MOTION M25 WITH ALBER ANTI-TIPPERS	NC : 4050, 4150, 7302, 7304, 8160, 8500, 8550, 9000, 9100, 9200	579,15	
FRAME TYPE				
SJC0200	<input type="checkbox"/> SWING AWAY FRAME	NC : 3230, 3440,3450	◆	
SJC0210	<input type="checkbox"/> FIXED FRONT END 80 DEGREE ANGLE FRAME		○	
PROPULSION TYPE				
SJC0300	<input type="checkbox"/> Self Propulsion		◆	
SEAT				
SEAT WIDTH (SW)				
SJC1000	<input type="checkbox"/> 305 mm	NC : 1150, 1160, 1190, Matrx Backrest, 3040, 3140, 3400, Classic Visco cushion, Matrx et Flo-tech, 5090	○	
SJC1010	<input type="checkbox"/> 330 mm	NC : 1150, 1160, 1190, 3040, 3140, 3400, Classic Visco cushion, Matrx et Flo-tech, 5090	○	
SJC1020	<input type="checkbox"/> 355 mm	NC : 3040, 3140, Classic Visco cushion, Matrx et Flo-tech, 5090	○	
SJC1030	<input type="checkbox"/> 380 mm	NC : 2486, 2488, 2490, 2492, 5008	○	
SJC1040	<input type="checkbox"/> 405 mm	NC : 2481, 2488, 2490, 2492	○	
SJC1050	<input type="checkbox"/> 430 mm	NC : 2481, 2482, 2490, 2492	○	
SJC1060	<input type="checkbox"/> 455 mm	NC : 2481, 2482, 2484, 2492	○	
SJC1070	<input type="checkbox"/> 480 mm	NC : 2481, 2482, 2484, 2486, 5006, 5007, 5090	○	
SJC1075	<input type="checkbox"/> 505 mm	NC : 2481, 2842, 2484, 2486, 2488, 5006, 5007, 5008, 5009, 5090	○	
SJC1078	<input type="checkbox"/> 530 mm (heel straps included)	NC : 2481,2842, 2484, 2486, 2488, 2490, 5006, 5007, 5008, 5009, 5010, 5020, 5040, 5042, 5044,5090	○	

Seat depth (length of seat cover = seat depth - 25 mm)				
SJC1100	<input type="checkbox"/>	350 mm	NC : 3040, 3140, 4050, 4150, Classic Visco Cushion, Matrx et Flo-tech, 5090, 7080, 7100, 7110	○
SJC1110	<input type="checkbox"/>	375 mm	NC : 4050, 4150, Classic Visco Cushion, Matrx et Flo-tech, 5090	○
SJC1120	<input type="checkbox"/>	400 mm	NC : 5008, 5052, 5054	◆
SJC1130	<input type="checkbox"/>	425 mm	NC : 5052, 5054	○
SJC1140	<input type="checkbox"/>	450 mm	NC : 5054	○
SJC1150	<input type="checkbox"/>	475 mm	NC : 5006, 5007, 5054, 5090	○
SJC1160	<input type="checkbox"/>	500 mm	NC : 5006, 5007, 5008, 5009, 5020, 5040, 5090	○
SJC1180	<input type="checkbox"/>	Adjustable 450 to 400 mm - Delivered at 425 mm	NC : 1510, 5054	○
SJC1190	<input type="checkbox"/>	Adjustable 500 to 450 mm - Delivered at 475 mm	NC : 5006, 5007, 1510	○
SEAT HEIGHT IN FRONT (FSTF) OF THE CHAIR, MEASURED FROM FLOOR TO TOP OF SEAT RAIL				
SJC1200	<input type="checkbox"/>	360 mm - Only with 7000	NC : 3420, 3430, 3450	○
SJC1210	<input type="checkbox"/>	385 mm - Only with 7055	NC : 3430	○
SJC1220	<input type="checkbox"/>	410 mm	NC : 7080, 7100, 7110	○
SJC1230	<input type="checkbox"/>	435 mm	NC : 7110	○
SJC1240	<input type="checkbox"/>	460 mm		○
SJC1250	<input type="checkbox"/>	485 mm		◆
SJC1260	<input type="checkbox"/>	510 mm	NC : 7000, 7040	○
Rear seat height (must be ≤ front seat height; max - 50mm vs front seat height)				
SJC1300	<input type="checkbox"/>	360 mm		○
SJC1310	<input type="checkbox"/>	385 mm		○
SJC1320	<input type="checkbox"/>	410 mm		○
SJC1330	<input type="checkbox"/>	435 mm		○
SJC1340	<input type="checkbox"/>	460 mm		◆
SJC1350	<input type="checkbox"/>	485 mm	NC : 7200	○
SEAT UPHOLSTERY TYPE				
SJC1500	<input type="checkbox"/>	NYLON SLING STEPLESS DEPTH ADJUSTABLE (- 50 MM / - 2") SEAT UPHOLSTERY - WITH PHONE HOLDER UNDER SEAT		○
SJC1510	<input type="checkbox"/>	NYLON BASIC FIXED SEAT UPHOLSTERY		◆
SJC1520	<input type="checkbox"/>	TENSION ADJUSTABLE SEAT UPHOLSTERY & DEPTH ADJUSTABLE -50MM		119,43
BACKREST				
BACKREST FIXED HEIGHT (UPHOLSTERY MOVES)				
SJC2143	<input type="checkbox"/>	FIXED 7°, HEIGHT 350 MM / 14" - HEIGHT 325-350 MM / 13"-14" SET AT 350MM / 14" (2 positions, 25mm / 1" steps through uph)	NC : 2300, 2310, 2400, 2410, 2420, 2505, 8160, 8200	○
SJC2150	<input type="checkbox"/>	FIXED 7°, HEIGHT 375 MM / 16" - HEIGHT 375-400 MM / 15"-16" SET AT 400MM / 16" (2 positions, 25mm / 1" steps through uph)	NC : 2300, 2310, 2400, 2410, 2420, 8200	○
SJC2153	<input type="checkbox"/>	FIXED 7°, HEIGHT 400 MM / 16" - HEIGHT 375-400 MM / 15"-16" SET AT 400MM / 16" (2 positions, 25mm / 1" steps through uph)	NC : 2300, 2310, 2400, 2410, 2420	◆
SJC2160	<input type="checkbox"/>	FIXED 7°, HEIGHT 425 MM / 18" - HEIGHT 425-450 MM / 17"-18" SET AT 450MM / 18" (2 positions, 25mm / 1" steps through uph)	NC : 2300, 2310, 2400, 2410, 2420	○
SJC2163	<input type="checkbox"/>	FIXED 7°, HEIGHT 450 MM / 18" - HEIGHT 425-450 MM / 17"-18" SET AT 450MM / 18" (2 positions, 25mm / 1" steps through uph)	NC : 2300, 2310, 2400, 2410, 2420	○
SJC2170	<input type="checkbox"/>	FIXED 7°, HEIGHT 475 MM / 20" - HEIGHT 475-500 MM / 19"-20" SET AT 500MM / 20" (2 positions, 25mm / 1" steps through uph)	NC : 2300, 2310, 2400, 2410, 2420	○
SJC2173	<input type="checkbox"/>	FIXED 7°, HEIGHT 500 MM / 20" - HEIGHT 475-500 MM / 19"-20" SET AT 500MM / 20" (2 positions, 25mm / 1" steps through uph)	NC : 2300, 2310, 2400, 2410, 2420	○



1500



1510



1520



2143



2150 / 2153



2160 / 2163 / 2170 / 2173

BACKREST HEIGHT ADJUSTABLE (BACKREST TUBE MOVES)			
SJC2300	<input type="checkbox"/>	HEIGHT ADJUSTABLE FROM 360-400MM / 14,5"-16"	NC : 2505 103,32
SJC2310	<input type="checkbox"/>	HEIGHT ADJUSTABLE FROM 410-490MM / 16"-19,5"	103,32
PUSHHANDLES TYPE (TO SELECT WHEN CHOSEN HEIGHT ADJUSTABLE BACKREST)			
SJC2400	<input type="checkbox"/>	WITHOUT PUSHHANDLES (7° degree bend)	NC : 8160, 9100, 9200 ◆
SJC2410	<input type="checkbox"/>	REARSET (REA TYPE) (HEIGHT ADJUSTABLE + 150 MM / 6") (7° degree bend)	NC : 2505 212,32
SJC2420	<input type="checkbox"/>	INTEGRATED (HEIGHT ADJUSTABLE + 135 MM / 5") (0° degree bend)	NC : MatrX Backrests 134,60
Matrx backs - See table "Possible widths of MatrX backs depending on the width of the seat" at the bottom.			
SJC2430	<input type="checkbox"/>	MATRX ELITE E2 BACK WITH HARDWARE 160 MM BACK HEIGHT - CURVE 80 MM - MINI FASTENERS	NC : 2505, 2510, 5500 717,54
SJC2432	<input type="checkbox"/>	MATRX ELITE E2 BACK WITH HARDWARE 210 MM BACK HEIGHT - CURVE 80 MM - MINI FASTENERS	NC : 2505, 2510, 5500 717,54
SJC2434	<input type="checkbox"/>	MATRX ELITE E2 BACK WITH HARDWARE 260 MM BACK HEIGHT - CURVE 80 MM - MINI FASTENERS	NC : 2505, 2510, 5500 717,54
SJC2436	<input type="checkbox"/>	MATRX ELITE E2 BACK WITH HARDWARE 310 MM BACK HEIGHT - CURVE 80 MM - MINI FASTENERS	NC : 2505, 2510, 5500 717,54
SJC2438	<input type="checkbox"/>	MATRX ELITE E2 BACK WITH HARDWARE 360 MM BACK HEIGHT - CURVE 80 MM - MINI FASTENERS	NC : 2505, 2510, 5500 717,54
SJC2460	<input type="checkbox"/>	MATRX ELITE E2 BACK WITH HARDWARE 410 MM BACK HEIGHT - CURVE 80 MM - MINI FASTENERS	NC : 2505, 2510, 5500 717,54
SJC2465	<input type="checkbox"/>	MATRX ELITE E2 BACK WITH HARDWARE 460 MM BACK HEIGHT - CURVE 80 MM - STANDARD FASTENERS	NC : 2505, 2510, 5500 717,54
SJC2440	<input type="checkbox"/>	MATRX ELITE E2 BACK WITH HARDWARE 510 MM BACK HEIGHT - CURVE 80 MM - STANDARD FASTENERS	NC : 2505, 2510, 5500 717,54
SJC2442	<input type="checkbox"/>	MATRX ELITE DEEP E2 BACK WITH HARDWARE 160 MM BACK HEIGHT - CURVE 160 MM - MINI FASTENERS	NC : 2505, 2510, 5500 717,54
SJC2444	<input type="checkbox"/>	MATRX ELITE DEEP E2 BACK WITH HARDWARE 210 MM BACK HEIGHT - CURVE 160 MM - MINI FASTENERS	NC : 2505, 2510, 5500 717,54
SJC2446	<input type="checkbox"/>	MATRX ELITE DEEP E2 BACK WITH HARDWARE 260 MM BACK HEIGHT - CURVE 160 MM - MINI FASTENERS	NC : 2505, 2510, 5500 717,54
SJC2448	<input type="checkbox"/>	MATRX ELITE DEEP E2 BACK WITH HARDWARE 310 MM BACK HEIGHT - CURVE 160 MM - MINI FASTENERS	NC : 2505, 2510, 5500 717,54
SJC2452	<input type="checkbox"/>	MATRX ELITE DEEP E2 BACK WITH HARDWARE 360 MM BACK HEIGHT - CURVE 160 MM - MINI FASTENERS	NC : 2505, 2510, 5500 717,54
SJC2470	<input type="checkbox"/>	MATRX ELITE DEEP E2 BACK WITH HARDWARE 410 MM BACK HEIGHT - CURVE 160 MM - MINI FASTENERS	NC : 2505, 2510, 5500 717,54
SJC2475	<input type="checkbox"/>	MATRX ELITE DEEP E2 BACK WITH HARDWARE 460 MM BACK HEIGHT - CURVE 160 MM - STANDARD FASTENERS	NC : 2505, 2510, 5500 717,54
SJC2478	<input type="checkbox"/>	MATRX ELITE DEEP E2 BACK WITH HARDWARE 510 MM BACK HEIGHT - CURVE 160 MM - STANDARD FASTENERS	NC : 2505, 2510, 5500 717,54
Matrx backrest width - see chart at end			
SJC2481	<input type="checkbox"/>	360 MM - INDICATIVE BUST WIDTH : 265 MM	○
SJC2482	<input type="checkbox"/>	380 MM - INDICATIVE BUST WIDTH : 290 MM	○
SJC2484	<input type="checkbox"/>	410 MM - INDICATIVE BUST WIDTH : 315 MM	○
SJC2486	<input type="checkbox"/>	430 MM - INDICATIVE BUST WIDTH : 340 MM	○
SJC2488	<input type="checkbox"/>	460 MM - INDICATIVE BUST WIDTH : 370 MM	○
SJC2490	<input type="checkbox"/>	480 MM - INDICATIVE BUST WIDTH : 390 MM	○
SJC2492	<input type="checkbox"/>	510 MM - INDICATIVE BUST WIDTH : 420 MM	○
BACKREST UPHOLSTERY			
SJC2505	<input type="checkbox"/>	FIXED BACKREST, NYLON & MESH PADDED COVER	NC : 5500 ○
SJC2510	<input type="checkbox"/>	CONTOUR (TENSION) ADJUSTABLE STRAPS, NYLON & MESH COVER	◆
HANGERS/FOOTPLATES			
HANGERS RH TYPE			
SJC3010	<input type="checkbox"/>	70° STRAIGHT RH - Only in black	NC : 3440, 3450 ○
SJC3020	<input type="checkbox"/>	80° STRAIGHT RH	NC : 3440, 3450 ◆
SJC3030	<input type="checkbox"/>	90° STRAIGHT RH	NC : 3200, 3440, 3450, 7080, 7100, 7110 ○
SJC3040	<input type="checkbox"/>	ELEVATING LEGREST (0° TO 75°) RH, CALF PAD INCLUDED	NC : 3230, 3400, 3440, 3450, 5400 73,82
SJC3050	<input type="checkbox"/>	AMPUTEE LEGREST RH	NC : 3200, 3210, 3230, 5400, 8100, 8120, 9400 140,28



2300 / 2310




2410



2420



**Matrx Elite
E2 / Elite
Deep E2**











2510






















3010 / 3110



3020 / 3120

HANGERS LH TYPE					
SJC3110	<input type="checkbox"/>	70° STRAIGHT LH - Only in black	NC : 3440, 3450	○	 3030 / 3130  3040 / 3140  3050 / 3150  3200 / 3300  3210 / 3310  3230
SJC3120	<input type="checkbox"/>	80° STRAIGHT LH	NC : 3440, 3450	◆	
SJC3130	<input type="checkbox"/>	90° STRAIGHT LH	NC : 3300, 3440, 3450, 7080, 7100, 7110	○	
SJC3140	<input type="checkbox"/>	ELEVATING LEGREST (0° TO 75°) LH, CALF PAD INCLUDED	NC : 3230, 3400, 3440, 3450, 5400	73,82	
SJC3150	<input type="checkbox"/>	AMPUTEE LEGREST LH	NC : 3230, 3300, 3310, 5400, 8100, 8120, 9400	140,28	
FOOTPLATES RH TYPE					
SJC3200	<input type="checkbox"/>	FLIP UP RH FOOTPLATE	NC : 3410	◆	
SJC3210	<input type="checkbox"/>	FLIP UP DEPTH & ANGLE ADJUSTABLE RH FOOTPLATE		26,43	
SJC3230	<input type="checkbox"/>	ONE PIECE FOOTPLATE DEPTH & ANGLE ADJUSTABLE	NC : 3400, 3410, 3420, 3430	234,12	
FOOTPLATES LH TYPE					
SJC3300	<input type="checkbox"/>	FLIP-UP LH FOOTPLATE	NC : 3410	◆	
SJC3310	<input type="checkbox"/>	FLIP-UP DEPTH & ANGLE ADJUSTABLE LH FOOTPLATE		26,43	
FOOTREST TUBE (Given UL for adjustable footplate only. Add +15mm with fixed footplate)					
SJC3400	<input type="checkbox"/>	SWING AWAY FRAME, HIGH MOUNTED TUBE, FOR UL 160 to 375 MM	NC : 9400	272,99	
SJC3410	<input type="checkbox"/>	SWING AWAY FRAME, SHORT TUBE, FOR UL 285 TO 375 MM		○	
SJC3420	<input type="checkbox"/>	SWING AWAY FRAME, STANDARD TUBE, FOR UL 295 to 420 MM		◆	
SJC3430	<input type="checkbox"/>	SWING AWAY FRAME, LONG TUBE, FOR UL 400 TO 525 MM		○	
SJC3440	<input type="checkbox"/>	FIXED FRAME, STANDARD TUBE, FOR UL 320 TO 460 MM		◆	
SJC3450	<input type="checkbox"/>	FIXED FRAME, LONG TUBE, FOR UL 360 TO 500 MM		○	
ARMRESTS					
MUDGUARDS / SIDE GUARDS (PAIR)					
SJC3750	<input type="checkbox"/>	SIDE GUARDS	NC : 4010, 4020, 4030, 4040, 4110, 4130	○	 3750  3800
SJC3800	<input type="checkbox"/>	REMOVABLE MUDGUARD	NC : 4010, 4020, 4030, 4040, 4110, 4130, 8160	○	
ARMRESTS RH FORM					
SJC4010	<input type="checkbox"/>	REMOVABLE RH, HEIGHT ADJUSTABLE (N°.1) T-ARM - DESK ARMPAD (280 MM), ADJUSTABLE BY 150 MM		◆	
SJC4020	<input type="checkbox"/>	REMOVABLE RH, HEIGHT ADJUSTABLE (N°.1) T-ARM - FULL LENGTH ARMPAD (380 MM), ADJUST BY 50 MM		○	
SJC4030	<input type="checkbox"/>	SWING AWAY DETACHABLE HEIGHT ADJ RH (N°3) - DESK ARMPAD (280 MM)		118,48	
SJC4040	<input type="checkbox"/>	SWING AWAY DETACHABLE HEIGHT ADJ RH (N°3) - FULL LENGTH ARMPAD (380 MM)		118,48	
SJC4050	<input type="checkbox"/>	TUBULAR ARMREST RH, SWING AWAY PADDED TUBE - HEIGHT ADJUSTABLE 40 MM BY STEP OF 10 MM, PADDING 230 MM		90,05	
ARMRESTS LH FORM					
SJC4110	<input type="checkbox"/>	REMOVABLE LH, HEIGHT ADJUSTABLE (N°.1) T-ARM - DESK ARMPAD (280 MM), ADJUSTABLE BY 150 MM		◆	
SJC4120	<input type="checkbox"/>	REMOVABLE LH, HEIGHT ADJUSTABLE (N°.1) T-ARM - FULL LENGTH ARMPAD (380 MM), ADJUST BY 50 MM		○	
SJC4130	<input type="checkbox"/>	SWING AWAY DETACHABLE HEIGHT ADJ LH (N°3) - DESK ARMPAD (280 MM)		118,48	
SJC4140	<input type="checkbox"/>	SWING AWAY DETACHABLE HEIGHT ADJ LH (N°3) - FULL LENGTH ARMPAD (380 MM)		118,48	
SJC4150	<input type="checkbox"/>	TUBULAR ARMREST LH, SWING AWAY PADDED TUBE - HEIGHT ADJUSTABLE 40 MM BY STEP OF 10 MM, PADDING 230 MM		90,05	

SEATING OPTIONS TYPE					
SJC5000	<input type="checkbox"/>	BASIC 60 MM / 2" FOAM CUSHION NYLON & ANTI-SLIP COVER	NC : 5050, 5052, 5054	33,08	 5000
SJC5006	<input type="checkbox"/>	CLASSIC VISCO CUSHION 375 x 400	NC : 5050, 5052, 5054	76,78	
SJC5007	<input type="checkbox"/>	CLASSIC VISCO CUSHION 405 x 400	NC : 5050, 5052, 5054	65,40	5006 / 5007 5008 / 5009
SJC5008	<input type="checkbox"/>	CLASSIC VISCO CUSHION 430 x 430	NC : 5050, 5052, 5054	65,40	 5010
SJC5009	<input type="checkbox"/>	CLASSIC VISCO CUSHION 455 x 400	NC : 5050, 5052, 5054	76,78	 5020
SJC5010	<input type="checkbox"/>	MATRX CONTOUR VISCO NG CUSHION	NC : 5054	76,78	
SJC5020	<input type="checkbox"/>	MATRX FLO-TECH IMAGE CUSHION	NC : 5054	146,45	 5040
SJC5040	<input type="checkbox"/>	MATRX FLO-TECH SOLUTION XTRA	NC : 5054	360,19	 5044
SJC5044	<input type="checkbox"/>	MATRX LIBRA CUSHION		293,84	
MATRX CUSHION DEPTH					
SJC5050	<input type="checkbox"/>	FOR 400MM SEAT DEPTH		<input type="radio"/>	
SJC5052	<input type="checkbox"/>	FOR 450MM SEAT DEPTH		<input type="radio"/>	
SJC5054	<input type="checkbox"/>	FOR 500MM SEAT DEPTH	NC : 5090	<input type="radio"/>	
OTHER SEATING OPTIONS TYPE					
SJC5090	<input type="checkbox"/>	SEAT RIGIDIZER		61,61	
SJC5100	<input type="checkbox"/>	CLIP TO KEEP THE CHAIR FOLDED		43,60	5100 
SJC5400	<input type="checkbox"/>	ADJUSTABLE CALF STRAP		14,22	 5500
SJC5500	<input type="checkbox"/>	FOLDING BACKBRACE	NC : 5650	105,21	
SJC5650	<input type="checkbox"/>	MATRX SOFT PAD HEADREST (SOFT PAD 250MM) WITH FIXED HARDWARE	(ONLY FOR MATRX BACK)	441,71	5650 
COLOURS					
FRAME					
SJC6000	<input type="checkbox"/>	PEARL WHITE		<input type="radio"/>	
SJC6010	<input type="checkbox"/>	ANTHRACITE BLACK		<input type="radio"/>	
SJC6015	<input type="checkbox"/>	NAVY BLUE		<input type="radio"/>	
SJC6040	<input type="checkbox"/>	ELECTRIC GREEN		<input type="radio"/>	
SJC6045	<input type="checkbox"/>	DARK PURPLE		<input type="radio"/>	
SJC6060	<input type="checkbox"/>	PEARL GREY		<input type="radio"/>	
SJC6070	<input type="checkbox"/>	MATT BLACK		<input type="radio"/>	
SJC6099	<input type="checkbox"/>	SPECIAL COLOUR - ON DEMAND ONLY AND SPECIAL	RAL :	On Demand	
ACCENT COLOURS (rear wheel plate, fork, disks on castorhousing, QR axle cap)					
SJC6100	<input type="checkbox"/>	WITHOUT ACCENT - SILVER FORK & REARWHEEL SUPPORT		<input type="radio"/>	
SJC6110	<input type="checkbox"/>	BLUE		139,34	
SJC6200	<input type="checkbox"/>	PURPLE		139,34	
FRONT WHEELS					
SJC7000	<input type="checkbox"/>	4" X 1.1/4" (100 X 30 MM) SOFTROLL		<input type="radio"/>	
SJC7055	<input type="checkbox"/>	5" X 1" (125 X 25 MM) SOLID		<input type="radio"/>	7000 
SJC7070	<input type="checkbox"/>	5" X 1.3/8" (125 X 35 MM) ALU SOFTROLL		134,60	
SJC7080	<input type="checkbox"/>	6" X 1" (150 X 25 MM) SOLID		<input type="radio"/>	7070 
SJC7100	<input type="checkbox"/>	6" X 1.3/8" (150 X 35 MM) ALU SOFTROLL		134,60	
SJC7110	<input type="checkbox"/>	7" X 1.1/4" (180 X 30 MM) SOLID		<input type="radio"/>	7100 
REAR WHEELS					
REAR WHEEL RIM TYPE (12mm QR)					
SJC7200	<input type="checkbox"/>	22" (560 MM) REINFORCED, CROSS SPOKED WHEEL	NC : 7320, 7410	<input type="radio"/>	
SJC7230	<input type="checkbox"/>	24" (610 MM) REINFORCED, CROSS SPOKED WHEEL	NC : 7320	<input type="radio"/>	7240
SJC7240	<input type="checkbox"/>	24" (610 MM) LIGHTWEIGHT, RADIAL SPOKED, BLACK RIM & HUB - 6 POINTS HANDRIM	NC : 7410, 8000, 8160	<input type="radio"/>	 7200 / 7230

TYRE TYPE					
SJC7302	<input type="checkbox"/>	SOLID BLACK 1.3/8" (35 MM)		○	 1" 1.3/8" 1.3/8" 7315 7304 7302 7320
SJC7304	<input type="checkbox"/>	PNEUMATIC TYRE BLACK 1.3/8" (35 MM) BLOCK PATTERN		○	
SJC7315	<input type="checkbox"/>	PNEUMATIC LOW PROFILE BLACK 1" (25 MM)		◆	
SJC7320	<input type="checkbox"/>	PNEUMATIC MAXXIS ALPHA PROTECT 1" (25 MM)	83,41		
HANDRIM TYPE					
SJC7400	<input type="checkbox"/>	ALUMINIUM HANDRIM		◆	
SJC7410	<input type="checkbox"/>	STAINLESS STEEL	119,43		
SJC7420	<input type="checkbox"/>	HANDRIM COATED IN BLACK ANTI-SLIP	127,01		
REAR WHEELS AXLE TYPE					
SJC7500	<input type="checkbox"/>	QUICK RELEASE AXLE		◆	
REAR WHEELS POSITION					
SJC7620	<input type="checkbox"/>	MEDIUM ACTIVE WHEEL POSITION - From front of backrest to axle position + 2" (50 mm)		○	
SJC7630	<input type="checkbox"/>	STANDARD REAR WHEELS POSITION - From front of backrest to axle position + 1" (25 mm)		◆	
CAMBER ANGLE					
SJC7700	<input type="checkbox"/>	0°		◆	
SJC7710	<input type="checkbox"/>	1°		○	
SJC7720	<input type="checkbox"/>	2°		○	
SJC7730	<input type="checkbox"/>	3°		○	
SJC7740	<input type="checkbox"/>	4°		○	
CHASSIS OPTIONS TYPE					
SJC8000	<input type="checkbox"/>	SPOKE PROTECTORS PAIR	165,88		 8000
SJC8030	<input type="checkbox"/>	PUMP - HIGH PRESSURE	134,60		
BRAKES TYPE					
SJC8100	<input type="checkbox"/>	PUSH TO LOCK BRAKES		◆	 8100 8110 8120 8130 8160
SJC8110	<input type="checkbox"/>	PULL TO LOCK BRAKES		○	
SJC8120	<input type="checkbox"/>	PUSH TO LOCK BRAKES WITH EXTENTION	10,43		
SJC8130	<input type="checkbox"/>	PULL TO LOCK BRAKES WITH EXTENTION	10,43		
SJC8160	<input type="checkbox"/>	ATTENDANT HUB BRAKES INCLUDES STANDARD USER PUSH TO LOCK BRAKE OR PULL AS APPLICABLE	178,20		
POSITIONING OPTIONS					
<i>Think about Bodypoint positioning accessories: belts, harnesses, ankle supports.</i>					
SAFETY OPTIONS TYPE					
SJC8200	<input type="checkbox"/>	TRANSPORTATION KIT	24,64		 8300 8500 8550
SJC8300	<input type="checkbox"/>	BUCKLE BELT - PLASTIC BUCKLE	31,28		
SJC8500	<input type="checkbox"/>	REAR ANTI-TIPPER ACTIVE RH NC : 9200	134,60		
SJC8550	<input type="checkbox"/>	REAR ANTI-TIPPER ACTIVE LH NC : 9100	134,60		
SJC8600	<input type="checkbox"/>	REFLECTORS KIT (WHEELS)	38,86		
OTHERS OPTIONS					
SJC9000	<input type="checkbox"/>	CANE HOLDER	49,29		 9100 9200 9400
SJC9100	<input type="checkbox"/>	TIPPING AID (LH)	42,65		
SJC9200	<input type="checkbox"/>	TIPPING AID (RH)	42,65		
SJC9300	<input type="checkbox"/>	USER TOOLKIT	8,53		
SJC9400	<input type="checkbox"/>	CASE HOLDER	126,07		





Possible widths of the Matrx backrests depending on the seat width

		Seat width in mm							
		(mm)	380	405	430	455	480	505	530
Matrx Backrest Width	360	○							
	380	○		○					
	410	○		○	○				
	430			○	○	○			
	460				○	○	○		
	480					○	○	○	
	510						+	○	○

Front and rear wheel diameters depending on the front and rear seat heights

		Front wheel in function of FRONT seat height (FSTF)					
		(MM)	410	435	460	485	510
Caster size	4" (100mm)	○	○	○	○		
	5" (125mm)	○	○	○	○	○	
	6" (150mm)		○	○	○	○	○
	7" (180mm)			○	○	○	○
							○

		Rear wheel in function of REAR seat height (RSTF)					
		(MM)	385	410	435	460	485
Wheel size	22" (560mm)	○	○	○	○		
	24" (610mm)	○	○	○	○	○	
	25" (635mm)	○	○	○	○	○	○
							○

RAMPS			
1440530	<input type="checkbox"/>	Fiberglass Folding Mono Ramp Folded dimensions: 2000 x 230 mm 16.3 kg - maximum capacity: 300 kg"	1 787,68  1440530
1654128	<input type="checkbox"/>	Basic ramp 2 telescopic parts in aluminum and non-slip coating - Folded dimensions: 1210 x 194 mm 8.8 kg per pair - maximum capacity: 270 kg	402,84  1654128
1654129	<input type="checkbox"/>	Quick2go Compact 3-part aluminum telescopic ramp with non-slip coating Folded dimensions: 870 x 237 mm 13.6 kg per pair - maximum capacity: 260 kg	805,69  1654129
1654130	<input type="checkbox"/>	Aluminium folding mono ramp Folded dimensions: 1824 x 714 mm 13.9 kg - maximum capacity: 300 kg	426,54  1654130